

Well Name: SEINFELD FEDERAL UNIT GIPPLE	Well Location: T24S / R35E / SEC 33 / SESE / 32.1672081 / -103.3663968	County or Parish/State: LEA / NM
Well Number: 224H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002551155	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2742384

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 07/24/2023

Time Sundry Submitted: 11:13

Date Operation Actually Began: 06/26/2023

Actual Procedure: Well spud on 6/26/2023 at 1:15 6/26/2023: Drill 14.75 inch surface hole to 1009 ft. 6/26/2023: Run 10.75 inch 45.5 lb J-55 surface casing to 995 ft. Pump 20 bbl spacer, followed by 490 sks of 13.5 ppg lead cmt and 225 sks of 14.8 ppg tail cmt. Drop plug and displace with 91 bbls freshwater. 251 sks of cement returned back to surface. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 6/27/2023: Test BOPS. Drill 9.875 intermediate hole to 12195 ft. 7/2/2023: Run 7.625 inch 29.7 lb L-80 intermediate casing to 12123 ft. Pump 30 bbls gel spacer, followed by 1040 sks of 11.0 ppg lead cmt 335 sks of 14.5 ppg tail cmt. Drop plug and displace with 554 bbls of OBM. 226 sks cement to surface. EST TOC at 0 ft. Pressure test casing to 2670 for 30 minutes, good test. 7/3/2023: Drill 6.75 inch production hole to 23050 ft. 7/22/2023: Run 5.5 inch 20 lb P-110 production casing to 23031 ft MD. Pump 80 bbls spacer, then 955 sks of 14.0 ppg tail cmt. Drop plug and displace with 510 bbls brine. 0 bbls cement returned to surface. Est TOC at 8713 ft. Surface Casing Details: Casing ran: 6/26/2023, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 10.75 inch, Weight 45.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 995 ft, Cement 715 sacks, Yield 1.75 lead/1.34 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 7/2/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 12195, Csg Size 7.625 inch, Weight 29.7 lbs, Grade L-80, Est TOC 0 ft, Depth set 12123 ft, Cement 1375 sks, Yield 3.34 lead/1.23 tail, Class C, Pressure Held 2670 psi, Pres Drop 0. Production Casing details: Casing Date: 7/22/2023, Fluid Type oil based mud, Hole 6.75 inch to 23050 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 23031 ft, EST TOC 8317 ft, Cement 955 sacks, yield 1.32 tail, Class C. 7/20/2023: TD Reached at 23050 MD, 12699 ft TVD. Plug Back Measured depth at 22979 ft MD, 12700 ft TVD. Rig Release on 7/23/2023 at 12:00

Well Name: SEINFELD FEDERAL
UNIT GIPPLE

Well Location: T24S / R35E / SEC 33 /
SESE / 32.1672081 / -103.3663968

County or Parish/State: LEA /
NM

Well Number: 224H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM138893

Unit or CA Name:

Unit or CA Number:
NMNM141169X

US Well Number: 3002551155

Well Status: Drilling Well

Operator: TAP ROCK
OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BILL RAMSEY

Signed on: JUL 24, 2023 11:13 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN

State: CO

Phone: (720) 360-4028

Email address: BRAMSEY@TAPRK.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 07/28/2023

Signature: Jonathon Shepard

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 245869

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 245869
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	5/8/2025