

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-045-28003
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Sly Slav
8. Well Number 3
9. OGRID Number 006515
10. Pool name or Wildcat Basin Fruitland Coal

SUNDRY NOTICES AND REPORTS ON WELLS  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
 Dugan Production Corp.

3. Address of Operator  
 PO Box 420, Farmington, NM 87499-0420

4. Well Location

Unit Letter N: 1250 feet from the South line and 1800 feet from the West line

Section 13 Township 30N Range 15W NMPM San Juan County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
 5315' FL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well was P&A'd 12/13/22. Please see attached for procedure

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Aliph Reena TITLE Engineering Supervisor DATE May 8, 2025

Type or print name Aliph Reena, PE E-mail address: aliph.reena@duganproduction.com PHONE: 505-325-1821

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

This well was shut down due to its proximity to active mining. Dugan Production then filed a TA on the well on 10/05/2018 by setting a 4½" cement retainer at 465'. The TA status was approved by NMOCD till 01/31/2024. Westmoreland Coal Company who was operating the mine at that time submitted an NOI to P&A the well to NMOCD on 06/30/2020 and was approved by NMOCD on 07/13/2020. Westmoreland used A-Plug Well Services to P&A the well on 12/12/2022-12/13/2022. A copy of the work log from the P&A is attached as a proof for work. Inspector Lenny Moore was present on location and witnessed the job per records.

The well was P&A'd as per the following procedure:

- Run 4½" casing scraper to 465'. Tagged 4½" cement retainer at 465'. Fruitland Coal perforations @ 515'-520' & 642'-653'.
- Load and circulate hole w/15 bbls water.
- Attempt to pressure test casing to 800 psi for 30 mins. Casing tested good for 30 minutes. Test passed.
- **Plug I:** Spot Plug I, inside 4½" casing on top of the cement retainer from 465' to 280' w/15 sks, 17.25 cu ft Class G neat cement (5.2 gals/sk, 15.8 #/gal) to spot cement to cover the Fruitland top. **Plug I, Inside 4½" casing, Cement Retainer at 465', 15 sks, 17.25 cu ft, Fruitland, 280-465'.**
- **Plug II:** Spot Plug II, inside 4½" casing from 144' to surface to cover the Kirtland top & surface casing shoe w/21 sks 24.15 cu ft Class G neat cement. Fill up cement to surface. No displacement. WOC overnight. Cut wellhead off. TOC at surface inside 4½" casing, and 19' inside annulus. Good tag. **Plug II, Inside 4½" casing, 21 sks, 24.15 cu ft, Kirtland-Surface casing, 0-144'.**
- Fill up cellar and install dry hole marker w/18 sks, 20.7 cu ft.
- Clean location. Rig down and move.
- Inspector Lenny More was present on location & witnessed job.
- Well P&A'd 12/13/2022.

**Completed P & A Wellbore Schematic**

Sly Slav #3

30-045-28003


Basin Fruitland Coal

1250' FSL & 1800' FWL

S13 T30N R15W

San Juan County, NM

Lat:36.810255, Long:-108.371481



7" 20# casing @ 94'. Cemented with 40 sks, 47.2 Cu.ft Class B cement.  
Hole size: 9-7/8". Circulated 1 bbl cement to surface.

**4 1/2" 10.5# casing @ 766'. Hole size: 6-1/4"**

Cement production casing w/ 75 sks Cement, 110 Cu.ft.  
Circulated 2 bbls cement to surface.

**Tag 4 1/2" CR @ 465'. Plug I, Inside 4 1/2" casing, Cement Retainer at 465', 15 sks, 17.25 Cu.ft, Fruitland, 280-465'**

Fruitland Coal Perforated @ 515' – 520' & 642'-653'

Sly Slav #3  
30-045-28003  
Basin Fruitland Coal  
1250' FSL & 1800' FWL  
S13 T30N R15W  
San Juan County, NM  
Lat:36.810255, Long:-108.371481

**Formation Tops (Referenced for P & A)**

- **Kirtland - Surface**
- **Surface Casing – 94'**
- **Fruitland – 380'**
- **Perforations : 515'-520'**





Latitude

36.810255

Longitude

-108.371481

°

°'

°''

UTM

MGRS



Accuracy: 12 ft

Last location age: 00:00









Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 460388

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 460388
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Plugged prior to requirement for CBL - well plugged 12/13/2022	5/13/2025