

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 04/30/2024
⁴ API Number 30 – 015-47338	⁵ Pool Name PIERCE CROSSING; BONE SPRING, EAST	⁶ Pool Code 96473
⁷ Property Code: 328290	⁸ Property Name: HEADS CC 9-4 FEDERAL COM	⁹ Well Number: 25H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	9	24S	29E		910	SOUTH	1331	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 886' FSL 531' FEL LTP- 215' FNL 518' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	4	24S	29E		23	NORTH	518	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 05/03/24		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 02/02/24	²² Ready Date 04/30/2024	²³ TD 19573'M 9327'V	²⁴ PBDT 19533'M 9327'V	²⁵ Perforations 9873-19381'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		606'	1186
9-7/8"		7.827"		9839'	2140
6-3/4"		5-1/2"		8561'-19558'	550
		3-1/2" TBG		8519'	NA

V. Well Test Data

³¹ Date New Oil 05/03/24	³² Gas Delivery Date 05/03/24	³³ Test Date 05/10/24	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 880
³⁷ Choke Size 62	³⁸ Oil 2397	³⁹ Water 3434	⁴⁰ Gas 3701		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: REGULATORY ADVISOR

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

07/28/2024

Phone:

422-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title:

PETROLEUM SPECIALIST

Approval Date:

5/16/2025

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47338	² Pool Code 96473	³ Pool Name PIERCE CROSSING; BONE SPRING, EAST
⁴ Property Code 328290	⁵ Property Name HEADS CC 9 4 FED COM	⁶ Well Number 25H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2935.9'

¹⁰ Surface Location									
UL or lot no. O	Section 9	Township 24S	Range 29E	Lot Idn	Feet from the 910	North/South line SOUTH	Feet from the 1331	East/West line EAST	County EDDY

¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. 1	Section 4	Township 24S	Range 29E	Lot Idn	Feet from the 23	North/South line NORTH	Feet from the 518	East/West line EAST	County EDDY
¹² Dedicated Acres 1280	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-21776						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ NAD 83 (SURFACE HOLE LOCATION) LATITUDE = 32°13'38.56" (32.227378°) LONGITUDE = -103°59'06.85" (-103.985235°) NAD 27 (SURFACE HOLE LOCATION) LATITUDE = 32°13'38.12" (32.227256°) LONGITUDE = -103°59'05.09" (-103.984746°) STATE PLANE NAD 83 (N.M. EAST) N: 446628.40' E: 648976.86' STATE PLANE NAD 27 (N.M. EAST) N: 446569.42' E: 607793.03'	NAD 83 (AS-DRILLED KOP) LATITUDE = 32°13'30.69" (32.225191°) LONGITUDE = -103°58'58.92" (-103.983033°) NAD 27 (AS-DRILLED KOP) LATITUDE = 32°13'30.25" (32.225068°) LONGITUDE = -103°58'57.16" (-103.982544°) STATE PLANE NAD 83 (N.M. EAST) N: 445834.84' E: 649660.52' STATE PLANE NAD 27 (N.M. EAST) N: 445775.88' E: 608476.67'	NAD 83 (AS-DRILLED FTP) LATITUDE = 32°13'38.35" (32.227319°) LONGITUDE = -103°58'57.54" (-103.982649°) NAD 27 (AS-DRILLED FTP) LATITUDE = 32°13'37.91" (32.227196°) LONGITUDE = -103°58'55.78" (-103.982161°) STATE PLANE NAD 83 (N.M. EAST) N: 446609.36' E: 649776.56' STATE PLANE NAD 27 (N.M. EAST) N: 446550.39' E: 608592.72'
NAD 83 (AS-DRILLED LPP #1) LATITUDE = 32°13'55.86" (32.232183°) LONGITUDE = -103°58'57.56" (-103.982656°) NAD 27 (AS-DRILLED LPP #1) LATITUDE = 32°13'55.42" (32.232060°) LONGITUDE = -103°58'55.80" (-103.982167°) STATE PLANE NAD 83 (N.M. EAST) N: 448378.87' E: 649768.77' STATE PLANE NAD 27 (N.M. EAST) N: 448319.87' E: 608584.98'	NAD 83 (AS-DRILLED LPP #2) LATITUDE = 32°14'48.37" (32.246771°) LONGITUDE = -103°58'57.67" (-103.982686°) NAD 27 (AS-DRILLED LPP #2) LATITUDE = 32°14'47.93" (32.246648°) LONGITUDE = -103°58'55.91" (-103.982197°) STATE PLANE NAD 83 (N.M. EAST) N: 453685.54' E: 649742.09' STATE PLANE NAD 27 (N.M. EAST) N: 453626.42' E: 608558.43'	NAD 83 (AS-DRILLED LPP #3) LATITUDE = 32°15'01.51" (32.250420°) LONGITUDE = -103°58'57.53" (-103.982647°) NAD 27 (AS-DRILLED LPP #3) LATITUDE = 32°15'01.07" (32.250298°) LONGITUDE = -103°58'55.76" (-103.982157°) STATE PLANE NAD 83 (N.M. EAST) N: 455013.27' E: 649749.99' STATE PLANE NAD 27 (N.M. EAST) N: 454954.12' E: 608566.36'
		NAD 83 (AS-DRILLED LTP) LATITUDE = 32°15'12.40" (32.253445°) LONGITUDE = -103°58'57.53" (-103.982648°) NAD 27 (AS-DRILLED LTP) LATITUDE = 32°15'11.96" (32.253323°) LONGITUDE = -103°58'55.77" (-103.982158°) STATE PLANE NAD 83 (N.M. EAST) N: 456113.75' E: 649745.97' STATE PLANE NAD 27 (N.M. EAST) N: 456054.59' E: 608562.37'
		NAD 83 (AS-DRILLED BHL) LATITUDE = 32°15'14.30" (32.253973°) LONGITUDE = -103°58'57.53" (-103.982648°) NAD 27 (AS-DRILLED BHL) LATITUDE = 32°15'13.86" (32.253851°) LONGITUDE = -103°58'55.77" (-103.982158°) STATE PLANE NAD 83 (N.M. EAST) N: 456305.73' E: 649745.43' STATE PLANE NAD 27 (N.M. EAST) N: 456246.55' E: 608561.85'

¹⁷ OPERATOR
CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Jana Mendiola 07/25/24

Signature Date

JANA MENDIOLA

Printed Name

janalyn_mendiola@oxy.com

E-mail Address

¹⁸ SURVEYOR
CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.


June 2, 2023

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number:



APPROXIMATE WELL BORE MEASURED DEPTH DISTANCE FROM FTP TO LTP	
TRACT	DISTANCE
E 1/2 SE 1/4 SEC. 9	1,769.91'
NMNM-099034	6,410.11'
NMNM-119754	1,327.98'
TOTAL	9,508.00'

LINE TABLE

LINE	DIRECTION	LENGTH
L1	N89°58'16"W	2646.59'
L2	N89°58'02"W	2647.47'
L3	N00°00'31"E	2642.67'
L4	N00°00'06"W	2655.05'
L5	S89°57'15"W	2644.28'
L6	S89°56'31"W	2644.18'
L7	N00°03'42"W	2654.14'
L8	N00°03'08"W	2651.24'
L9	N00°03'00"W	2652.59'
L10	N00°03'37"W	2656.24'
L11	S89°55'08"W	5291.92'
L12	N00°01'52"W	2655.89'
L13	N00°00'17"W	2655.63'

- NOTE:
- Distances referenced on plat to section lines are perpendicular.
 - Basis of Bearings is a Transverse Mercator Projection with a Central Meridian of W103°53'00" (NAD 83)
 - As-Drilled well head has not been field verified.
 - Well Bore data provided by Oxy USA Inc.



SCALE




DRAWN BY: C.S.C. 05-09-24



Slot: Heads CC 9-4 Fed Com 25H
Well: Heads CC 9-4 Fed Com 25H
Wellbore: Heads CC 9-4 Fed Com 25H AWB



Wellpath Composition						
Start MD (ft)	End MD (ft)	Tool	Model	Log Name/Comment	Wellbore	Survey Date
26.00	559.00	OWSG MWD rev2	OWSG MWD+IRGM+SAG	Adjusted Surface Surveys 177-557 (Imported)	Heads CC 9-4 Fed Com 25H AWB	3/4/2024
559.00	8801.00	OWSG MWD rev2	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	RHX MWD Surveys 687-9801 (Imported)	Heads CC 9-4 Fed Com 25H AWB	3/4/2024
8801.00	19573.00	OWSG MWD rev2	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	6-314* BKR Lucida MWD Surveys 8886-19555	Heads CC 9-4 Fed Com 25H AWB	3/4/2024





Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_awp 173'-19555' Proj: 19573'

Page 1 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

REPORT SETUP INFORMATION

Projection System	NAD83 / TM New Mexico SP, Eastern Zone (3001), US feet	Software System	WellArchitect® 6.0
North Reference	Grid	User	Moyagusa
Scale	0.999922	Report Generated	3/21/2024 at 5:03:54 PM
Convergence at slot	0.19° East	Database	WA_HOU_Midland_Defn

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	1710.14	2361.15	648976.86	446628.40	32°13'38.5623"N	103°59'6.8473"W
Facility Reference Pt			646615.90	444918.40	32°13'21.7152"N	103°59'34.3966"W
Field Reference Pt			533303.25	1273342.63	34°30'0.0000"N	104°21'36.0000"W

WELLPATH DATUM

Calculation method	Minimum curvature	H&P 423 (KB) to Facility Vertical Datum	2961.90ft
Horizontal Reference Pt	Slot	H&P 423 (KB) to Mean Sea Level	2961.90ft
Vertical Reference Pt	H&P 423 (KB)	H&P 423 (KB) to Ground Level at Slot (Heads CC 9-4 Fed Com 25H)	26.00ft
MD Reference Pt	H&P 423 (KB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	4.47°



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_awp 173'-19555' Proj: 19573'

Page 2 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH DATA (202 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
0.00†	0.000	298.060	0.00	0.00	0.00	0.00	648976.86	446628.40	32°13'38.5623"N	103°59'6.8473"W	0.00	0.00	0.00	
26.00	0.000	298.060	26.00	0.00	0.00	0.00	648976.86	446628.40	32°13'38.5623"N	103°59'6.8473"W	0.00	0.00	0.00	
173.00	1.300	298.060	172.99	0.67	0.78	-1.47	648975.39	446629.18	32°13'38.5701"N	103°59'6.8644"W	0.88	0.88	0.00	Adjusted Surface Surveys 173'-559' (Imported)
257.00	2.140	289.720	256.95	1.46	1.76	-3.79	648973.07	446630.16	32°13'38.5799"N	103°59'6.8913"W	1.04	1.00	-9.93	
351.00	1.470	280.300	350.90	2.05	2.57	-6.63	648970.23	446630.97	32°13'38.5880"N	103°59'6.9244"W	0.78	-0.71	-10.02	
445.00	0.670	264.970	444.88	2.08	2.74	-8.36	648968.50	446631.14	32°13'38.5897"N	103°59'6.9445"W	0.90	-0.85	-16.31	
538.00	0.570	286.960	537.88	2.09	2.82	-9.35	648967.52	446631.22	32°13'38.5906"N	103°59'6.9560"W	0.28	-0.11	23.65	
559.00	0.490	296.160	558.88	2.14	2.89	-9.53	648967.34	446631.29	32°13'38.5913"N	103°59'6.9581"W	0.56	-0.38	43.81	
687.00	0.950	297.230	686.87	2.76	3.62	-10.96	648965.90	446632.02	32°13'38.5985"N	103°59'6.9748"W	0.36	0.36	0.84	PHX MWD Surveys 687'-9801' (Imported)
781.00	1.090	303.110	780.85	3.49	4.47	-12.40	648964.46	446632.87	32°13'38.6069"N	103°59'6.9915"W	0.19	0.15	6.26	
876.00	1.250	71.920	875.84	4.32	5.28	-12.17	648964.69	446633.68	32°13'38.6150"N	103°59'6.9888"W	2.22	0.17	135.59	
970.00	2.040	82.440	969.80	5.06	5.82	-9.54	648967.32	446634.22	32°13'38.6202"N	103°59'6.9582"W	0.90	0.84	11.19	
1065.00	2.080	80.330	1064.74	5.83	6.33	-6.17	648970.70	446634.73	32°13'38.6252"N	103°59'6.9188"W	0.09	0.04	-2.22	
1158.00	2.020	76.570	1157.68	6.75	7.00	-2.91	648973.95	446635.40	32°13'38.6316"N	103°59'6.8809"W	0.16	-0.06	-4.04	
1251.00	2.150	71.980	1250.62	7.92	7.92	0.35	648977.21	446636.32	32°13'38.6406"N	103°59'6.8430"W	0.23	0.14	-4.94	
1347.00	2.280	70.680	1346.55	9.38	9.11	3.86	648980.72	446637.50	32°13'38.6523"N	103°59'6.8020"W	0.15	0.14	-1.35	
1442.00	2.270	72.490	1441.48	10.84	10.30	7.44	648984.30	446638.70	32°13'38.6640"N	103°59'6.7603"W	0.08	-0.01	1.91	
1537.00	2.060	81.410	1536.41	11.93	11.12	10.92	648987.78	446639.52	32°13'38.6720"N	103°59'6.7198"W	0.42	-0.22	9.39	
1632.00	1.980	89.690	1631.35	12.46	11.38	14.25	648991.11	446639.78	32°13'38.6745"N	103°59'6.6810"W	0.32	-0.08	8.72	
1727.00	1.880	93.570	1726.30	12.62	11.29	17.45	648994.30	446639.69	32°13'38.6735"N	103°59'6.6438"W	0.17	-0.11	4.08	
1821.00	1.820	89.720	1820.25	12.77	11.20	20.48	648997.34	446639.60	32°13'38.6725"N	103°59'6.6085"W	0.15	-0.06	-4.10	
1917.00	1.650	90.140	1916.20	13.00	11.21	23.38	649000.24	446639.61	32°13'38.6725"N	103°59'6.5747"W	0.18	-0.18	0.44	
2012.00	0.810	181.830	2011.19	12.43	10.53	24.73	649001.59	446638.93	32°13'38.6658"N	103°59'6.5590"W	1.96	-0.88	96.52	
2106.00	1.540	212.960	2105.17	10.66	8.81	24.02	649000.88	446637.21	32°13'38.6487"N	103°59'6.5673"W	1.00	0.78	33.12	
2201.00	1.770	194.740	2200.13	8.09	6.32	22.95	648999.81	446634.72	32°13'38.6241"N	103°59'6.5799"W	0.60	0.24	-19.18	
2296.00	2.290	165.710	2295.07	4.85	3.06	23.05	648999.91	446631.46	32°13'38.5919"N	103°59'6.5789"W	1.19	0.55	-30.56	
2391.00	2.470	159.320	2389.99	1.20	-0.69	24.24	649001.10	446627.71	32°13'38.5547"N	103°59'6.5651"W	0.34	0.19	-6.73	
2487.00	3.190	156.200	2485.87	-3.03	-5.07	26.05	649002.91	446623.33	32°13'38.5113"N	103°59'6.5443"W	0.77	0.75	-3.25	
2582.00	4.420	156.610	2580.66	-8.59	-10.85	28.57	649005.43	446617.55	32°13'38.4540"N	103°59'6.5151"W	1.30	1.29	0.43	
2676.00	5.690	156.130	2674.29	-15.89	-18.44	31.89	649008.75	446609.96	32°13'38.3789"N	103°59'6.4767"W	1.35	1.35	-0.51	



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H awp 173'-19555' Proj: 19573'

Page 3 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH DATA (202 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
2771.00	6.050	154.160	2768.79	-24.36	-27.25	35.98	649012.84	446601.15	32°13'38.2915"N	103°59'6.4295"W	0.43	0.38	-2.07	
2866.00	5.750	153.880	2863.29	-32.78	-36.03	40.26	649017.12	446592.38	32°13'38.2045"N	103°59'6.3800"W	0.32	-0.32	-0.29	
2961.00	5.330	153.920	2957.85	-40.68	-44.26	44.29	649021.15	446584.14	32°13'38.1229"N	103°59'6.3334"W	0.44	-0.44	0.04	
3056.00	5.420	153.540	3052.43	-48.33	-52.24	48.23	649025.09	446576.16	32°13'38.0438"N	103°59'6.2878"W	0.10	0.09	-0.40	
3150.00	5.740	152.850	3145.98	-56.14	-60.40	52.36	649029.21	446568.00	32°13'37.9630"N	103°59'6.2401"W	0.35	0.34	-0.73	
3245.00	5.830	152.860	3240.50	-64.29	-68.92	56.72	649033.58	446559.48	32°13'37.8785"N	103°59'6.1896"W	0.09	0.09	0.01	
3340.00	6.130	151.460	3334.98	-72.65	-77.67	61.35	649038.20	446550.74	32°13'37.7918"N	103°59'6.1361"W	0.35	0.32	-1.47	
3435.00	6.210	150.360	3429.43	-81.16	-86.59	66.31	649043.17	446541.81	32°13'37.7034"N	103°59'6.0786"W	0.15	0.08	-1.16	
3530.00	6.380	149.760	3523.86	-89.75	-95.62	71.51	649048.37	446532.79	32°13'37.6139"N	103°59'6.0184"W	0.19	0.18	-0.63	
3625.00	6.750	149.600	3618.24	-98.67	-104.99	77.00	649053.85	446523.41	32°13'37.5209"N	103°59'5.9550"W	0.39	0.39	-0.17	
3720.00	7.050	149.580	3712.55	-108.04	-114.84	82.77	649059.63	446513.57	32°13'37.4233"N	103°59'5.8881"W	0.32	0.32	-0.02	
3815.00	7.120	149.180	3806.82	-117.62	-124.92	88.74	649065.59	446503.49	32°13'37.3234"N	103°59'5.8190"W	0.09	0.07	-0.42	
3910.00	7.150	148.360	3901.09	-127.21	-135.01	94.86	649071.71	446493.40	32°13'37.2233"N	103°59'5.7481"W	0.11	0.03	-0.86	
4005.00	7.350	147.440	3995.33	-136.83	-145.17	101.23	649078.08	446483.25	32°13'37.1227"N	103°59'5.6744"W	0.24	0.21	-0.97	
4100.00	9.760	146.130	4089.26	-148.00	-156.97	108.99	649085.84	446471.44	32°13'37.0056"N	103°59'5.5845"W	2.54	2.54	-1.38	
4195.00	11.050	146.520	4182.70	-161.50	-171.25	118.50	649095.35	446457.16	32°13'36.8639"N	103°59'5.4743"W	1.36	1.36	0.41	
4290.00	12.090	141.950	4275.77	-176.01	-186.68	129.66	649106.50	446441.73	32°13'36.7109"N	103°59'5.3450"W	1.46	1.09	-4.81	
4384.00	12.700	139.460	4367.58	-190.57	-202.29	142.44	649119.29	446426.13	32°13'36.5561"N	103°59'5.1968"W	0.86	0.65	-2.65	
4479.00	12.990	139.700	4460.20	-205.53	-218.37	156.13	649132.98	446410.05	32°13'36.3966"N	103°59'5.0380"W	0.31	0.31	0.25	
4574.00	13.300	139.650	4552.71	-220.87	-234.84	170.11	649146.96	446393.58	32°13'36.2331"N	103°59'4.8759"W	0.33	0.33	-0.05	
4669.00	14.380	139.240	4644.95	-236.92	-252.10	184.89	649161.74	446376.32	32°13'36.0618"N	103°59'4.7045"W	1.14	1.14	-0.43	
4764.00	17.690	136.840	4736.25	-254.96	-271.57	202.47	649179.31	446356.85	32°13'35.8686"N	103°59'4.5006"W	3.55	3.48	-2.53	
4859.00	19.710	136.220	4826.23	-275.36	-293.67	223.43	649200.27	446334.76	32°13'35.6493"N	103°59'4.2575"W	2.14	2.13	-0.65	
4953.00	20.380	135.350	4914.53	-296.63	-316.76	245.90	649222.74	446311.67	32°13'35.4201"N	103°59'3.9968"W	0.78	0.71	-0.93	
5048.00	19.180	132.540	5003.93	-317.08	-339.08	269.02	649245.86	446289.35	32°13'35.1985"N	103°59'3.7284"W	1.61	-1.26	-2.96	
5143.00	19.450	131.770	5093.58	-336.29	-360.16	292.32	649269.16	446268.26	32°13'34.9891"N	103°59'3.4580"W	0.39	0.28	-0.81	
5238.00	19.510	132.630	5183.14	-355.67	-381.44	315.79	649292.62	446246.99	32°13'34.7778"N	103°59'3.1856"W	0.31	0.06	0.91	
5333.00	18.440	132.310	5272.98	-374.69	-402.30	338.57	649315.40	446226.13	32°13'34.5706"N	103°59'2.9212"W	1.13	-1.13	-0.34	
5427.00	18.870	132.410	5362.04	-393.16	-422.56	360.79	649337.62	446205.87	32°13'34.3694"N	103°59'2.6633"W	0.46	0.46	0.11	
5522.00	15.810	132.860	5452.71	-410.64	-441.73	381.62	649358.45	446186.70	32°13'34.1791"N	103°59'2.4215"W	3.22	-3.22	0.47	



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_ awp 173'-19555' Proj: 19573'

Page 4 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH DATA (202 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
5617.00	14.830	132.250	5544.33	-426.13	-458.71	400.11	649376.94	446169.73	32°13'34.0105"N	103°59'2.2070"W	1.05	-1.03	-0.64	
5712.00	15.140	132.390	5636.10	-441.20	-475.25	418.27	649395.10	446153.19	32°13'33.8463"N	103°59'1.9962"W	0.33	0.33	0.15	
5807.00	15.180	132.240	5727.80	-456.44	-491.97	436.64	649413.47	446136.47	32°13'33.6802"N	103°59'1.7830"W	0.06	0.04	-0.16	
5902.00	15.510	132.160	5819.41	-471.83	-508.86	455.27	649432.09	446119.58	32°13'33.5125"N	103°59'1.5668"W	0.35	0.35	-0.08	
5997.00	16.110	132.380	5910.82	-487.69	-526.27	474.42	649451.24	446102.17	32°13'33.3396"N	103°59'1.3445"W	0.63	0.63	0.23	
6092.00	16.420	132.330	6002.01	-504.03	-544.19	494.08	649470.90	446084.25	32°13'33.1616"N	103°59'1.1163"W	0.33	0.33	-0.05	
6187.00	14.610	133.340	6093.55	-519.79	-561.46	512.72	649489.54	446066.98	32°13'32.9901"N	103°59'0.9000"W	1.93	-1.91	1.06	
6282.00	13.910	133.650	6185.62	-534.53	-577.57	529.70	649506.52	446050.88	32°13'32.8302"N	103°59'0.7030"W	0.74	-0.74	0.33	
6376.00	14.430	133.850	6276.76	-549.10	-593.48	546.32	649523.14	446034.97	32°13'32.6722"N	103°59'0.5101"W	0.56	0.55	0.21	
6471.00	13.730	133.390	6368.91	-563.69	-609.42	563.05	649539.86	446019.02	32°13'32.5139"N	103°59'0.3159"W	0.75	-0.74	-0.48	
6566.00	13.530	134.080	6461.23	-577.86	-624.90	579.23	649556.04	446003.55	32°13'32.3603"N	103°59'0.1282"W	0.27	-0.21	0.73	
6661.00	13.540	135.660	6553.59	-592.26	-640.58	594.98	649571.79	445987.87	32°13'32.2046"N	103°58'59.9454"W	0.39	0.01	1.66	
6755.00	13.030	137.010	6645.08	-606.68	-656.21	609.90	649586.71	445972.25	32°13'32.0495"N	103°58'59.7724"W	0.64	-0.54	1.44	
6850.00	12.230	138.260	6737.78	-620.88	-671.55	623.90	649600.71	445956.91	32°13'31.8972"N	103°58'59.6100"W	0.89	-0.84	1.32	
6945.00	10.800	139.650	6830.86	-634.16	-685.84	636.36	649613.17	445942.61	32°13'31.7554"N	103°58'59.4654"W	1.53	-1.51	1.46	
7039.00	8.830	140.590	6923.48	-645.61	-698.13	646.65	649623.45	445930.33	32°13'31.6335"N	103°58'59.3462"W	2.10	-2.10	1.00	
7134.00	7.140	141.570	7017.56	-655.19	-708.39	654.94	649631.75	445920.07	32°13'31.5317"N	103°58'59.2500"W	1.78	-1.78	1.03	
7229.00	5.950	147.540	7111.94	-663.45	-717.17	661.26	649638.06	445911.29	32°13'31.4446"N	103°58'59.1768"W	1.44	-1.25	6.28	
7324.00	7.310	148.700	7206.30	-672.29	-726.49	667.04	649643.85	445901.97	32°13'31.3522"N	103°58'59.1098"W	1.44	1.43	1.22	
7419.00	7.310	153.400	7300.53	-682.37	-737.05	672.89	649649.69	445891.40	32°13'31.2475"N	103°58'59.0422"W	0.63	0.00	4.95	
7513.00	5.490	152.790	7393.94	-691.32	-746.40	677.62	649654.43	445882.06	32°13'31.1548"N	103°58'58.9874"W	1.94	-1.94	-0.65	
7608.00	4.740	138.070	7488.57	-697.89	-753.36	682.32	649659.13	445875.10	32°13'31.0858"N	103°58'58.9330"W	1.58	-0.79	-15.49	
7703.00	3.600	137.010	7583.31	-702.62	-758.46	686.98	649663.78	445870.00	32°13'31.0352"N	103°58'58.8790"W	1.20	-1.20	-1.12	
7798.00	2.830	141.700	7678.16	-706.35	-762.49	690.47	649667.27	445865.97	32°13'30.9952"N	103°58'58.8385"W	0.86	-0.81	4.94	
7893.00	2.540	149.870	7773.06	-709.81	-766.15	692.98	649669.78	445862.31	32°13'30.9589"N	103°58'58.8094"W	0.50	-0.31	8.60	
7988.00	1.990	161.460	7867.98	-713.06	-769.53	694.56	649671.36	445858.93	32°13'30.9254"N	103°58'58.7912"W	0.75	-0.58	12.20	
8083.00	1.510	180.130	7962.94	-715.83	-772.35	695.08	649671.88	445856.11	32°13'30.8975"N	103°58'58.7852"W	0.78	-0.51	19.65	
8178.00	1.680	194.890	8057.90	-718.44	-774.95	694.72	649671.52	445853.52	32°13'30.8718"N	103°58'58.7895"W	0.47	0.18	15.54	
8273.00	2.330	207.130	8152.85	-721.60	-778.01	693.48	649670.28	445850.45	32°13'30.8415"N	103°58'58.8040"W	0.82	0.68	12.88	
8368.00	2.330	203.950	8247.77	-725.20	-781.49	691.81	649668.62	445846.97	32°13'30.8071"N	103°58'58.8235"W	0.14	0.00	-3.35	



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_awp 173'-19555' Proj: 19573'

Page 5 of 10



REFERENCE WELLPATH IDENTIFICATION			
Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH DATA (202 stations)														
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
8464.00	2.540	205.430	8343.68	-729.02	-785.20	690.11	649666.91	445843.26	32°13'30.7705"N	103°58'58.8435"W	0.23	0.22	1.54	
8559.00	3.120	219.290	8438.56	-733.11	-789.10	687.57	649664.37	445839.36	32°13'30.7320"N	103°58'58.8733"W	0.94	0.61	14.59	
8619.00	3.320	221.340	8498.47	-735.84	-791.67	685.39	649662.19	445836.79	32°13'30.7067"N	103°58'58.8988"W	0.38	0.33	3.42	
8664.00	3.230	219.880	8543.40	-737.92	-793.62	683.71	649660.52	445834.84	32°13'30.6874"N	103°58'58.9183"W	0.27	-0.20	-3.24	
8759.00	5.230	32.750	8638.30	-736.28	-792.03	684.34	649661.15	445836.43	32°13'30.7031"N	103°58'58.9109"W	8.89	2.11	181.97	
8853.00	16.230	29.760	8730.51	-720.59	-776.98	693.21	649670.01	445851.49	32°13'30.8518"N	103°58'58.8072"W	11.71	11.70	-3.18	
8948.00	27.710	26.730	8818.47	-688.03	-745.62	709.79	649686.59	445882.84	32°13'31.1615"N	103°58'58.6130"W	12.14	12.08	-3.19	
9043.00	34.200	21.110	8899.91	-641.95	-700.93	729.36	649706.16	445927.53	32°13'31.6031"N	103°58'58.3834"W	7.47	6.83	-5.92	
9138.00	40.730	14.560	8975.30	-585.77	-645.94	746.79	649723.60	445982.51	32°13'32.1467"N	103°58'58.1784"W	8.04	6.87	-6.89	
9233.00	42.760	9.130	9046.20	-523.09	-584.07	759.71	649736.51	446044.37	32°13'32.7584"N	103°58'58.0257"W	4.36	2.14	-5.72	
9327.00	48.840	5.440	9111.72	-455.83	-517.27	768.14	649744.94	446111.17	32°13'33.4192"N	103°58'57.9251"W	7.05	6.47	-3.93	
9422.00	57.440	6.630	9168.65	-379.92	-441.76	776.16	649752.96	446186.68	32°13'34.1661"N	103°58'57.8287"W	9.11	9.05	1.25	
9517.00	63.180	5.740	9215.69	-297.47	-359.74	785.03	649761.83	446268.69	32°13'34.9774"N	103°58'57.7224"W	6.10	6.04	-0.94	
9612.00	68.210	3.780	9254.78	-210.92	-273.49	792.19	649768.98	446354.93	32°13'35.8306"N	103°58'57.6358"W	5.62	5.29	-2.06	
9706.00	76.420	2.040	9283.31	-121.48	-184.13	796.70	649773.49	446444.29	32°13'36.7147"N	103°58'57.5799"W	8.91	8.73	-1.85	
9801.00	82.900	0.700	9300.36	-28.21	-90.75	798.92	649775.72	446537.66	32°13'37.6386"N	103°58'57.5505"W	6.96	6.82	-1.41	
9886.00	87.250	0.640	9307.65	56.27	-6.09	799.91	649776.71	446622.31	32°13'38.4763"N	103°58'57.5358"W	5.12	5.12	-0.07	6-3/4" BKR Lucida MWD Surveys 9886'-19555'
9980.00	89.740	1.110	9310.12	150.05	87.86	801.34	649778.14	446716.25	32°13'39.4059"N	103°58'57.5155"W	2.70	2.65	0.50	
10075.00	89.870	1.420	9310.44	244.90	182.83	803.44	649780.24	446811.22	32°13'40.3456"N	103°58'57.4875"W	0.35	0.14	0.33	
10170.00	89.900	359.410	9310.63	339.65	277.83	804.13	649780.93	446906.20	32°13'41.2856"N	103°58'57.4759"W	2.12	0.03	-2.12	
10265.00	89.870	359.910	9310.83	434.32	372.82	803.57	649780.36	447001.19	32°13'42.2256"N	103°58'57.4788"W	0.53	-0.03	0.53	
10360.00	89.560	358.310	9311.30	528.90	467.81	802.09	649778.89	447096.17	32°13'43.1655"N	103°58'57.4924"W	1.72	-0.33	-1.68	
10455.00	89.810	358.800	9311.82	623.39	562.78	799.69	649776.49	447191.13	32°13'44.1053"N	103°58'57.5167"W	0.58	0.26	0.52	
10550.00	89.740	359.600	9312.19	717.99	657.77	798.37	649775.17	447286.11	32°13'45.0453"N	103°58'57.5285"W	0.85	-0.07	0.84	
10645.00	89.530	359.340	9312.80	812.62	752.76	797.49	649774.29	447381.10	32°13'45.9853"N	103°58'57.5351"W	0.35	-0.22	-0.27	
10740.00	89.500	359.490	9313.60	907.25	847.75	796.52	649773.32	447476.08	32°13'46.9253"N	103°58'57.5428"W	0.16	-0.03	0.16	
10834.00	89.400	359.600	9314.51	1000.90	941.74	795.77	649772.57	447570.07	32°13'47.8554"N	103°58'57.5479"W	0.16	-0.11	0.12	
10926.00	89.740	359.540	9315.20	1092.56	1033.74	795.08	649771.88	447662.06	32°13'48.7657"N	103°58'57.5524"W	0.38	0.37	-0.07	
11021.00	89.990	359.590	9315.42	1187.21	1128.74	794.36	649771.16	447757.05	32°13'49.7057"N	103°58'57.5572"W	0.27	0.26	0.05	
11115.00	89.840	359.480	9315.56	1280.86	1222.73	793.60	649770.40	447851.04	32°13'50.6358"N	103°58'57.5625"W	0.20	-0.16	-0.12	



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_ awp 173'-19555' Proj: 19573'

Page 6 of 10



REFERENCE WELLPATH IDENTIFICATION			
Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH DATA (202 stations)														
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
11209.00	89.770	359.630	9315.88	1374.52	1316.73	792.87	649769.67	447945.02	32°13'51.5660"N	103°58'57.5675"W	0.18	-0.07	0.16	
11304.00	89.650	0.070	9316.36	1469.21	1411.73	792.62	649769.42	448040.01	32°13'52.5060"N	103°58'57.5668"W	0.48	-0.13	0.46	
11398.00	89.160	359.910	9317.34	1562.92	1505.72	792.60	649769.40	448134.00	32°13'53.4361"N	103°58'57.5634"W	0.55	-0.52	-0.17	
11492.00	89.530	359.950	9318.41	1656.61	1599.72	792.49	649769.29	448227.99	32°13'54.3661"N	103°58'57.5611"W	0.40	0.39	0.04	
11585.00	89.100	359.670	9319.52	1749.30	1692.71	792.18	649768.98	448320.97	32°13'55.2863"N	103°58'57.5612"W	0.55	-0.46	-0.30	
11680.00	89.870	359.910	9320.38	1843.98	1787.70	791.83	649768.63	448415.96	32°13'56.2263"N	103°58'57.5616"W	0.85	0.81	0.25	
11775.00	89.770	0.060	9320.67	1938.69	1882.70	791.81	649768.60	448510.95	32°13'57.1663"N	103°58'57.5583"W	0.19	-0.11	0.16	
11965.00	89.620	359.770	9321.69	2128.08	2072.70	791.53	649768.32	448700.93	32°13'59.0464"N	103°58'57.5544"W	0.17	-0.08	-0.15	
12060.00	89.960	359.960	9322.03	2222.78	2167.70	791.30	649768.10	448795.93	32°13'59.9864"N	103°58'57.5534"W	0.41	0.36	0.20	
12155.00	90.210	0.330	9321.89	2317.51	2262.70	791.54	649768.34	448890.92	32°14'0.9264"N	103°58'57.5470"W	0.47	0.26	0.39	
12345.00	90.300	0.020	9321.05	2506.97	2452.69	792.12	649768.92	449080.90	32°14'2.8064"N	103°58'57.5330"W	0.17	0.05	-0.16	
12440.00	89.770	359.760	9320.99	2601.67	2547.69	791.94	649768.74	449175.89	32°14'3.7465"N	103°58'57.5315"W	0.62	-0.56	-0.27	
12535.00	90.270	0.230	9320.96	2696.38	2642.69	791.93	649768.73	449270.88	32°14'4.6865"N	103°58'57.5280"W	0.72	0.53	0.49	
12630.00	90.210	0.040	9320.56	2791.10	2737.69	792.16	649768.95	449365.87	32°14'5.6265"N	103°58'57.5218"W	0.21	-0.06	-0.20	
12725.00	89.770	359.890	9320.58	2885.81	2832.69	792.10	649768.89	449460.87	32°14'6.5665"N	103°58'57.5188"W	0.49	-0.46	-0.16	
12915.00	90.210	0.080	9320.61	3075.23	3022.69	792.05	649768.84	449650.85	32°14'8.4466"N	103°58'57.5122"W	0.25	0.23	0.10	
13105.00	89.740	359.980	9320.69	3264.66	3212.69	792.15	649768.94	449840.83	32°14'10.3267"N	103°58'57.5038"W	0.25	-0.25	-0.05	
13200.00	89.870	0.160	9321.01	3359.38	3307.69	792.26	649769.06	449935.83	32°14'11.2667"N	103°58'57.4988"W	0.23	0.14	0.19	
13295.00	90.080	0.280	9321.06	3454.11	3402.69	792.63	649769.43	450030.82	32°14'12.2067"N	103°58'57.4910"W	0.25	0.22	0.13	
13390.00	90.330	0.120	9320.72	3548.85	3497.69	792.96	649769.76	450125.81	32°14'13.1467"N	103°58'57.4835"W	0.31	0.26	-0.17	
13485.00	90.020	0.130	9320.43	3643.58	3592.69	793.17	649769.96	450220.80	32°14'14.0867"N	103°58'57.4775"W	0.33	-0.33	0.01	
13580.00	89.740	359.920	9320.62	3738.29	3687.69	793.21	649770.01	450315.79	32°14'15.0267"N	103°58'57.4734"W	0.37	-0.29	-0.22	
13675.00	89.440	0.060	9321.30	3833.00	3782.68	793.19	649769.99	450410.78	32°14'15.9668"N	103°58'57.4700"W	0.35	-0.32	0.15	
13770.00	90.580	359.990	9321.29	3927.71	3877.68	793.23	649770.03	450505.77	32°14'16.9068"N	103°58'57.4659"W	1.20	1.20	-0.07	
13864.00	89.960	0.150	9320.85	4021.43	3971.68	793.35	649770.15	450599.76	32°14'17.8369"N	103°58'57.4610"W	0.68	-0.66	0.17	
14054.00	90.050	0.050	9320.83	4210.88	4161.68	793.68	649770.48	450789.75	32°14'19.7169"N	103°58'57.4499"W	0.07	0.05	-0.05	
14244.00	90.210	0.110	9320.40	4400.32	4351.68	793.95	649770.74	450979.73	32°14'21.5970"N	103°58'57.4396"W	0.09	0.08	0.03	
14338.00	90.300	0.260	9319.98	4494.06	4445.68	794.25	649771.05	451073.72	32°14'22.5271"N	103°58'57.4325"W	0.19	0.10	0.16	
14433.00	90.330	0.290	9319.46	4588.80	4540.68	794.70	649771.50	451168.71	32°14'23.4671"N	103°58'57.4236"W	0.04	0.03	0.03	
14528.00	89.560	359.610	9319.55	4683.50	4635.67	794.62	649771.42	451263.71	32°14'24.4071"N	103°58'57.4209"W	1.08	-0.81	-0.72	



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_awp 173'-19555' Proj: 19573'

Page 7 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH DATA (202 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
14623.00	89.100	356.380	9320.66	4777.88	4730.60	791.30	649768.10	451358.62	32°14'25.3465"N	103°58'57.4560"W	3.43	-0.48	-3.40	
14813.00	90.140	352.200	9321.92	4964.84	4919.61	772.40	649749.20	451547.61	32°14'27.2173"N	103°58'57.6688"W	2.27	0.55	-2.20	
14908.00	90.170	354.500	9321.66	5058.05	5013.96	761.40	649738.20	451641.96	32°14'28.1513"N	103°58'57.7933"W	2.42	0.03	2.42	
15003.00	89.500	358.240	9321.94	5152.08	5108.75	755.39	649732.19	451736.74	32°14'29.0895"N	103°58'57.8597"W	4.00	-0.71	3.94	
15097.00	88.790	359.460	9323.34	5245.62	5202.72	753.50	649730.30	451830.71	32°14'30.0194"N	103°58'57.8781"W	1.50	-0.76	1.30	
15192.00	88.660	359.220	9325.45	5340.22	5297.69	752.40	649729.20	451925.67	32°14'30.9592"N	103°58'57.8873"W	0.29	-0.14	-0.25	
15287.00	89.370	0.240	9327.09	5434.88	5392.67	751.96	649728.76	452020.64	32°14'31.8990"N	103°58'57.8889"W	1.31	0.75	1.07	
15382.00	89.930	359.920	9327.67	5529.59	5487.67	752.09	649728.89	452115.63	32°14'32.8390"N	103°58'57.8837"W	0.68	0.59	-0.34	
15477.00	89.530	358.390	9328.11	5624.18	5582.66	750.69	649727.49	452210.61	32°14'33.7790"N	103°58'57.8964"W	1.66	-0.42	-1.61	
15572.00	90.420	1.690	9328.16	5718.88	5677.64	750.76	649727.56	452305.59	32°14'34.7189"N	103°58'57.8920"W	3.60	0.94	3.47	
15667.00	90.240	0.030	9327.61	5813.69	5772.63	752.18	649728.98	452400.57	32°14'35.6587"N	103°58'57.8718"W	1.76	-0.19	-1.75	
15762.00	90.020	0.460	9327.39	5908.43	5867.62	752.59	649729.39	452495.56	32°14'36.5987"N	103°58'57.8635"W	0.51	-0.23	0.45	
15856.00	89.470	0.540	9327.81	6002.20	5961.62	753.41	649730.21	452589.55	32°14'37.5287"N	103°58'57.8504"W	0.59	-0.59	0.09	
15951.00	89.500	0.890	9328.67	6097.00	6056.61	754.59	649731.39	452684.53	32°14'38.4686"N	103°58'57.8329"W	0.37	0.03	0.37	
16046.00	89.250	0.460	9329.70	6191.78	6151.60	755.71	649732.51	452779.51	32°14'39.4085"N	103°58'57.8163"W	0.52	-0.26	-0.45	
16141.00	89.500	359.430	9330.74	6286.48	6246.59	755.62	649732.42	452874.49	32°14'40.3485"N	103°58'57.8137"W	1.12	0.26	-1.08	
16235.00	90.140	1.370	9331.03	6380.24	6340.58	756.28	649733.08	452968.48	32°14'41.2785"N	103°58'57.8025"W	2.17	0.68	2.06	
16330.00	88.570	359.240	9332.10	6474.97	6435.57	756.78	649733.58	453063.45	32°14'42.2184"N	103°58'57.7930"W	2.79	-1.65	-2.24	
16425.00	89.710	359.030	9333.53	6569.55	6530.54	755.35	649732.15	453158.42	32°14'43.1582"N	103°58'57.8061"W	1.22	1.20	-0.22	
16519.00	90.240	0.810	9333.57	6663.25	6624.54	755.22	649732.02	453252.41	32°14'44.0883"N	103°58'57.8041"W	1.98	0.56	1.89	
16614.00	91.470	2.060	9332.15	6758.10	6719.49	757.60	649734.40	453347.36	32°14'45.0278"N	103°58'57.7728"W	1.85	1.29	1.32	
16709.00	90.240	1.030	9330.73	6852.96	6814.45	760.16	649736.96	453442.30	32°14'45.9673"N	103°58'57.7393"W	1.69	-1.29	-1.08	
16804.00	91.320	0.990	9329.44	6947.78	6909.42	761.83	649738.63	453537.27	32°14'46.9070"N	103°58'57.7162"W	1.14	1.14	-0.04	
16899.00	91.280	2.110	9327.29	7042.63	7004.36	764.40	649741.20	453632.20	32°14'47.8464"N	103°58'57.6827"W	1.18	-0.04	1.18	
16994.00	89.680	359.790	9326.49	7137.44	7099.33	765.98	649742.77	453727.17	32°14'48.7861"N	103°58'57.6608"W	2.97	-1.68	-2.44	
17088.00	90.020	0.100	9326.74	7231.14	7193.33	765.89	649742.68	453821.16	32°14'49.7162"N	103°58'57.6582"W	0.49	0.36	0.33	
17183.00	89.620	0.140	9327.03	7325.87	7288.33	766.08	649742.88	453916.15	32°14'50.6562"N	103°58'57.6523"W	0.42	-0.42	0.04	
17278.00	89.740	0.180	9327.56	7420.60	7383.33	766.35	649743.15	454011.14	32°14'51.5962"N	103°58'57.6456"W	0.13	0.13	0.04	
17373.00	89.680	0.230	9328.05	7515.34	7478.33	766.69	649743.49	454106.13	32°14'52.5362"N	103°58'57.6380"W	0.08	-0.06	0.05	
17468.00	89.710	359.910	9328.55	7610.05	7573.33	766.81	649743.60	454201.12	32°14'53.4763"N	103°58'57.6331"W	0.34	0.03	-0.34	



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_ awp 173'-19555' Proj: 19573'

Page 8 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH DATA (202 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
17563.00	89.710	0.420	9329.03	7704.78	7668.33	767.08	649743.88	454296.11	32°14'54.4163"N	103°58'57.6263"W	0.54	0.00	0.54	
17657.00	88.940	0.300	9330.14	7798.54	7762.32	767.67	649744.47	454390.10	32°14'55.3463"N	103°58'57.6158"W	0.83	-0.82	-0.13	
17752.00	88.670	0.070	9332.12	7893.25	7857.29	767.98	649744.78	454485.07	32°14'56.2861"N	103°58'57.6087"W	0.37	-0.28	-0.24	
17847.00	88.700	359.690	9334.30	7987.92	7952.27	767.78	649744.58	454580.04	32°14'57.2259"N	103°58'57.6074"W	0.40	0.03	-0.40	
18037.00	89.900	1.470	9336.62	8177.46	8142.23	769.70	649746.50	454769.99	32°14'59.1055"N	103°58'57.5777"W	1.13	0.63	0.94	
18132.00	89.780	1.180	9336.89	8272.31	8237.21	771.90	649748.70	454864.95	32°15'0.0452"N	103°58'57.5485"W	0.33	-0.13	-0.31	
18227.00	89.870	0.180	9337.18	8367.10	8332.20	773.02	649749.82	454959.94	32°15'0.9851"N	103°58'57.5318"W	1.06	0.09	-1.05	
18322.00	89.620	0.160	9337.60	8461.83	8427.20	773.31	649750.11	455054.93	32°15'1.9251"N	103°58'57.5249"W	0.26	-0.26	-0.02	
18417.00	90.300	359.520	9337.67	8556.52	8522.20	773.04	649749.84	455149.92	32°15'2.8652"N	103°58'57.5244"W	0.98	0.72	-0.67	
18512.00	90.580	359.780	9336.94	8651.18	8617.19	772.46	649749.26	455244.91	32°15'3.8052"N	103°58'57.5275"W	0.40	0.29	0.27	
18606.00	90.360	0.060	9336.17	8744.89	8711.19	772.33	649749.13	455338.90	32°15'4.7353"N	103°58'57.5255"W	0.38	-0.23	0.30	
18701.00	91.380	0.200	9334.72	8839.60	8806.18	772.55	649749.34	455433.88	32°15'5.6752"N	103°58'57.5194"W	1.08	1.07	0.15	
18891.00	90.460	358.830	9331.67	9028.86	8996.14	770.94	649747.74	455623.82	32°15'7.5549"N	103°58'57.5309"W	0.87	-0.48	-0.72	
18986.00	90.270	359.340	9331.07	9123.44	9091.12	769.42	649746.22	455718.80	32°15'8.4948"N	103°58'57.5449"W	0.57	-0.20	0.54	
19080.00	90.390	359.940	9330.53	9217.10	9185.12	768.83	649745.63	455812.79	32°15'9.4250"N	103°58'57.5482"W	0.65	0.13	0.64	
19175.00	90.420	0.130	9329.85	9311.82	9280.12	768.89	649745.69	455907.78	32°15'10.3650"N	103°58'57.5439"W	0.20	0.03	0.20	
19270.00	90.580	0.330	9329.03	9406.55	9375.11	769.27	649746.07	456002.77	32°15'11.3049"N	103°58'57.5359"W	0.27	0.17	0.21	
19365.00	89.990	359.630	9328.55	9501.26	9470.11	769.24	649746.03	456097.76	32°15'12.2449"N	103°58'57.5327"W	0.96	-0.62	-0.74	
19460.00	90.520	359.880	9328.13	9595.94	9565.11	768.83	649745.63	456192.75	32°15'13.1850"N	103°58'57.5338"W	0.62	0.56	0.26	
19495.00†	90.509	359.891	9327.82	9630.82	9600.11	768.76	649745.56	456227.74	32°15'13.5313"N	103°58'57.5333"W	0.04	-0.03	0.03	LTP/100'FNL Crossing: 19495.00ft MD
19555.00	90.490	359.910	9327.29	9690.63	9660.11	768.66	649745.45	456287.74	32°15'14.1250"N	103°58'57.5322"W	0.04	-0.03	0.03	
19573.00‡	90.490	359.910	9327.14	9708.57	9678.10	768.63	649745.43	456305.73	32°15'14.3031"N	103°58'57.5318"W	0.00	0.00	0.00	Projection to TD: 19573.00ft MD



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_awp 173'-19555' Proj: 19573'

Page 9 of 10



REFERENCE WELLPATH IDENTIFICATION			
Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

TARGETS								
Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Heads CC 9-4 Fed Com 25H - FTP	9315.00	-805.22	804.76	649781.56	445823.24	32°13'30.5687"N	103°58'57.5096"W	point
Heads CC 9-4 Fed Com 25H - KOP	9315.00	-1205.17	807.30	649784.10	445423.33	32°13'26.6111"N	103°58'57.4952"W	point
Heads CC 9-4 Fed Com 25H - LTP	9315.00	9600.90	756.45	649733.25	456228.54	32°15'13.5396"N	103°58'57.6766"W	point
Heads CC 9-4 Fed Com 25H - PBHL	9315.00	9680.89	756.13	649732.93	456308.52	32°15'14.3310"N	103°58'57.6772"W	point

WELLPATH COMPOSITION - Ref Wellbore: Heads CC 9-4 Fed Com 25H AWB Ref Wellpath: Heads CC 9-4 Fed Com 25H_awp 173'-19555' Proj: 19573'					
Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore	Survey Date
26.00	559.00	OWSG MWD+HRGM+SAG	Adjusted Surface Surveys 173'-559' (Imported)	Heads CC 9-4 Fed Com 25H AWB	3/4/2024
559.00	9801.00	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	PHX MWD Surveys 687'-9801' (Imported)	Heads CC 9-4 Fed Com 25H AWB	3/4/2024
9801.00	19573.00	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	6-3/4" BKR Lucida MWD Surveys 9886'-19555'	Heads CC 9-4 Fed Com 25H AWB	3/4/2024



Actual Wellpath Report

Heads CC 9-4 Fed Com 25H_ awp 173'-19555' Proj: 19573'

Page 10 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Oxy USA Inc.	Well	Heads CC 9-4 Fed Com 25H
Field	Pierce Crossing; Bone Spring, East - Eddy County, NM (NAD-83)	API	30-015-47338-00
Facility	Heads CC 9-4 Federal Com Pad	Wellbore	Heads CC 9-4 Fed Com 25H AWB
Slot	Heads CC 9-4 Fed Com 25H		

WELLPATH COMMENTS

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Comment
173.00	1.300	298.060	172.99	Adjusted Surface Surveys 173'-559' (Imported)
687.00	0.950	297.230	686.87	PHX MWD Surveys 687'-9801' (Imported)
9886.00	87.250	0.640	9307.65	6-3/4" BKR Lucida MWD Surveys 9886'-19555'
19495.00	90.509	359.891	9327.82	LTP/100'FNL Crossing: 19495.00ft MD
19573.00	90.490	359.910	9327.14	Projection to TD: 19573.00ft MD

COMMENTS

Wellpath general comments

Actual Line Calls

LTP Crossing @ 19,495.00ft MD: 100'FNL & 518'FEL

Projection to TD @ 19,573.00ft MD: 23'FNL & 517'FEL

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 9 / SWSE / 32.227378 / -103.985234	County or Parish/State: EDDY / NM
Well Number: 25H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM99034	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547338	Operator: OXY USA INCORPORATED	

Subsequent Report

Sundry ID: 2788626

Type of Submission: Subsequent Report

Date Sundry Submitted: 05/06/2024

Date Operation Actually Began: 04/14/2024

Type of Action: Workover Operations

Time Sundry Submitted: 02:21

Actual Procedure: RUPU 04/14/24, RIH & clean out to PBTD @ 19533', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 9873-19381' Total 1170 holes. Frac in 39 stages w/ 396315BBL Produced Water + 12304BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 23805030# sand, RD Frac 04/26/24. Well ready to produce 04/30/24. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 07/31/2024.

Received by OCD: 7/28/2024 4:38:43 PM

Page 15 of 21

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 9 / SWSE / 32.227378 / -103.985234	County or Parish/State: EDDY / NM
Well Number: 25H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM99034	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547338	Operator: OXY USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: MAY 06, 2024 02:21 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Advisor	
Street Address: 1600 GEHRIG DR	
City: MIDLAND	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/15/2024
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name HEADS CC 9-4 FEDERAL COM 6. Well Number: 25H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING, EAST				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	9	24S	29E		910	SOUTH	1331	EAST	EDDY
BH:	A	4	24S	29E	1	23	NORTH	518	EAST	EDDY
13. Date Spudded 02/02/24	14. Date T.D. Reached 03/21/2024		15. Date Rig Released 03/24/2024			16. Date Completed (Ready to Produce) 04/30/2024		17. Elevations (DF and RKB, RT, GR, etc.) 2936' GL		
18. Total Measured Depth of Well 19573'M 9327'V			19. Plug Back Measured Depth 19533'M 9327'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9873-19381' 3 RD BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		606'		14.75"		1186sx-surf circ		
7.827" P110S		39.3		9839'		9.875"		2140sx-surf		
5.5" P110 CY liner		20		8561'-19558'		6.75"		550sx-TOC@8561'		
24. LINER RECORD										
SIZE	TOP		BOTTOM		SACKS CEMENT		SCREEN			
25. TUBING RECORD										
SIZE		DEPTH SET		PACKER SET						
3-1/2"		8519'								
26. Perforation record (interval, size, and number) 9873-19381' Total 1170 holes, Hole Size=0.41							27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
							DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED	
							9873-19381'		396315BBL Produced Water + 12304BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 23805030# sand	
28. PRODUCTION										
Date First Production 05/03/2024		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Gas lift					Well Status (<i>Prod. or Shut-in</i>) Prod.			
Date of Test 05/10/2024	Hours Tested 24 hrs.	Choke Size 62	Prod'n For Test Period	Oil - Bbl 2397	Gas - MCF 3701	Water - Bbl. 3434	Gas - Oil Ratio 1544			
Flow Tubing Press.	Casing Pressure 880	Calculated 24- Hour Rate	Oil - Bbl. 2397	Gas - MCF 3701	Water - Bbl. 3434	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD							30. Test Witnessed By			
31. List Attachments WBD, C-104, As-Drilled C-102, Final Directional Survey, Completion Sundry C-103										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: 		Name: Jana Mendiola		Title: Regulatory Advisor		Date: 07/28/2024				
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 161'	T. Bell Canyon 3000'	T. Ojo Alamo	T. Penn A"
T. Salado 318'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1241'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2940'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3826'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5049'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6662'	T. Todilto	
T. Abo	T. 1st Bone Spring 7798'	T. Entrada	
T. Wolfcamp	T. 2nd Bone Spring 8559'	T. Wingate	
T. Penn	T. 3rd Bone Spring 8948'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
HEADS CC 9-4 FEDERAL COM 25H
API No. 30-015-47338



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 367827

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 367827
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 367827

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 367827
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	5/16/2025