Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

DEI	AKTMENT OF THE I	NICKIOK					
BUREAU OF LAND MANAGEMENT				5. Lease Serial No.	5. Lease Serial No. NMNM138913		
Do not use this t	NOTICES AND REPO form for proposals t Use Form 3160-3 (A	to drill or to	re-enter an	6. If Indian, Allottee	or Tribe Name		
SUBMIT IN	TRIPLICATE - Other instru	uctions on page	2	7. If Unit of CA/Ag	reement, Name and/or No.		
1. Type of Well							
✓ Oil Well Gas Well Other				8. Well Name and N	o. RED BUD FED COM 25 36 32/112F		
2. Name of Operator AMEREDEV OPERATING LLC				9. API Well No. 300	02548788		
3a. Address		3b. Phone No. (in	ıclude area code		10. Field and Pool or Exploratory Area		
2901 VIA FORTUNA, STE. 600 AUSTIN, TX 78746 737-300-470				JAL/WOLFCAMF	JAL/WOLFCAMP WEST		
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)				11. Country or Paris	h, State		
SEC 32/T25S/R36E/NMP				LEA/NM			
12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDI	CATE NATURE	OF NOTICE, REPORT OR O	THER DATA		
TYPE OF SUBMISSION			TY	PE OF ACTION			
Notice of Intent	Acidize	Deeper	1	Production (Start/Resume	Water Shut-Off		
	Alter Casing	Hydrau	lic Fracturing	Reclamation	Well Integrity		
Subsequent Report	Casing Repair	=	onstruction	Recomplete	✓ Other		
Einel Aboudenment Netice	Change Plans	= ~	d Abandon	Temporarily Abandon			
Final Abandonment Notice	Convert to Injection			Water Disposal	work and approximate duration thereof. If		
is ready for final inspection.) Spud Date: 10/21/2021 Produ Casing Ran: 4/18/2023 5.5" 23# Production TD Date: 4/18/2023 Production Cement: Job Start 04	ction Drill Date: 4/10/2 # P-110YC Anaconda-0 B Hole Size: 6.75" He	2023 GT SF Set F/22 ole Depth: 22,2	2,231' T/ 11,7 254'	06' & 5.5"23# RYS-110 E			
730 sacks, 1.87 yld, 9.99 GPS (NoFoam V1A). 18:36 Pump tail 0.05% SuspendaCem 6302, 0.5 displaced with 471 bbls of F/W. good)21:11 Perform 30 min casi	35%B_Poz, 65% Class cement 204 bbls @ 6 % C-20, 0.5%C-47B, 0 111 bbls back to surfac	6 H, 3% Gel, 59 BPM, 14.5 PP 0.005GPS No F ce. 20:56 Land	% Salt, 0.3% G, 940 sacks oam V1A). 1 plug w/ 5800	SMS, 1% R-1300, 0.1%C ,1.22 yld, 5.33 GPS (50% 9:24 Pump 10 bbls of sug	-37, 0.2%C-47B, 0.005 GPS B_Poz, 50% Class H, 5% Salt, ar water. 19:28 Drop plug and		
14. I hereby certify that the foregoing is		inted/Typed)	Senior Engineering Technician				
CHRISTIE HANNA / Ph: (737) 300-4723			Title				
Signature Christie Hanna		I	Date 07/20/2022				
	THE SPACE	FOR FEDE	RAL OR ST	ATE OFICE USE			
Approved by							
Jonathon W Shepard / Ph: (575) 234-5972 / Accepted			Petro Title	oleum Engineer	08/18/2022 Date		
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject leawhich would entitle the applicant to conduct operations thereon.				RLSBAD			

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

0. SHL: SWSW / 200 FSL / 870 FWL / TWSP: 25S / RANGE: 36E / SECTION: 32 / LAT: 32.0801285 / LONG: -103.2928664 (TVD: 0 feet, MD: 0 feet)

PPP: SWSW / 0 FSL / 900 FWL / TWSP: 25S / RANGE: 36E / SECTION: 29 / LAT: 32.0940894 / LONG: -103.2926108 (TVD: 11790 feet, MD: 17272 feet)

PPP: SWSW / 100 FSL / 950 FWL / TWSP: 25S / RANGE: 36E / SECTION: 32 / LAT: 32.0798536 / LONG: -103.292608 (TVD: 11790 feet, MD: 12093 feet)

BHL: NWNW / 50 FNL / 950 FWL / TWSP: 25S / RANGE: 36E / SECTION: 29 / LAT: 32.1084682 / LONG: -103.2926134 (TVD: 11790 feet, MD: 22503 feet)



Sundry Print Recort

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: RED BUD FED COM 25 36 Well Location: T25S / R36E / SEC 32 /

2 SWSW / 32.0801285 / -103.2928664

County or Parish/State: LEA /

NM

Well Number: 112H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM138913 Unit or CA Name: Unit or CA Number:

US Well Number: 300254878800X1 **Well Status:** Drilling Well **Operator:** AMEREDEV

OPERATING LLC

Subsequent Report

Sundry ID: 2683138

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 07/20/2022 Time Sundry Submitted: 10:31

Date Operation Actually Began: 04/19/2022

Actual Procedure: Spud Date: 10/21/2021 Casing Ran: 5.5" 23# P-110YC Anaconda-GT SF Set F/22,231' T/ 11,706' & 5.5"23# RYS-110 Eagle SFH F/11,706' T/0' Hole Size: 6.75" Hole Depth: 22,254' Production Cement: Job Start 04/19/2022 17:41 Pump 40 bbls 12.3PPG spacer. 17:57 Pump Lead Cement 243 bbls @ 7 BPM, 12.8 ppg, 730 sacks, 1.87 yld, 9.99GPS (35%B_Poz, 65% Class H, 3% Gel, 5% Salt, 0.3% SMS, 1%R-1300, 0.1%C-37, 0.2%C-47B, 0.005GPS NoFoam V1A). 18:36 Pump tail Cement 204 bbls @ 6 BPM, 14.5 PPG, 940 sacks,1.22 yld, 5.33 GPS (50% B_Poz, 50% Class H, 5% Salt, 0.05% SuspendaCem 6302, 0.5% C-20, 0.5%C-47B, 0.005GPS No Foam V1A). 19:24 Pump 10 bbls of sugar water. 19:28 Drop plug and displaced with 471 bbls of F/W. 111 bbls back to surface. 20:56 Land plug w/ 5800 PSI. Bleed off pressure, check floats, 9 bbls back (floats good)21:11 Perform 30 min casing test at 5000 PSI. Done on 04/19/2021 at 21:40 Rig Release Date: 04/20/2022

County or Parish/State: LEA well Name: RED BUD FED COM 25 36 Well Location: T25S / R36E / SEC 32 /

32

SWSW / 32.0801285 / -103.2928664

Well Number: 112H Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: NMNM138913 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300254878800X1 Well Status: Drilling Well **Operator:** AMEREDEV

OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: JUL 20, 2022 10:31 PM **Operator Electronic Signature: CHRISTIE HANNA**

Name: AMEREDEV OPERATING LLC Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

Field

Representative Name: Shane McNeely

Street Address: 2901 VIA FORTUNA STE. 600

City: AUSTIN State: TX **Zip:** 78746

Phone: (737)300-4729

Email address: smcneely@ameredev.com

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 08/18/2022

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 263710

CONDITIONS

Operator:	OGRID:
AMEREDEV OPERATING, LLC	372224
2901 Via Fortuna	Action Number:
Austin, TX 78746	263710
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
jeffrey.harrison	None	5/19/2025