

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: ROSA UNIT Well Location: T31N / R5W / SEC 33 /

SWNW / 36.856169 / -107.373412

County or Parish/State: RIO

ARRIBA / NM

Well Number: 754H

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Unit or CA Name: Lease Number: NMSF078773

Unit or CA Number: NMNM078407E

US Well Number: 300393145900X1

Operator: LOGOS OPERATING LLC

Subsequent Report

Sundry ID: 2827459

Type of Submission: Subsequent Report Type of Action: Drilling Operations

Date Sundry Submitted: 12/13/2024 Time Sundry Submitted: 11:51

Date Operation Actually Began: 11/17/2024

Actual Procedure: 11/17 - 11/19/2024 - Skid rig from Rosa Unit 756H to Rosa Unit 754H. NU & test BOPs, good test. Change out swivel packing & saver sub. Test casing to 1500psi for 15mins. Good test. TIH to 3661', drill out DV tool. Testing casing to 1500psi/5mins. Good test. Circulate. TIH f/3673' t/4800'. Found & change out pinched o-ring on swivel. Drill out cement and lower DV tool f/4800' t/4924'. Circulate. Test 9-5/8" casing to 1500psi/30mins. Good test. TIH drill cement and shoe track & float collar f/6220' t/6428'. Drill new hole f/6428' t/6438'. Circulate hole clean. Perform FIT. Drop gyro. POOH lay down BHA. 11/20 - 11/24/2024 - TIH t/6438'. Drill 8.5" hole f/6438' t/7970'. Rotate & slide drill f/7970' t/ 21,591' (TD) & perform LCM sweeps as needed. Circulate. 11/25/2024 - Perform clean up cycle. SOOH f/21,591' t/2000'. POOH. RU casing crew & being running 5.5" production casing @ 1457'. 11/26 - 11/27/2024 - RIH w/518jts of 5.5", 20.0#, P-110, BTC csg set @ 21,560' w/FC @ 21,474'. Toe sleeves @ f/21,390' t/21,301'. Circulate. RU cement crew. Pump 130bbls Tuned Spacer. Pump lead cmt w/140sx (45bbls, 253cf) Cap Isobond, 12.5ppg, 1.807yield. Pump lead cmt w/665sx (214bbls, 1205cf) Super CBL, 12.5ppg, 1.812yield. Tailed w/1840sxs (649bbls, 3647cf) NEOCEM, 13.2ppg, 1.982yield. Displaced w/474bbls of FW. Bumped plug w/3080psi. 130bbls spacer to surface. 80bbls of cement to surface. RD CRT. Test seals to 10k, good test, pull test to 40k. Good test. Rig released to Rosa Unit 752H 11/27/2024 @ 21:30hrs. Pressure test will be included on the next sundry.

Received by OCD: Well Walled Abs Rensit AM

Well Location: T31N / R5W / SEC 33 / SWNW / 36.856169 / -107.373412

County or Parish/State: RIO

Page 2 of 3

ARRIBA / NM

Well Number: 754H Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMSF078773

Unit or CA Name:

Unit or CA Number: NMNM078407E

US Well Number: 300393145900X1

Operator: LOGOS OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ETTA TRUJILLO Signed on: DEC 13, 2024 11:52 AM

Name: LOGOS OPERATING LLC

Title: Regulatory Specialist

Street Address: 2010 AFTON PLACE

City: Farmington State: NM

Phone: (505) 324-4154

Email address: ETRUJILLO@LOGOSRESOURCESLLC.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted **Disposition Date:** 12/16/2024

Signature: Matthew Kade

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 412200

CONDITIONS

Operator:	OGRID:
LOGOS OPERATING, LLC	289408
2010 Afton Place	Action Number:
Farmington, NM 87401	412200
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	6/9/2025