

Well Name: BO HOWARD 1211 FED COM	Well Location: T21S / R27E / SEC 12 / NESE / 32.4922686 / -104.1360839	County or Parish/State: EDDY / NM
Well Number: 113H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM109425	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554100	Well Status: Producing Oil Well	Operator: MATADOR PRODUCTION COMPANY

Subsequent Report

Sundry ID: 2766010

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 12/14/2023	Time Sundry Submitted: 08:16
Date Operation Actually Began: 10/13/2023	

Actual Procedure: Attached please find final casing and cement actuals for surface, intermediate 1, intermediate 2 and production casing. Spud Well: 9/24/2023 TD: 10/13/2023 14,432'MD/6627'TVD Release Rig: 10/14/2023

SR Attachments

PAActual Procedure

Bo_Howard_1211_Fed_Com_113H___Casing_and_Cementing_Actuals_20231214081559.pdf

Well Name: BO HOWARD 1211 FED COM	Well Location: T21S / R27E / SEC 12 / NESE / 32.4922686 / -104.1360839	County or Parish/State: EDDY / NM
Well Number: 113H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM109425	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001554100	Well Status: Producing Oil Well	Operator: MATADOR PRODUCTION COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EILEEN KOSAKOWSKI	Signed on: DEC 14, 2023 08:28 AM
Name: MATADOR PRODUCTION COMPANY	
Title: Regulatory Analyst	
Street Address: 5400 LBJ FREEWAY, STE 1500	
City: DALLAS	State: TX
Phone: (972) 371-5200	
Email address: EILEEN.KOSAKOWSKI@MATADORRESOURCES.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/02/2024
Signature: Jonathon Shepard	

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	
6. If Indian, Allottee or Tribe Name	
7. If Unit of CA/Agreement, Name and/or No.	
8. Well Name and No.	
9. API Well No.	
10. Field and Pool or Exploratory Area	11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NESE / 1693 FSL / 505 FEL / TWSP: 21S / RANGE: 27E / SECTION: 12 / LAT: 32.4922686 / LONG: -104.1360839 (TVD: 0 feet, MD: 0 feet)

PPP: NWSE / 1981 FSL / 2678 FEL / TWSP: 21S / RANGE: 27E / SECTION: 12 / LAT: 32.4930319 / LONG: -104.1431303 (TVD: 6757 feet, MD: 9215 feet)

BHL: NWSE / 1980 FSL / 2536 FEL / TWSP: 21S / RANGE: 27E / SECTION: 11 / LAT: 32.4929689 / LONG: -104.1600785 (TVD: 6648 feet, MD: 14443 feet)

CONFIDENTIAL

Surface Casing Sundry

Bo Howard 1211 Fed Com #113H

*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBLs	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
9/24/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	396	376	*150	*1480	*.5	1				1355	1.33	1355	320.953	C	0	Circ	187	789	

Intermediate Casing Sundry

Bo Howard 1211 Fed Com #113H

*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBLs	CLASS (list)	TOP OF CMT (feet)	METHOD USED	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
9/24/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	396	376	150.5	1480	0.5	1				1355	1.33	1355	320.953	C	0	Circ	187	789	0
10/2/2023	INT 1	WBM	54.50	J-55	Buttress	17-1/2"	13-3/8"	900	876	34.5	1500	0.5	1		530	1.7	455	1.33	985	268.237	C	0	Circ	124	524	

Intermediate Casing Sundry

Bo Howard 1211 Fed Com #113H

*estimated due to batch drilling/will have actuals at time of setting next string																											
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (Btm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBLs	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)	
9/24/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	396	376	150.5	1480	0.5	1				1355	1.33	1355	320.953	C	0	Circ	187	789	0	
10/2/2023	INT 1	WBM	54.50	J-55	Buttress	17-1/2"	13-3/8"	900	876	34.5	1500	0.5	1		530	1.7	455	1.33	985	268.237	C	0	Circ	124	524	0	
10/5/2023	INT 2	WBM	40.00	J-55	Buttress	12-1/4"	9-5/8"	2957	2940	12.0	1500	0.5	1	949	810	2.09	240	1.33	1050	358.344	C		Circ	87	234		
													2						0	0	C		Circ				
																							*Cancelled DV, No 2nd stage				

*Cancelled DV, No 2nd stage

Production Casing Sundry

Bo Howard 1211 Fed Com #113H

*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	DURATION HELD (decimal hours)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBLs	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
9/24/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	396	376	150.5	1480	1	1				1355	1.33	1355	320.953	C	0	Circ	187	789	0
10/2/2023	INT 1	WBM	54.50	J-55	Buttress	17-1/2"	13-3/8"	900	876	34.5	1500	0.5	1		530	1.7	455	1.33	985	268.237	C	0	Circ	124	524	0
10/5/2023	INT 2	WBM	40.00	J-55	Buttress	12-1/4"	9-5/8"	2957	2940	12.0	1500	0.5	1	949	810	2.09	240	1.33	1050	358.344	C	0	Circ	87	234	0
10/13/2023	PROD	WBM	20.00	P-110	TLW-SC	8-3/4"	5-1/2"	14432	14417	*1500	*2050		1		375	2.51	1700	1.36	2075	579.386	C	0	Circ	40	89	

9/24/2023 Spud Well															*Cancelled DV, No 2nd stage									
10/08/2023 KOP-					6228' MD / 6186' TVD																			
10/13/2023 TD					14,432' MD / 6627' TVD																			
Top of Prod Casing Float Collar (feet):					14,412'																			
10/14/2023 Release Rig																								

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 299219

CONDITIONS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 299219
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	6/18/2025