

Well Name: GEORGE WASHINGTON	Well Location: T26N / R12W / SEC 35 / SWNE / 36.44679 / -108.07752	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM61	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452849800S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2869641

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 08/26/2025	Time Sundry Submitted: 09:52
Date Operation Actually Began: 07/10/2025	

Actual Procedure: Dugan Production P&A'd the well on 7/10/2025 - 7/11/2025 per the attached procedure.

SR Attachments

Actual Procedure

- George\_Washington\_90\_SR\_PA\_formation\_tops\_20250826095008.pdf
- George\_Washington\_90\_SR\_PA\_completed\_wellbore\_schematic\_20250826094948.pdf
- George\_Washington\_90\_SR\_PA\_work\_completed\_20250826094929.pdf

Well Name: GEORGE WASHINGTON	Well Location: T26N / R12W / SEC 35 / SWNE / 36.44679 / -108.07752	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM61	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452849800S1	Operator: DUGAN PRODUCTION CORPORATION	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: AUG 26, 2025 09:50 AM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO BOX 420	
City: FARMINGTON	State: NM
Phone: (505) 325-1821	
Email address: TYRAFEIL@DUGANPRODUCTION.COM	

Field

Representative Name: Aliph Reena		
Street Address: PO Box 420		
City: Farmington	State: NM	Zip: 87499-0420
Phone: (505)360-9192		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 08/27/2025
Signature: Matthew Kade	

Dugan Production P&A'd the well on **07/10/2025-07/11/2025** per the following procedure:

- MI & RU Aztec Rig 450 and cement equipment. Spot & RU.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Pull and LD all production tubing. Run 4½" string mill to 1203'. TOO H & SB.
- RIH & set 4½" cement retainer to 1170'. Fruitland Coal perforations @ 1218'-1234'.
- Load and circulate hole w/25 bbls water.
- Attempt to pressure test casing to 600 psi for 30 mins. Casing blew a small hole close to surface below casing valves. Casing didn't test.
- RU WL and run CBL from 1170' to surface. Sent copy of CBL to BLM & NMOCD.
- **Plug I, Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo, Surface:** Sting in the cement retainer. Attempt to get a rate below the retainer to cover below the retainer to top perms. Cannot get a rate. Pressured up to 1000 psi and locked up. Sting out. Spot Plug I inside 4½" casing above cement retainer @ 1170' w/95 sks (109.25 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo tops & surface casing shoe to surface (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). No displacement. WOC 4 hours. RU welder & cut wellhead off. Tagged TOC at 45' inside casing & 32' inside the annulus. Good tag. **Plug I, Inside 4½" casing, cement retainer at 1170', 95 sks, 109.25 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface Casing shoe, 0'-1170'.**
- Top of casing, Fill up cellar and install dry hole marker w/62 sks, 71.8 cu ft Class G neat cement. Clean location. Rig down Aztec 450 and cement equipment.
- Darin Haliburton w/BLM witnessed job.
- **Well P&A'd 07/11/2025.**

**Completed P & A Wellbore Schematic**

George Washington #90


30-045-28498

Basin Fruitland Coal (Gas)

1850' FNL & 1800' FEL

G-S35-T26N-R12W

San Juan County , NM



7" 20# casing @ 97' Hole size 9-7/8"

Cemented w/ 45 sks Class B cement (53.1 cu ft)

Displaced w/ 2.5 bbls water. Circ 1/2 bbl cement

**Plug I, Inside 4 1/2" casing, Cement Retainer at 1170', 95 sks, 109.25 Cu.ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface Casing shoe, 0'-1170'.**

**4 1/2" 10.5# casing @ 1303', Hole size 6-1/4"**

Cement w/ 100 sks 2% Lodense w/ 1/4#celflake/sk. Tail w/ 60 sks class B neat w/ 1/4#/sk celloflake (276 cu ft) Displace w/ 20.5 bbls water. Circ 6 bbls cement

Fruitland Coal Perforated @ 1218' – 1234'

PBTD @ 1244', TD 1310'


George Washington #90  
30-045-28498  
Basin Fruitland Coal (Gas)  
1850' FNL & 1800' FEL  
G-S35-T26N-R12W  
San Juan County , NM  
Lat:36.4468384 Long:-108.0781326

**Formation Tops**

- **Surface Casing – 97'**
- **Ojo Alamo – 220'**
- **Kirtland – 341'**
- **Fruitland – 938'**
- **Perforations – 1218'-1234'**
- **Pictured Cliffs – 1240'**






















Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 499618

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 499618
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	8/27/2025