

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-60992
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator The Eastland Oil Company		6. State Oil & Gas Lease No. L06773-000
3. Address of Operator PO Box 3488 Midland, TX 79702-3488		7. Lease Name or Unit Agreement Name Eastland State
4. Well Location Unit Letter <u>H</u> : <u>1980</u> feet from the <u>North</u> line and <u>660</u> feet from the <u>East</u> line Section <u>13</u> Township <u>09S</u> Range <u>26E</u> NMPM <u>Chaves</u> County		8. Well Number <u>1</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 22767
10. Pool name or Wildcat Foor Ranch; Pre Permian		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached plugging report.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Garrett Donnelly TITLE Vice-President DATE 9/19/2025

Type or print name Garrett Donnelly E-mail address: gdonnelly@eastlandoil.com PHONE: (432)683-6293

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):



**THE EASTLAND OIL COMPANY****Daily Report of Operations****P&A**Well Name: **EASTLAND STATE #1**

Field Name:

API# 30-005-60992

Current Zone of Interest:

Date: 6/16/2025

Supervisor: Jack Gustamantes

P&amp;A Marker GPS: 33.534, -104.244013

Producing Zone **PENN**

Detailed Description of Day's Operation	
<b>5/16/25</b>	Started moving equipment to location, rigged up pulling unit.
<b>5/17/25</b>	Finished moving pumps to location, picked up on tubing, tubing parted @ 4881.94.
<b>6/18/25</b>	Got tools lined up for fishing tubing, will commence fishing operations on 6/19/25
<b>6/19/25</b>	Ran fishing tools in hole hydro-testing pipe, fishing tool wouldn't go past 3887', pulled tool out of hole, will run smaller tool in the morning.
<b>6/20/25</b>	Went in hole with overshot and pulled parted tubing out of hole.
<b>6/23/25</b>	Worked on pump.
<b>6/26/25</b>	Finished fixing pump, ran bit and scraper in hole.
<b>6/27/25</b>	Ran tubing to 6027', circulated well clean.
<b>6/31/25</b>	Ran CIBP to 5980' and set it.
<b>7/1/25</b>	Were going to run CBL but it turned to bad weather.
<b>7/7/25</b>	Ran CBL
<b>7/8/25</b>	Tagged CIBP @ 5980, mixed and pumped 25sx cement, POOH, perforated @ 368', circulated through perms.
<b>7/9/25</b>	Tagged cement on top of CIBP @ 5721', mixed & pumped 120 BBLS MLF to cover between plugs, Pumped 25sx balanced plug @ 5290'-5038'. Pumped 25sx balanced plug @ 4820'-4568'. Pumped 25sx balanced plug @ 2159'-1907'. Pumped 25sx balanced plug @ 1502'-1250'. Will circulate top plug in the morning.
<b>7/10/25</b>	Mixed & pumped 105sx of cement to circulate top plug through the perforations @ 368' circulated 5sx to steel pit. Filled up between 8 5/8 & 5 1/2, and filled up 5 1/2.
<b>7/11/25</b>	Checked cement, was 5' down, will top off when we do cutoff. Moving to Eastland State #4 API #30-005-62686 will start moving 7/14/25
<b>7/14/25</b>	Eastland State #4 location to soft, moving to Eastland State #2 API #30-005-61286
<b>7/27/25</b>	Did cutoff & installed dryhole marker.

Service Rig: 3 G WELL SERVICE

Prepared by: Jack Gustamantes 575 420 8547

Prepared for: GARRETT DONNELLY 432-559-3684 432-683-6293

YESENIA RUBIO 432-312-3502 432-683-6293

P&A Wellbore Diagram

Operataor: The Eastland Oil Company  
Well Name: Eastland State #1  
API # 30-005-60992  
Location: 13,09S,R28E

Date Spud:  
Date Complete:

WELLBORE DIAGRAM  
AFTER P&A COMPLETED

105sx 368'  
Surface to 368  
Perf @ 368

Dryhole marker 3' below ground level  
to 4' above ground level

13 3/8 48# @ 318'  
425sx circulated to surface

Balanced plug 1250  
to 1502'

8 5/8 24# @1430'  
750sx cement circulated to surface

Balanced 25sx plug from  
2159-1907'  
to cover DV tool

Formation	Top
San Andres	410
Salt Bottom	2138
Tubb	4050
Abo	4760
Wolfcamp	5238
Penn	5757

Balanced 25sx plug to cover  
to cover TOC  
4820-4568'

Balanced 25sx plug  
5290-5038'

25sx class C 5980'-5721'

CIBP @ 5980'

Perfs @ 6028'-6082'

PBTD 6144  
5 1/2 17# @ 6190'  
625sx

TD 6204'

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 507570

CONDITIONS

Operator: EASTLAND OIL CO P.O. Box 3488 Midland, TX 79702	OGRID: 22767
	Action Number: 507570
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	9/22/2025