

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-61286
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator The Eastland Oil Company		6. State Oil & Gas Lease No. L06773-000
3. Address of Operator PO Box 3488 Midland, TX 79702-3488		7. Lease Name or Unit Agreement Name Eastland State
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>13</u> Township <u>09S</u> Range <u>26E</u> NMPM Chaves County		8. Well Number <u>2</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 22767
10. Pool name or Wildcat Foor Ranch; Pre Permian		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached plugging report.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Garrett Donnelly TITLE Vice-President DATE 9/19/2025

Type or print name Garrett Donnelly E-mail address: gdonnelly@eastlandoil.com PHONE: (432)683-6293

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):





## THE EASTLAND OIL COMPANY

## Daily Report of P&amp;A Operations

Well Name: **EASTLAND STATE #2**  
 Field Name: FOOR RANCH  
 API# 30-005-61286  
 Current Zone of Interest:

Date: 7/14/2025  
 Supervisor: Jack Gustamantes

P&A MARKER GPS: 33.530882, -104.252657

Detailed Description of Day's Operation	
<b>7/14/25</b>	Started moving equipment from the Eastland State #1 to location.
<b>7/15/25</b>	Finished moving equipment to Eastland State #2, will commence plugging operations on 7/16/25.
<b>7/16/25</b>	Ran CIBP and did CBL
<b>7/17/25</b>	Tested CIBP to 500 PSI for 30 minutes, tagged CIBP @4810'. Mixed & pumped 25sx cement w/2% calcium chloride. Perforated @3040', tried to pump through perforation would not go. WOC cement on top of CIBP for 4 1/2hrs. Tagged @ 4563'. Mixed & pumped 40bbls MLF to go between 1st & 2nd plugs, mixed and pumped 25 sx cement w/2% calcium chloride @3164' to cover perfs @ 3040' WOC 5 hrs. tagged @2927', perforated @ 1401', tried to pump into perfs., would take fluid @ 500 psi. & then start building pressure, would build up to 1500 psi & bleed off in about 3 minutes to 500 psi and the stop.
<b>7/18/25</b>	Spotted 25sx plug w/2% calcium chloride @1451', WOC 5 hrs. tagged @ 1216', perforated @1055', tested perforations, ran packer to 700', mixed 50sx cement w/2% calcium chloride, displaced w/7bbls, WOC 5hrs. tagged @ 865', perforated @ 322', tested perforations, circulated ok, will pump top plug on 7/21/25.
<b>7/21/25</b>	Mixed & pumped 80sx cement through perfs. @ 322', circulated to surface to fill 5 1/2 casing & also between 8 5/8 & 5 1/2 casings. Circulated about 8 sx to steel pit. Will cheeck in the morning. Will start moving to the Eastland State #4 7/22/25
<b>7/22/25</b>	Checked cement inside of casing, cement @ surface, started tearing down equipment. Started moving equipment to Eastland State #4 API #30-005-62686.
<b>7/27/25</b>	Did cutoff & set dryhole marker.

Service Rig: 3 G WELL SERVICE  
 Prepared by: Jack 3G 575 420 8547  
 Prepared for: Yesenia Rubio 432-312-3502  
 Garrett Donnelly 432-559-3684



Well Bore Diagram Worksheet

Operator: The Eastland Oil Company

Well Name: Eastland State #2


API #: 30-005-61286

Location: S13, T9S, R26E Chaves, NM

Date Spud:

Date Complete:

WELLBORE DIAGRAM AFTER P&A OPERATIONS



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 507573

CONDITIONS

Operator: EASTLAND OIL CO P.O. Box 3488 Midland, TX 79702	OGRID: 22767
	Action Number: 507573
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	9/22/2025