

Well Name: PHILLIPS 19 FEDERAL	Well Location: T17S / R29E / SEC 19 / SENE / 32.8209962 / -104.1066782	County or Parish/State: EDDY / NM
Well Number: 2	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14847	Unit or CA Name:	Unit or CA Number:
US Well Number: 300153122500X1	Operator: LONGFELLOW ENERGY LP	

Subsequent Report

Sundry ID: 2865041

Type of Submission: Subsequent Report

Date Sundry Submitted: 07/24/2025

Date Operation Actually Began: 07/08/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 10:44

Actual Procedure: 7/8/25. Rig 9, traveled out to location, had JSA/Safety meeting. Waited on API wireline tell 9:00am. spotted in truck, rigged wireline. Made gauge ring run to 3900. Set CIBP 3830. Loaded and test to 500psi, held pressure for 15mins. Test was good. open well. Ran W/L CBL. Rigged down W/L, TIH open ended with 122jts of 2-7/8 j55 eue tbg tagged CIBP. Pulled up one jt, shut well in and shut down for the day. 7/9/25. Crew traveled out to location, Waited on CBL to be reviewed. Rolled the hole with 80 bbls of #9.5 mud. Worked on batching 25sx of cement , had equipment issues, and could not pump cement plug. Discarded cement into trash tank. Due to equipment issues, a third-party company has been scheduled to help complete the job 7/10/25. Cleaned equipment and location and shut down for the day. Resume operations 07/10/2025 @ 7:00 a.m. 7/10/25. Crew traveled out to location, Had JSA/Safety meeting. Waited on vac trucks, spotted in Nine Energy Service. Spot 25 sacks class C cement @ 3830, displaced with 18.5bbls. Laid down 8jts, pulled 10 stands. Waited 4hrs, TBIH to tag. Tagged at 3780. Spotted 25 sacks class C cement @3780. Displaced 18.5bbls, waited 4hrs. tagged with tbg at 3550. Laid down a total of 34 joints. Spotted 122 sacks class C cement@ 2812. Displaced 8bbls. Laid down 38jts, pulled 5 stands. Shut well in and shut down for the day. Resume operation 7/11/25 @ 7:00 a.m. 7/11/25. Crew traveled out to location, had a JSA/Safety meeting. TIH and tag @ 1800. Spotted 30 sacks class C cement@ 1800. Displaced 8.5 bbls. Laid down 10jts, pulled 5 stands. Waited 4hrs. TBIH to tag, Tagged @ 1466. Laid down 5jts. Spotted 135 sacks class C cement @ 1350. Viewed cement circulating out of the casing. TOH laying down 42jts. Rigged down Nine Energy Service. Rigged down tbg equipment and working floor. Secured well and shut down for the day. 7/12/25. Crew traveled out to location. had JSA/Safety meeting. Spotted 11 sacks class C cement to surface. ND BOP, rigged down pulling unit. Cleaned and moved equipment off location.

7/17/25 Wellhead cut off and capped.

Received by OCD: 9/18/2025 2:39:18 PM

Page 2 of 7

Well Name: PHILLIPS 19 FEDERAL		Well Location: T17S / R29E / SEC 19 / SENE / 32.8209962 / -104.1066782	County or Parish/State: EDDY / NM
Well Number: 2	Type of Well: OIL WELL		Allottee or Tribe Name:
Lease Number: NMNM14847	Unit or CA Name:	Unit or CA Number:	
US Well Number: 300153122500X1	Operator: LONGFELLOW ENERGY LP		

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DAVID CAIN	Signed on: JUL 24, 2025 10:44 AM
Name: LONGFELLOW ENERGY LP	
Title: Sr Engineering Technologist & Regulatory Specialist	
Street Address: 8115 PRESTON ROAD SUITE 800	
City: DALLAS	State: TX
Phone: (972) 590-9918	
Email address: DAVID.CAIN@LONGFELLOWENERGY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 07/24/2025
Signature: James A Amos	

Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021
SUNDRY NOTICES AND REPORTS ON WELLS <i>Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.</i>		5. Lease Serial No.
		6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No.
2. Name of Operator		9. API Well No.
3a. Address	3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)		11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)		
	Title	
Signature	Date	

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

bbls. Laid down 10jts, pulled 5 stands. Waited 4hrs. TBIH to tag, Tagged @ 1466. Laid down 5jts. Spotted 135 sacks class C cement @ 1350.

Viewed cement circulating out of the casing. TOH laying down 42jts. Rigged down Nine Energy Service. Rigged down tbq equipment and working floor. Secured well and shut down for the day.

7/12/25. Crew traveled out to location. had JSA/Safety meeting. Spotted 11 sacks class C cement to surface. ND BOP, rigged down pulling unit.

Cleaned and moved equipment off location.

7/17/25 Wellhead cut off and capped.

Location of Well


0. SHL: SENE / 2310 FNL / 330 FEL / TWSP: 17S / RANGE: 29E / SECTION: 19 / LAT: 32.8209962 / LONG: -104.1066782 (TVD: 0 feet, MD: 0 feet)

BHL: SENE / 2310 FNL / 330 FEL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

Wellbore Schematic

Printed: 8/19/2025

Page 1



= Fluid Level with Gas


 = Net Fluid Level

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 507066

CONDITIONS

Operator: LONGFELLOW ENERGY, LP 8115 Preston Road Dallas, TX 75225	OGRID: 372210
	Action Number: 507066
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/18/2025