

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377
		³ Reason for Filing Code/ Effective Date NW 07/05/2022
⁴ API Number 30 - 025-49564	⁵ Pool Name BOBCAT DRAW; UPPER WOLFCAMP	⁶ Pool Code 98094
⁷ Property Code 39043	⁸ Property Name PITCHBLENDE 29 FEDERAL COM	⁹ Well Number 703H

II. ¹⁰ Surface Location

UI or lot no. E	Section 29	Township 25S	Range 34E	Lot Idn	Feet from the 2185	North/South Line NORTH	Feet from the 1235	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. C	Section 20	Township 25S	Range 34E	Lot Idn	Feet from the 108	North/South line NORTH	Feet from the 1636	East/West line WEST	County LEA
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 01/01/2022	²² Ready Date 07/05/2022	²³ TD 20,072	²⁴ PBTB 20,048	²⁵ Perforations 12,613 - 20,048'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
12 1/4"		9 5/8"		1045'	
8 3/4"		7 5/8"		11,983'	
6 3/4"		5 1/2"		20,056'	

V. Well Test Data

³¹ Date New Oil 07/05/2022	³² Gas Delivery Date 07/05/2022	³³ Test Date 07/10/2022	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2035
³⁷ Choke Size 64	³⁸ Oil 4318	³⁹ Water 8208	⁴⁰ Gas 7009		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Kay Maddox			OIL CONSERVATION DIVISION Approved by: Title: Approval Date:		
Printed name: Kay Maddox					
Title: SENIOR REGULATORY SPECIALIST					
E-mail Address: kay_maddox@eogresources.com					
Date: 07/19/2022		Phone: 432-638-8475			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025- 49564		² Pool Code 98094		³ Pool Name BOBCAT DRAW; UPPER WOLFCAMP	
⁴ Property Code 39043		⁵ Property Name PITCHBLENDE 29 FED COM			⁶ Well Number 703H
⁷ OGRID No. 7377		⁸ Operator Name EOG RESOURCES, INC.			⁹ Elevation 3327'


¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	29	25-S	34-E	-	2185'	NORTH	1235'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	20	25-S	34-E	-	108'	NORTH	1636'	WEST	LEA

¹² Dedicated Acres 480.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kay Maddox 07/05/2022
Signature Date

KAY MADDOX

Printed Name

KAY_MADDOX@EOGRESOURCES.COM

E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

09/29/2021

Date of Survey
Signature and Seal of Professional Surveyor

RAMON A. DOMINGUEZ
NEW MEXICO
24508
PROFESSIONAL SURVEYOR

Certificate Number





Lea County, NM (NAD 83 NME)

Pitchblende 29 Fed Com #703H

H&P 534

OH

PROJECT DETAILS: Lea County, NM (NAD 83 NME)










Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #703H

KB = 30' @ 3357.0usft (H&P 534) 3327.0
Northing 402119.00 Easting 800461.00 Latitude 32° 6' 9.863 N Longitude 103° 29' 47.391 W



To convert a Magnetic Direction to a Grid Direction, Add 5.98°
To convert a Magnetic Direction to a True Direction, Add 6.43° East
To convert a True Direction to a Grid Direction, Subtract 0.44°





Midland

Lea County, NM (NAD 83 NME)

Pitchblende 29 Fed Com

#703H

OH

Design: OH

Final PVA

30 March, 2022



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Project		Lea County, NM (NAD 83 NME)	
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Pitchblende 29 Fed Com				
Site Position:		Northing:	402,120.00	usft	Latitude:	32° 6' 9.876 N
From:	Map	Easting:	800,431.00	usft	Longitude:	103° 29' 47.739 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16	"	Grid Convergence:	0.44 °

Well		#703H				
Well Position	+N/-S	0.0 usft	Northing:	402,119.00 usft	Latitude:	32° 6' 9.863 N
	+E/-W	0.0 usft	Easting:	800,461.00 usft	Longitude:	103° 29' 47.391 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,327.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	1/24/2022	6.43	59.78	47,366.85663976

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	2.76

Survey Program		Date	3/30/2022		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
195.0	20,072.0	Gordon MWD #1 (OH)	EOG MWD+IFR1	MWD + IFR1	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	
195.0	1.45	192.15	195.0	-2.4	-0.5	0.74	0.74	0.00	-2.5	0.0	
402.0	1.27	196.11	401.9	-7.2	-1.7	0.10	-0.09	1.91	-7.4	0.4	
578.0	0.95	196.20	577.9	-10.5	-2.7	0.18	-0.18	0.05	-10.8	0.4	
666.0	1.11	192.74	665.9	-12.0	-3.0	0.19	0.18	-3.93	-12.4	-0.3	
766.0	0.98	182.54	765.9	-13.8	-3.3	0.23	-0.13	-10.20	-13.9	-2.7	
862.0	1.06	177.23	861.8	-15.5	-3.3	0.13	0.08	-5.53	-15.3	-4.0	
958.0	1.02	181.89	957.8	-17.2	-3.3	0.10	-0.04	4.85	-17.3	-2.7	
994.0	1.09	185.79	993.8	-17.9	-3.3	0.28	0.19	10.83	-18.1	-1.5	
1,051.0	0.80	196.84	1,050.8	-18.8	-3.5	0.60	-0.51	19.39	-19.0	2.1	
1,147.0	0.64	205.71	1,146.8	-19.9	-3.9	0.20	-0.17	9.24	-19.7	5.1	
1,244.0	2.20	147.84	1,243.8	-22.0	-3.2	2.00	1.61	-59.66	-16.9	-14.4	
1,340.0	3.83	141.86	1,339.6	-26.1	-0.2	1.73	1.70	-6.23	-20.4	-16.3	
1,436.0	3.60	138.07	1,435.4	-30.8	3.8	0.35	-0.24	-3.95	-25.3	-17.8	
1,532.0	3.80	135.95	1,531.2	-35.4	8.0	0.25	0.21	-2.21	-28.0	-19.0	
1,628.0	5.63	132.86	1,626.9	-40.9	13.7	1.92	1.91	-3.22	-28.7	-20.5	
1,724.0	6.56	134.31	1,722.4	-47.9	21.1	0.98	0.97	1.51	-30.3	-19.8	
1,820.0	7.68	138.13	1,817.6	-56.5	29.3	1.27	1.17	3.98	-33.4	-18.1	
1,916.0	8.19	141.15	1,912.7	-66.6	37.8	0.69	0.53	3.15	-37.6	-17.3	
2,011.0	7.84	147.84	2,006.8	-77.4	45.5	1.05	-0.37	7.04	-43.0	-14.5	
2,107.0	7.47	150.79	2,101.9	-88.4	52.1	0.56	-0.39	3.07	-46.9	-14.9	
2,203.0	7.84	130.68	2,197.1	-98.1	60.1	2.80	0.39	-20.95	-41.4	-31.7	
2,299.0	8.59	125.87	2,292.1	-106.5	70.8	1.06	0.78	-5.01	-42.4	-34.2	
2,395.0	9.21	126.88	2,386.9	-115.4	82.8	0.67	0.65	1.05	-47.9	-32.1	
2,491.0	10.58	127.02	2,481.5	-125.3	96.0	1.43	1.43	0.15	-54.5	-30.9	
2,586.0	12.02	124.80	2,574.7	-136.2	111.1	1.58	1.52	-2.34	-62.2	-31.8	
2,683.0	13.90	123.58	2,669.2	-148.4	129.1	1.96	1.94	-1.26	-73.3	-31.7	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
2,778.0	14.56	120.71	2,761.3	-160.8	148.8	1.02	0.69	-3.02	-85.5	-33.8	
2,874.0	11.50	118.48	2,854.8	-171.5	167.6	3.23	-3.19	-2.32	-96.3	-34.7	
2,970.0	13.18	114.09	2,948.6	-180.5	186.0	2.00	1.75	-4.57	-104.5	-39.5	
3,066.0	14.81	116.44	3,041.7	-190.5	207.0	1.80	1.70	2.45	-119.8	-31.9	
3,162.0	12.68	124.12	3,135.0	-201.9	226.7	2.92	-2.22	8.00	-136.0	-12.1	
3,258.0	14.93	119.07	3,228.2	-213.8	246.3	2.66	2.34	-5.26	-147.7	-22.6	
3,354.0	13.79	122.12	3,321.2	-225.9	266.8	1.42	-1.19	3.18	-162.8	-12.0	
3,450.0	11.82	125.94	3,414.8	-237.7	284.4	2.23	-2.05	3.98	-174.7	1.1	
3,546.0	10.68	129.63	3,509.0	-249.2	299.2	1.40	-1.19	3.84	-183.1	13.6	
3,642.0	6.95	141.54	3,603.8	-259.4	309.7	4.31	-3.89	12.41	-181.0	51.3	
3,738.0	6.65	161.25	3,699.2	-269.2	315.1	2.44	-0.31	20.53	-155.5	106.3	
3,834.0	6.80	166.97	3,794.5	-280.0	318.2	0.71	0.16	5.96	-147.0	116.3	
3,929.0	6.32	153.15	3,888.9	-290.2	321.8	1.73	-0.51	-14.55	-171.7	73.4	
4,025.0	5.67	131.07	3,984.4	-298.0	327.8	2.48	-0.68	-23.00	-186.3	2.4	
4,121.0	6.36	108.06	4,079.9	-302.7	336.4	2.59	0.72	-23.97	-173.2	-67.8	
4,217.0	6.14	106.79	4,175.3	-305.9	346.4	0.27	-0.23	-1.32	-173.2	-67.2	
4,313.0	6.01	124.70	4,270.8	-310.2	355.4	1.97	-0.14	18.66	-185.4	-7.8	
4,409.0	5.39	133.26	4,366.3	-316.2	362.8	1.09	-0.65	8.92	-184.0	20.5	
4,505.0	5.45	126.40	4,461.9	-322.0	369.8	0.68	0.06	-7.15	-184.2	-0.8	
4,601.0	7.27	121.99	4,557.3	-327.9	378.6	1.96	1.90	-4.59	-184.4	-13.2	
4,697.0	8.60	116.97	4,652.3	-334.4	390.2	1.56	1.39	-5.23	-186.2	-26.8	
4,793.0	5.30	138.80	4,747.6	-341.0	399.5	4.34	-3.44	22.74	-184.1	45.8	
4,889.0	7.03	149.41	4,843.1	-349.4	405.4	2.15	1.80	11.05	-173.1	76.8	
4,984.0	7.12	133.79	4,937.4	-358.4	412.6	2.02	0.09	-16.44	-188.9	26.0	
5,080.0	4.88	119.04	5,032.8	-364.5	420.5	2.81	-2.33	-15.36	-189.5	-21.7	
5,176.0	1.28	83.64	5,128.7	-366.4	425.1	4.07	-3.75	-36.87	-140.0	-122.0	
5,272.0	0.50	28.34	5,224.7	-365.9	426.4	1.12	-0.81	-57.60	17.0	-175.7	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
5,368.0	0.31	348.03	5,320.7	-365.3	426.5	0.35	-0.20	-41.99	117.9	-117.5	
5,464.0	0.44	8.25	5,416.7	-364.7	426.5	0.19	0.14	21.06	63.5	-142.8	
5,560.0	0.63	1.65	5,512.7	-363.8	426.6	0.21	0.20	-6.87	71.9	-127.1	
5,655.0	0.73	15.42	5,607.7	-362.7	426.8	0.20	0.11	14.49	33.7	-131.7	
5,751.0	0.72	22.74	5,703.7	-361.5	427.1	0.10	-0.01	7.62	11.9	-125.5	
5,847.0	0.85	13.91	5,799.7	-360.3	427.6	0.18	0.14	-9.20	24.7	-113.5	
5,943.0	0.89	23.57	5,895.6	-358.9	428.0	0.16	0.04	10.06	0.4	-106.5	
6,039.0	1.16	28.18	5,991.6	-357.4	428.8	0.29	0.28	4.80	-12.6	-96.5	
6,134.0	1.11	27.64	6,086.6	-355.7	429.7	0.05	-0.05	-0.57	-16.3	-87.0	
6,230.0	1.03	11.27	6,182.6	-354.0	430.3	0.33	-0.08	-17.05	1.8	-79.9	
6,326.0	0.86	13.89	6,278.6	-352.5	430.6	0.18	-0.18	2.73	-8.4	-71.1	
6,422.0	0.63	156.59	6,374.6	-352.3	431.0	1.47	-0.24	148.65	-27.3	58.1	
6,518.0	1.18	179.16	6,470.6	-353.7	431.2	0.67	0.57	23.51	2.6	57.1	
6,614.0	1.04	181.25	6,566.5	-355.6	431.2	0.15	-0.15	2.18	9.6	49.6	
6,710.0	1.23	178.02	6,662.5	-357.5	431.2	0.21	0.20	-3.36	12.0	43.0	
6,805.0	1.42	173.52	6,757.5	-359.7	431.4	0.23	0.20	-4.74	14.0	37.4	
6,901.0	1.23	171.99	6,853.5	-361.9	431.7	0.20	-0.20	-1.59	18.7	31.5	
6,997.0	1.28	173.65	6,949.5	-364.0	431.9	0.06	0.05	1.73	24.8	24.8	
7,093.0	1.31	185.52	7,045.4	-366.1	431.9	0.28	0.03	12.36	31.5	14.0	
7,189.0	1.14	183.45	7,141.4	-368.2	431.8	0.18	-0.18	-2.16	31.2	12.4	
7,285.0	1.47	189.59	7,237.4	-370.4	431.5	0.37	0.34	6.40	30.5	8.6	
7,380.0	1.28	209.59	7,332.4	-372.5	430.8	0.54	-0.20	21.05	29.4	-2.0	
7,476.0	0.98	267.97	7,428.3	-373.4	429.4	1.18	-0.31	60.81	12.3	-25.1	
7,572.0	0.71	232.03	7,524.3	-373.8	428.1	0.61	-0.28	-37.44	23.5	-13.6	
7,668.0	0.54	215.54	7,620.3	-374.6	427.4	0.26	-0.18	-17.18	25.4	-6.5	
7,764.0	0.45	228.35	7,716.3	-375.2	426.9	0.15	-0.09	13.34	22.5	-11.9	
7,860.0	0.46	207.27	7,812.3	-375.8	426.4	0.17	0.01	-21.96	24.5	-3.2	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
7,956.0	0.97	184.71	7,908.3	-376.9	426.2	0.60	0.53	-23.50	22.7	6.3
8,052.0	1.05	170.53	8,004.3	-378.6	426.2	0.27	0.08	-14.77	18.8	11.5
8,148.0	1.70	145.43	8,100.3	-380.6	427.2	0.91	0.68	-26.15	9.9	18.0
8,243.0	2.17	134.74	8,195.2	-383.1	429.3	0.62	0.49	-11.25	3.2	19.3
8,339.0	3.08	134.47	8,291.1	-386.2	432.4	0.95	0.95	-0.28	-1.3	19.3
8,435.0	3.41	131.89	8,387.0	-389.9	436.4	0.38	0.34	-2.69	-7.6	19.1
8,531.0	3.46	135.84	8,482.8	-393.9	440.5	0.25	0.05	4.11	-12.0	19.7
8,627.0	2.54	134.40	8,578.7	-397.4	444.1	0.96	-0.96	-1.50	-17.5	19.4
8,723.0	3.20	139.07	8,674.5	-400.9	447.3	0.73	0.69	4.86	-20.7	20.9
8,915.0	2.80	150.89	8,866.3	-409.1	453.1	0.38	-0.21	6.16	-25.9	25.8
9,011.0	1.93	152.61	8,962.2	-412.6	455.0	0.91	-0.91	1.79	-29.1	26.6
9,107.0	1.99	161.47	9,058.1	-415.6	456.3	0.32	0.06	9.23	-27.9	31.0
9,202.0	1.87	159.85	9,153.1	-418.6	457.3	0.14	-0.13	-1.71	-31.9	30.2
9,298.0	1.80	167.62	9,249.0	-421.5	458.2	0.27	-0.07	8.09	-30.6	34.4
9,394.0	1.77	149.25	9,345.0	-424.3	459.3	0.59	-0.03	-19.14	-42.8	22.6
9,490.0	1.53	140.67	9,440.9	-426.6	460.9	0.36	-0.25	-8.94	-48.5	15.7
9,586.0	0.08	54.56	9,536.9	-427.5	461.7	1.59	-1.51	-89.70	-19.1	-48.6
9,682.0	1.48	324.03	9,632.9	-426.5	461.0	1.54	1.46	-94.30	47.5	-18.7
9,778.0	1.54	25.35	9,728.9	-424.3	460.9	1.60	0.06	63.87	4.5	-49.6
9,873.0	1.36	72.63	9,823.9	-422.8	462.5	1.24	-0.19	49.77	-35.4	-36.0
9,969.0	1.34	9.34	9,919.8	-421.4	463.8	1.48	-0.02	-65.93	14.6	-48.8
10,065.0	0.55	341.40	10,015.8	-419.8	463.8	0.93	-0.82	-29.10	34.3	-36.8
10,161.0	1.61	133.94	10,111.8	-420.3	464.6	2.20	1.10	158.90	-48.4	17.0
10,257.0	1.13	135.37	10,207.8	-421.9	466.3	0.50	-0.50	1.49	-50.2	18.2
10,353.0	1.34	108.27	10,303.8	-423.0	468.0	0.64	0.22	-28.23	-55.0	-7.1
10,449.0	2.62	118.71	10,399.7	-424.4	471.0	1.38	1.33	10.87	-58.6	3.2
10,545.0	1.81	109.38	10,495.6	-425.9	474.3	0.92	-0.84	-9.72	-62.1	-6.7



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
10,641.0	2.21	40.32	10,591.6	-425.0	477.0	2.40	0.42	-71.94	-18.3	-61.8
10,736.0	1.45	22.88	10,686.5	-422.5	478.6	0.98	-0.80	-18.36	-1.9	-65.0
10,832.0	2.40	0.89	10,782.5	-419.4	479.1	1.24	0.99	-22.91	19.4	-61.4
10,928.0	2.66	0.52	10,878.4	-415.1	479.2	0.27	0.27	-0.39	15.6	-61.3
11,024.0	4.39	355.58	10,974.2	-409.2	478.9	1.83	1.80	-5.15	14.9	-59.9
11,120.0	3.06	333.08	11,070.0	-403.3	477.5	2.03	-1.39	-23.44	30.7	-51.1
11,215.0	2.77	311.92	11,164.9	-399.5	474.6	1.17	-0.31	-22.27	42.4	-37.5
11,312.0	2.92	309.97	11,261.8	-396.3	471.0	0.18	0.15	-2.01	38.9	-36.1
11,408.0	2.42	322.13	11,357.7	-393.2	467.9	0.78	-0.52	12.67	26.0	-42.9
11,504.0	2.60	338.74	11,453.6	-389.5	465.8	0.78	0.19	17.30	8.5	-48.0
11,600.0	2.89	0.36	11,549.5	-385.1	465.0	1.11	0.30	22.52	-14.2	-47.0
11,696.0	3.41	4.20	11,645.3	-379.8	465.3	0.58	0.54	4.00	-22.5	-45.8
11,792.0	4.60	350.88	11,741.1	-373.2	464.9	1.57	1.24	-13.87	-18.0	-50.4
11,888.0	3.58	343.90	11,836.8	-366.5	463.4	1.18	-1.06	-7.27	-18.6	-52.7
11,936.0	3.38	341.91	11,884.8	-363.7	462.6	0.49	-0.42	-4.15	-19.7	-53.3
12,025.0	2.12	341.85	11,973.7	-359.7	461.2	1.42	-1.42	-0.07	-23.9	-53.4
12,110.0	2.39	343.75	12,058.6	-356.5	460.3	0.32	0.31	2.24	-29.0	-52.5
KOP (MD=12110.0')										
12,121.0	2.42	343.97	12,069.6	-356.0	460.1	0.32	0.31	1.96	-29.7	-52.4
12,173.4	13.34	0.66	12,121.4	-348.9	459.9	21.08	20.84	31.85	-50.0	-41.9
HL Crossing, MD:12173.4', TVD:12121.4', N/S:-348.9', E/W:459.9', INC:13.34										
12,217.0	22.52	2.17	12,162.8	-335.5	460.3	21.08	21.05	3.47	-61.4	-41.1
12,313.0	36.38	1.85	12,246.2	-288.4	461.9	14.44	14.44	-0.33	-87.9	-43.0
12,409.0	46.97	355.53	12,317.9	-224.8	460.1	11.86	11.03	-6.58	-108.4	-50.8
12,505.0	51.82	353.79	12,380.3	-152.2	453.3	5.24	5.05	-1.81	-121.9	-45.2
12,601.0	59.42	351.69	12,434.5	-73.7	443.2	8.12	7.92	-2.19	-120.3	-34.9
12,697.0	64.25	350.96	12,479.8	9.9	430.4	5.08	5.03	-0.76	-104.2	-19.2



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
12,792.0	68.99	357.40	12,517.5	96.6	421.7	7.97	4.99	6.78	-73.2	-8.2
12,888.0	77.29	357.86	12,545.3	188.3	417.9	8.66	8.65	0.48	-44.7	-4.7
12,984.0	80.39	357.71	12,563.9	282.4	414.2	3.23	3.23	-0.16	-25.3	-1.8
13,080.0	84.63	357.24	12,576.4	377.5	410.0	4.44	4.42	-0.49	-11.9	1.7
13,176.0	88.28	357.39	12,582.4	473.2	405.6	3.81	3.80	0.16	-5.2	5.4
13,272.0	87.15	357.50	12,586.2	569.0	401.3	1.18	-1.18	0.11	-0.5	8.9
13,367.0	88.08	355.29	12,590.2	663.7	395.3	2.52	0.98	-2.33	4.2	14.1
13,464.0	88.44	0.26	12,593.1	760.6	391.5	5.13	0.37	5.12	8.1	17.1
13,559.0	88.84	0.90	12,595.4	855.5	392.5	0.79	0.42	0.67	11.1	15.3
13,655.0	90.13	0.04	12,596.2	951.5	393.3	1.61	1.34	-0.90	12.8	13.8
13,751.0	89.01	1.38	12,596.9	1,047.5	394.5	1.82	-1.17	1.40	14.4	11.8
13,847.0	90.04	3.59	12,597.7	1,143.4	398.6	2.54	1.07	2.30	16.0	6.9
13,943.0	88.50	359.24	12,599.0	1,239.3	401.0	4.81	-1.60	-4.53	18.1	3.7
14,039.0	89.73	357.58	12,600.4	1,335.3	398.4	2.15	1.28	-1.73	20.4	5.6
14,134.0	90.80	356.37	12,600.0	1,430.2	393.3	1.70	1.13	-1.27	20.8	9.8
14,230.0	90.69	359.47	12,598.8	1,526.1	389.9	3.23	-0.11	3.23	20.4	12.5
14,326.0	90.18	359.21	12,598.0	1,622.1	388.7	0.60	-0.53	-0.27	20.5	12.9
14,422.0	88.59	356.93	12,599.1	1,718.0	385.5	2.90	-1.66	-2.37	22.4	15.3
14,518.0	91.58	359.35	12,598.9	1,813.9	382.4	4.01	3.11	2.52	23.0	17.7
14,614.0	89.82	357.27	12,597.7	1,909.9	379.6	2.84	-1.83	-2.17	22.7	19.7
14,710.0	92.51	358.33	12,595.8	2,005.8	375.9	3.01	2.80	1.10	21.6	22.6
14,806.0	88.11	1.06	12,595.3	2,101.7	375.4	5.39	-4.58	2.84	21.9	22.4
14,902.0	90.38	2.63	12,596.5	2,197.7	378.5	2.87	2.36	1.64	24.0	18.5
14,998.0	91.08	2.75	12,595.3	2,293.5	383.0	0.74	0.73	0.12	23.6	13.2
15,094.0	93.74	3.30	12,591.3	2,389.3	388.0	2.83	2.77	0.57	20.4	7.4
15,189.0	90.29	3.28	12,587.9	2,484.1	393.5	3.63	-3.63	-0.02	17.9	1.2
15,285.0	91.44	3.49	12,586.5	2,579.9	399.1	1.22	1.20	0.22	17.3	-5.3



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
15,381.0	91.13	1.17	12,584.3	2,675.8	403.0	2.44	-0.32	-2.42	16.0	-10.0
15,477.0	88.75	0.28	12,584.4	2,771.8	404.3	2.65	-2.48	-0.93	16.9	-12.0
15,573.0	88.08	359.29	12,587.1	2,867.7	403.9	1.24	-0.70	-1.03	20.4	-12.4
15,669.0	90.46	1.20	12,588.3	2,963.7	404.3	3.18	2.48	1.99	22.5	-13.5
15,765.0	91.27	1.08	12,586.9	3,059.7	406.2	0.85	0.84	-0.12	21.9	-16.2
15,861.0	90.35	1.20	12,585.5	3,155.7	408.1	0.97	-0.96	0.12	21.3	-18.9
15,957.0	89.26	359.01	12,585.8	3,251.7	408.3	2.55	-1.14	-2.28	22.5	-19.9
16,052.0	90.52	358.59	12,586.0	3,346.6	406.3	1.40	1.33	-0.44	23.5	-18.7
16,148.0	92.37	357.49	12,583.6	3,442.5	403.0	2.24	1.93	-1.15	21.9	-16.2
16,244.0	87.86	358.47	12,583.4	3,538.5	399.7	4.81	-4.70	1.02	22.6	-13.6
16,340.0	88.61	358.36	12,586.4	3,634.4	397.0	0.79	0.78	-0.11	26.3	-11.7
16,436.0	89.31	358.29	12,588.1	3,730.3	394.2	0.73	0.73	-0.07	28.9	-9.7
16,532.0	88.87	357.31	12,589.6	3,826.2	390.5	1.12	-0.46	-1.02	31.3	-6.7
16,628.0	90.07	357.00	12,590.5	3,922.1	385.7	1.29	1.25	-0.32	33.0	-2.8
16,724.0	92.00	358.47	12,588.8	4,018.0	382.0	2.53	2.01	1.53	32.1	0.3
16,819.0	93.82	359.58	12,584.0	4,112.9	380.3	2.24	1.92	1.17	28.1	1.1
16,942.0	91.61	358.18	12,578.1	4,235.7	377.9	2.13	-1.80	-1.14	23.4	2.5
17,038.0	91.55	358.58	12,575.5	4,331.6	375.2	0.42	-0.06	0.42	21.5	4.4
17,134.0	90.85	358.73	12,573.5	4,427.6	373.0	0.75	-0.73	0.16	20.4	5.9
17,230.0	90.52	359.01	12,572.3	4,523.5	371.1	0.45	-0.34	0.29	20.1	7.0
17,326.0	90.55	359.24	12,571.4	4,619.5	369.6	0.24	0.03	0.24	20.0	7.7
17,421.0	90.43	359.18	12,570.6	4,714.5	368.3	0.14	-0.13	-0.06	20.0	8.3
17,517.0	89.73	358.85	12,570.5	4,810.5	366.7	0.81	-0.73	-0.34	20.7	9.1
17,613.0	89.45	358.65	12,571.2	4,906.5	364.6	0.36	-0.29	-0.21	22.2	10.5
17,709.0	88.98	358.64	12,572.5	5,002.4	362.3	0.49	-0.49	-0.01	24.4	12.0
17,805.0	89.34	359.06	12,573.9	5,098.4	360.4	0.58	0.37	0.44	26.6	13.1
17,901.0	88.81	358.77	12,575.4	5,194.4	358.5	0.63	-0.55	-0.30	29.0	14.1



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
17,997.0	89.96	358.74	12,576.5	5,290.4	356.5	1.20	1.20	-0.03	30.9	15.4
18,093.0	90.49	358.87	12,576.1	5,386.3	354.5	0.57	0.55	0.14	31.3	16.7
18,189.0	90.74	359.71	12,575.1	5,482.3	353.3	0.91	0.26	0.87	31.2	17.1
18,285.0	90.27	359.42	12,574.2	5,578.3	352.5	0.58	-0.49	-0.30	31.1	17.0
18,380.0	90.29	359.25	12,573.8	5,673.3	351.4	0.18	0.02	-0.18	31.5	17.4
18,475.0	90.52	359.36	12,573.1	5,768.3	350.3	0.27	0.24	0.12	31.7	17.8
18,571.0	89.43	358.62	12,573.1	5,864.3	348.6	1.37	-1.14	-0.77	32.5	18.7
18,667.0	91.61	359.26	12,572.3	5,960.2	346.8	2.37	2.27	0.67	32.5	19.7
18,763.0	91.19	359.40	12,569.9	6,056.2	345.7	0.46	-0.44	0.15	31.0	20.0
18,859.0	91.97	359.72	12,567.3	6,152.2	345.0	0.88	0.81	0.33	29.2	20.0
18,955.0	90.41	358.02	12,565.3	6,248.1	343.1	2.40	-1.62	-1.77	28.0	21.1
19,050.0	90.99	358.65	12,564.1	6,343.1	340.3	0.90	0.61	0.66	27.7	23.1
19,146.0	90.15	0.37	12,563.2	6,439.1	339.5	1.99	-0.87	1.79	27.6	23.1
19,242.0	91.33	0.15	12,561.9	6,535.1	339.9	1.25	1.23	-0.23	27.2	21.9
19,338.0	92.03	359.37	12,559.1	6,631.0	339.5	1.09	0.73	-0.81	25.2	21.5
19,434.0	91.47	359.49	12,556.2	6,727.0	338.6	0.60	-0.58	0.12	23.1	21.7
19,530.0	91.78	359.98	12,553.4	6,822.9	338.1	0.60	0.32	0.51	21.2	21.4
19,625.0	91.22	359.79	12,551.0	6,917.9	337.9	0.62	-0.59	-0.20	19.5	20.8
19,817.0	91.25	359.96	12,546.8	7,109.8	337.5	0.09	0.02	0.09	17.1	19.7
20,012.0	90.97	0.58	12,543.0	7,304.8	338.4	0.35	-0.14	0.32	15.0	17.2
Final MWD Survey (MD=20012.0')										
20,072.0	90.97	0.58	12,542.0	7,364.8	339.0	0.00	0.00	0.00	14.5	16.1
Final Projection to Bit (MD=20072.0')										



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #703H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Site:	Pitchblende 29 Fed Com	MD Reference:	KB = 30' @ 3357.0usft (H&P 534)
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
12,110.0	12,058.6	-356.5	460.3	KOP (MD=12110.0')	
12,173.4	12,121.4	-348.9	459.9	HL Crossing, MD:12173.4', TVD:12121.4', N/S:-348.9', E/W:459.9', INC:13.34	
20,012.0	12,543.0	7,304.8	338.4	Final MWD Survey (MD=20012.0')	
20,072.0	12,542.0	7,364.8	339.0	Final Projection to Bit (MD=20072.0')	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE
 KAY MADDOX 07/14/2022

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name		
								PITCHBLEND 29 FEDERAL COM 6. Well Number: 703H		
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator						9. OGRID				
EOG RESOURCES INC						7377				
10. Address of Operator						11. Pool name or Wildcat				
PO BOX 2267 MIDLAND, TEXAS 79702						BOBCAT DRAW; UPPER WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	E	29	25S	34E		2185	NORTH	1235	WEST	LEA
BH:	C	20	25S	34E		108	NORTH	1636	WEST	LEA
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released			16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		
01/01/2022	03/14/2022		03/17/2022			07/05/2022		3327' GL		
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
MD 20,072' TVD 12,542'			MD 20,048' TVD 12,542'			YES		None		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
WOLFCAMP 12,613 - 20,048'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9 5/8"		40#		1045'		12 1/4"		780 CL C/CIRC		
7 5/8"		29.7#		11,983'		8 3/4"		1489 CL C&H /TOC		33' ECHO
5 1/2"		20#		20,056'		6 3/4"		855 CL H TOC 6375' CBL		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12,613 - 20,048' 3 1/8", 1509 holes						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,613 - 20,048'		FRAC W 15,960,953 lbs proppant, 224,344 bbls load fld		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
07/05/2022		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
07/10/2022	24	64		4318	7009	8208	1623			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	2035					43				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
SOLD										
31. List Attachments										
C-102, C-104, C-103, Directional Survey, H spacing										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Kay Maddox			Name Kay Maddox			Title Senior Regulatory Specialist			Date 07/19/2022	
E-mail Address kay_maddox@eogresources.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy	Rustler	856'	T. Canyon	Brushy	7826'
T. Salt		1256'	T. Strawn		
B. Salt		5076'	T. Atoka		
T. Yates			T. Miss		
T. 7 Rivers			T. Devonian		
T. Queen			T. Silurian		
T. Grayburg			T. Montoya		
T. San Andres			T. Simpson		
T. Glorieta			T. McKee		
T. Paddock			T. Ellenburger		
T. Blinebry			T. Gr. Wash		
T. Tubb			T. Delaware Sand		
T. Drinkard			T. Bone Springs		
T. Abo			T. 1st BS Sand	10,393'	
T. Wolfcamp	12,424'		T. 2nd BS Sand	10,950'	
T. Penn			T. 3rd BS Sand	12,003'	
T. Cisco (Bough C)			T.		

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 127121

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 127121
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 127121

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 127121
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	9/22/2025