

Form 3160-3
(June 2015)FORM APPROVED
OMB No. 1004-0137
Expires: January 31, 2018

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER 1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other 1c. Type of Completion: <input type="checkbox"/> Hydraulic Fracturing <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		5. Lease Serial No. NMNM16139 6. If Indian, Allottee or Tribe Name 7. If Unit or CA Agreement, Name and No. 8. Lease Name and Well No. SHEBA FEDERAL COM 106H 9. API Well No. 30-025-55243
2. Name of Operator CENTENNIAL RESOURCE PRODUCTION LLC 3a. Address 300 N MARIENFIELD STREET SUITE 1000, MIDLAND, TX 3b. Phone No. (include area code) (432) 695-4222		10. Field and Pool, or Exploratory Red Hills/BONE SPRING, NORTH 11. Sec., T. R. M. or Blk. and Survey or Area SEC 27/T24S/R34E/NMP
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface SENE / 2319 FNL / 1030 FEL / LAT 32.189405 / LONG -103.452611 At proposed prod. zone NENE / 100 FNL / 1210 FEL / LAT 32.210007 / LONG -103.453189		12. County or Parish LEA 13. State NM
14. Distance in miles and direction from nearest town or post office* 20 miles		15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 1030 feet
16. No of acres in lease 240.0		17. Spacing Unit dedicated to this well 240.0
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 30 feet		19. Proposed Depth 9538 feet / 17027 feet
20. BLM/BIA Bond No. in file FED:		21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3464 feet
22. Approximate date work will start* 07/27/2023		23. Estimated duration 25 days
24. Attachments		

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, and the Hydraulic Fracturing rule per 43 CFR 3162.3-3 (as applicable)

- | | |
|---|---|
| 1. Well plat certified by a registered surveyor.
2. A Drilling Plan.
3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
5. Operator certification.
6. Such other site specific information and/or plans as may be requested by the BLM. |
|---|---|

25. Signature (Electronic Submission) Title Sr Regulatory Analyst	Name (Printed/Typed) MEGHAN TWELE / Ph: (432) 695-4222	Date 09/30/2022
Approved by (Signature) (Electronic Submission) Title Assistant Field Manager Lands & Minerals	Name (Printed/Typed) CODY LAYTON / Ph: (575) 234-5959	Date 08/25/2023
Office Carlsbad Field Office		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)



INSTRUCTIONS

GENERAL: This form is designed for submitting proposals to perform certain well operations, as indicated on Federal and Indian lands and leases for action by appropriate Federal agencies, pursuant to applicable Federal laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from local Federal offices.

ITEM I: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable Federal regulations concerning subsequent work proposals or reports on the well.

ITEM 4: Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local Federal offices for specific instructions.

ITEM 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on the reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal agency offices.

ITEMS 15 AND 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective productive zone.

ITEM 22: Consult applicable Federal regulations, or appropriate officials, concerning approval of the proposal before operations are started.

ITEM 24: If the proposal will involve hydraulic fracturing operations, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The Privacy Act of 1974 and regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR 3160

PRINCIPAL PURPOSES: The information will be used to: (1) process and evaluate your application for a permit to drill a new oil, gas, or service well or to reenter a plugged and abandoned well; and (2) document, for administrative use, information for the management, disposal and use of National Resource Lands and resources including (a) analyzing your proposal to discover and extract the Federal or Indian resources encountered; (b) reviewing procedures and equipment and the projected impact on the land involved; and (c) evaluating the effects of the proposed operation on the surface and subsurface water and other environmental impacts.

ROUTINE USE: Information from the record and/or the record will be transferred to appropriate Federal, State, and local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecution, in connection with congressional inquiries and for regulatory responsibilities.

EFFECT OF NOT PROVIDING INFORMATION: Filing of this application and disclosure of the information is mandatory only if you elect to initiate a drilling or reentry operation on an oil and gas lease.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM connects this information to a new evaluation of the technical, safety, and environmental factors involved with drilling for oil and/or gas on Federal and Indian oil and gas leases. This information will be used to analyze and approve applications. Response to this request is mandatory only if the operator elects to initiate drilling or reentry operations on an oil and gas lease. The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Connection Clearance Officer (WO-630), 1849 C Street, N.W., Mail Stop 401 LS, Washington, D.C. 20240.

Additional Operator Remarks

Location of Well

0. SHL: SENE / 2319 FNL / 1030 FEL / TWSP: 24S / RANGE: 34E / SECTION: 27 / LAT: 32.189405 / LONG: -103.452611 (TVD: 0 feet, MD: 0 feet)
PPP: SESE / 0 FSL / 1209 FEL / TWSP: 24S / RANGE: 34E / SECTION: 22 / LAT: 32.19578 / LONG: -103.45319 (TVD: 9538 feet, MD: 12376 feet)
PPP: SESE / 1320 FSL / 1209 FEL / TWSP: 24S / RANGE: 34E / SECTION: 22 / LAT: 32.199408 / LONG: -103.45319 (TVD: 9538 feet, MD: 13696 feet)
PPP: SENE / 2636 FNL / 1209 FEL / TWSP: 24S / RANGE: 34E / SECTION: 22 / LAT: 32.203036 / LONG: -103.453189 (TVD: 9538 feet, MD: 16336 feet)
PPP: SENE / 2548 FNL / 1210 FEL / TWSP: 24S / RANGE: 34E / SECTION: 27 / LAT: 32.188778 / LONG: -103.453191 (TVD: 9538 feet, MD: 9828 feet)
BHL: NENE / 100 FNL / 1210 FEL / TWSP: 24S / RANGE: 34E / SECTION: 22 / LAT: 32.210007 / LONG: -103.453189 (TVD: 9538 feet, MD: 17027 feet)

BLM Point of Contact

Name: GAVIN MICKWEE

Title: Land Law Examiner

Phone: (575) 234-5972

Email: GMICKWEE@BLM.GOV

CONFIDENTIAL

Review and Appeal Rights

A person contesting a decision shall request a State Director review. This request must be filed within 20 working days of receipt of the Notice with the appropriate State Director (see 43 CFR 3165.3). The State Director review decision may be appealed to the Interior Board of Land Appeals, 801 North Quincy Street, Suite 300, Arlington, VA 22203 (see 43 CFR 3165.4). Contact the above listed Bureau of Land Management office for further information.

CONFIDENTIAL

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal		
		<input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled		

WELL LOCATION INFORMATION

API Number 30-025-55243	Pool Code 96434	Pool Name RED HILLS; BONE SPRING, NORTH	
Property Code 318028	Property Name SHEBA FEDERAL COM		Well Number 106H
OGRID No. 372165	Operator Name PERMIAN RESOURCES OPERATING, LLC		Ground Level Elevation 3464.0'
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input type="checkbox"/> State <input checked="" type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal	

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	27	24-S	34-E		2319' N	1030' E	32.18941	-103.45261	LEA

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
A	22	24-S	34-E		100' N	1210' E	32.21001	-103.45319	LEA

Dedicated Acres 240	Infill or Defining Well INFILL	Defining Well API 30-025-49122	Overlapping Spacing Unit (Y/N) N	Consolidation Code C
Order Numbers. C-8315641			Well setbacks are under Common Ownership: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	27	24-S	34-E		2319' N	1030' E	32.18941	-103.45261	LEA



First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	27	24-S	34-E		2547' N	1210' E	32.18878	-103.45319	LEA

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
A	22	24-S	34-E		100' N	1210' E	32.21001	-103.45319	LEA

Unitized Area or Area of Uniform Interest NA	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: 3494.00'
---	--	-------------------------------------


OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i>		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my beliefs.</i>	
Signature  Date 5/16/2025			
Printed Name Ashley Brown		Signature and Seal of Professional Surveyor	
Email Address Ashley.Brown@permianres.com		Certificate Number	Date of Survey

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



SURFACE HOLE LOCATION (SHL)
KICK OFF POINT (KOP)
 NEW MEXICO EAST - NAD 83
 X=813792.95 LAT.= 32.18941° N
 Y=433755.73 LONG.= 103.45261° W
 NEW MEXICO EAST - NAD 27
 X=772607.70 LAT.= 32.18928° N
 Y=433697.13 LONG.= 103.45214° W
 2319' FNL, 1030' FEL - SECTION 27
 320' FSL, 291' FWL - LEASE

FIRST TAKE POINT (FTP)
PENETRATION POINT 1 (PP1)
 NEW MEXICO EAST - NAD 83
 X=813615.36 LAT.= 32.18878° N
 Y=433525.90 LONG.= 103.45319° W
 NEW MEXICO EAST - NAD 27
 X=772430.10 LAT.= 32.18865° N
 Y=433467.31 LONG.= 103.45272° W
 2547' FNL, 1210' FEL - SECTION 27
 92' FSL, 111' FWL - LEASE

PENETRATION POINT 2 (PP2)
 NEW MEXICO EAST - NAD 83
 X=813594.73 LAT.= 32.19578° N
 Y=436073.23 LONG.= 103.45319° W
 NEW MEXICO EAST - NAD 27
 X=772409.59 LAT.= 32.19565° N
 Y=436014.57 LONG.= 103.45272° W
 0' FNL, 1208' FEL - SECTION 27
 0' FNL, 114' FWL - LEASE

PENETRATION POINT 3 (PP3)
 NEW MEXICO EAST - NAD 83
 X=813584.03 LAT.= 32.19941° N
 Y=437393.16 LONG.= 103.45319° W
 NEW MEXICO EAST - NAD 27
 X=772398.96 LAT.= 32.19928° N
 Y=437334.46 LONG.= 103.45272° W
 1320' FSL, 1209' FEL - SECTION 22
 0' FNL, 114' FWL - LEASE

PENETRATION POINT 4 (PP4)
 NEW MEXICO EAST - NAD 83
 X=813573.34 LAT.= 32.20304° N
 Y=438713.09 LONG.= 103.45319° W
 NEW MEXICO EAST - NAD 27
 X=772388.33 LAT.= 32.20291° N
 Y=438654.36 LONG.= 103.45272° W
 2636' FNL, 1209' FEL - SECTION 22
 0' FSL, 113' FWL - LEASE

LAST TAKE POINT (LTP)
BOTTOM HOLE LOCATION (BHL)
 NEW MEXICO EAST - NAD 83
 X=813552.80 LAT.= 32.21001° N
 Y=441249.13 LONG.= 103.45319° W
 NEW MEXICO EAST - NAD 27
 X=772367.91 LAT.= 32.20988° N
 Y=441190.34 LONG.= 103.45272° W
 100' FNL, 1210' FEL - SECTION 22
 100' FNL, 113' FWL - LEASE

POINT	N: (83)	E: (83)
A	441348.41	813439.09
B	441356.80	814761.97
C	438722.39	814782.32
D	436082.04	814802.97
E	433442.97	814825.87
F	433433.59	813504.83
G	436072.40	813480.92
H	438712.22	813460.07

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit Electronically
Via E-permitting

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Permian Resources Operating, LLC **OGRID:** 372165 **Date:** 08/14/25

II. Type: ☒ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.

If Other, please describe: _____

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
SEE ATTACHED						

IV. Central Delivery Point Name: RAIDER CDP [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
SEE ATTACHED						

VI. Separation Equipment: ☒ Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: ☒ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: ☒ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan

EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☒ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF
SEE ATTACHED			

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
TARGA	LUCID-TARGA GATHERING SYSTEM	I-21-24S-34E	TBD	TBD

XI. Map. ☐ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system ☐ will ☐ will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator ☐ does ☐ does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

☐ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: ☐ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 – Certifications

Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☒ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

If Operator checks this box, Operator will select one of the following:

Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. ☒ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices


1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: 
Printed Name: Ashley Brown
Title: Regulatory Supervisor
E-mail Address: Ashley.Brown@permianres.com
Date: 5/15/2025
Phone: (432) 400-2972
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

WELL NAME	API	ULSTR	FOOTAGES	ANTICIPATED OIL BBL/D	ANTICIPATED GAS MCF/D	ANTICIPATED PRODUCED WATER BBL/D
RAIDER FEDERAL COM 103H	PENDING	O-21-24S-34E	355' FSL, 1700' FEL	1622	2437	10891
SHEBA FEDERAL COM 106H	PENDING	H-27-24S-34E	2319' FNL, 1030' FEL	1611	2420	10818
WELL NAME	API	SPUD DATE	TD REACHED DATE	COMPLETION COMMENCEMENT DATE	INITIAL FLOW BACK DATE	FIRST PRODUCTION DATE
RAIDER FEDERAL COM 103H	PENDING	TBD	TBD	TBD	TBD	TBD
SHEBA FEDERAL COM 106H	PENDING	TBD	TBD	TBD	TBD	TBD
WELL NAME	API		ANTICIPATED AVERAGE NATURAL GAS RATE MCF/D		ANTICIPATED VOLUME OF NATURAL GAS FOR THE FIRST YEAR MCF	
RAIDER FEDERAL COM 103H	PENDING		1216		460356	
SHEBA FEDERAL COM 106H	PENDING		1150		430429	

Permian Resources Operating, LLC (372165)

Natural Gas Management Plan Descriptions**VI. Separation Equipment:**

Permian utilizes a production forecast from our Reservoir Engineering team to appropriately size each permanent, 3-phase separator and heater treater utilized for production operations. Our goal is to maintain 5 minutes of retention time in the test vessel and 20 minutes in the heater treater at peak production rates. The gas produced is routed from the separator to the gas sales line.

VII. Operational Practices:*Drilling*

During Permian's drilling operations it is uncommon for venting or flaring to occur. If flaring is needed due to safety concerns, gas will be routed to a flare and volumes will be estimated.

Flowback

During completion/recompletion flowback operations, after separation flowback begins and as soon as it is technically feasible, Permian routes gas through a permanent separator and the controlled facility where the gas is either sold or flared through a high-pressure flare if needed.

Production

Per 19.15.27.8.D, Permian's facilities are designed to minimize waste. Our produced gas will only be vented or flared in an emergency or malfunction situation, except as allowed for normal operations noted in 19.15.27.8.D(2) & (4). All gas that is flared is metered. All gas that may be vented will be estimated.

Performance Standards

Permian utilizes a production forecast from our Reservoir Engineering team to appropriately size each permanent, 3-phase separator and heater treater utilized for production operations.

All of Permian's permanent storage tanks associated with production operations which are routed to a flare or control device are equipped with an automatic gauging system.

All of Permian's flare stacks, both currently installed and for future installation, are:

- 1) Appropriately sized and designed to ensure proper combustion efficiency.
- 2) Equipped with an automatic ignitor or continuous pilot.
- 3) Anchored and located at least 100 feet from the well and storage tanks.

Permian's field operations and HSE teams have implemented an AVO inspection schedule that adheres to the requirements of 19.15.27.8.E(5).

All of our operations and facilities are designed to minimize waste. We routinely employ the following methods and practices:

- Closed-loop systems
- Enclosed and properly sized tanks

Permian Resources Operating, LLC (372165)

- Vapor recovery units to maximize recovery of low-pressure gas streams and potential unauthorized emissions
- Low-emitting or electric engines whenever practical
- Combustors and flare stacks in the event of a malfunction or emergency
- Routine facility inspections to identify leaking components, functioning control devices, such as flares and combustors, and repair / replacement of malfunctioning components where applicable


Measurement or estimation

Permian measures or estimates the volumes of natural gas vented, flared and/or beneficially used for all of our drilling, completing and producing wells. We utilize accepted industry standards and methodology which can be independently verified. Annual GOR testing is completed on our wells and will be submitted as required by the OCD. None of our equipment is designed to allow diversion around metering elements except during inspection, maintenance and repair operations.


VIII. Best Management Practices:

Permian utilizes the following BMPs to minimize venting during active and planned maintenance activities:


- Use a closed-loop process wherever possible during planned maintenance activities, such as blowdowns, liquid removal, and work over operations.
- Employ low-emitting or electric engines for equipment, such as compressors
- Adhere to a strict preventative maintenance program which includes routine facility inspections, identification of component malfunctions, and repairing or replacing components such as hatches, seals, valves, etc. where applicable
- Utilize vapor recovery units (VRU's) to maximize recovery of volumes of low-pressure gas streams and potential unauthorized emissions
- Route low pressure gas and emissions streams to a combustion device to prevent venting where necessary




1. Represented curve is generic based on 3-Years available information for the Bone Spring formation and may not be representative of forecasted production or actual volumes.
2. Decline curves are based on an average 10,000ft lateral length. Multiple factors may influence production and decline curves, including but not limited to: lateral length and completion type.



1. Represented curve is generic based on 3-Years available information for the Bone Spring formation and may not be representative of forecasted production or actual volumes.
2. Decline curves are based on an average 10,000ft lateral length. Multiple factors may influence production and decline curves, including but not limited to: lateral length and completion type.



1. Represented curve is generic based on 3-Years available information for the Bone Spring formation and may not be representative of forecasted production or actual volumes.
2. Decline curves are based on an average 10,000ft lateral length. Multiple factors may influence production and decline curves, including but not limited to: lateral length and completion type.



1. Represented curve is generic based on 3-Years available information for the Bone Spring formation and may not be representative of forecasted production or actual volumes.
2. Decline curves are based on an average 10,000ft lateral length. Multiple factors may influence production and decline curves, including but not limited to: lateral length and completion type.

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	Centennial
LEASE NO.:	NMNM16139
LOCATION:	Section 27, T.24 S, R.34 E., NMPM
COUNTY:	Lea County, New Mexico
WELL NAME & NO.:	Sheba Fed Com 106H
SURFACE HOLE FOOTAGE:	2319'/N & 1030'/E
BOTTOM HOLE FOOTAGE:	100'/N & 1210'/E

COA

H₂S	<input type="radio"/> Yes	<input checked="" type="radio"/> No		
Potash / WIPP	<input checked="" type="radio"/> None	<input type="radio"/> Secretary	<input type="radio"/> R-111-P	<input type="checkbox"/> WIPP
Cave / Karst	<input checked="" type="radio"/> Low	<input type="radio"/> Medium	<input type="radio"/> High	<input type="radio"/> Critical
Wellhead	<input type="radio"/> Conventional	<input checked="" type="radio"/> Multibowl	<input type="radio"/> Both	<input type="radio"/> Diverter
Cementing	<input type="checkbox"/> Primary Squeeze	<input type="checkbox"/> Cont. Squeeze	<input type="checkbox"/> EchoMeter	<input type="checkbox"/> DV Tool
Special Req	<input type="checkbox"/> Break Testing	<input type="checkbox"/> Water Disposal	<input checked="" type="checkbox"/> COM	<input type="checkbox"/> Unit
Variance	<input checked="" type="checkbox"/> Flex Hose	<input type="checkbox"/> Casing Clearance	<input type="checkbox"/> Pilot Hole	<input type="checkbox"/> Capitan Reef
Variance	<input type="checkbox"/> Four-String	<input checked="" type="checkbox"/> Offline Cementing	<input checked="" type="checkbox"/> Fluid-Filled	<input type="checkbox"/> Open Annulus
<input type="checkbox"/> Batch APD / Sundry				

A. HYDROGEN SULFIDE

Hydrogen Sulfide (H₂S) monitors shall be installed prior to drilling out the surface shoe. If H₂S is detected in concentrations greater than 100 ppm, the Hydrogen Sulfide area must meet all requirements from **43 CFR 3176**, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, provide measured values and formations to the BLM.

B. CASING

1. The **13-3/8** inch surface casing shall be set at approximately **1150** feet (a minimum of **25 feet (Lea County)** into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of **8 hours** or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)

- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.

Intermediate casing must be kept fluid filled to meet BLM minimum collapse requirement.

2. The minimum required fill of cement behind the **9-5/8** inch intermediate casing is:
 - Cement to surface. If cement does not circulate see B.1.a, c-d above.

Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst.

3. The minimum required fill of cement behind the **5-1/2** inch production casing is:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

C. PRESSURE CONTROL

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'
2. Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the casing shoe shall be **5000 (5M)** psi.
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
 - e. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172 must be followed.

D. SPECIAL REQUIREMENT (S)**Communitization Agreement**

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- The operator will submit an as-drilled survey well plat of the well completion, but are not limited to, those specified in 43 CFR 3171 and 3172.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. When the Communitization Agreement number is known, it shall also be on the sign.

Offline Cementing

Contact the BLM prior to the commencement of any offline cementing procedure.

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

☒ Eddy County

Email or call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220, BLM_NM_CFO_DrillingNotifications@BLM.GOV
(575) 361-2822

☒ Lea County

Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240,
(575) 689-5981

1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure

- rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
- b. When the operator proposes to set surface casing with Spudder Rig
 - Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - BOP/BOPE test to be conducted per **43 CFR part 3170 Subpart 3172** as soon as 2nd Rig is rigged up on well.
 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
 3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well – vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report.

A. CASING

1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least 24 hours. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
3. Wait on cement (WOC) for Water Basin: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.

4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.

B. PRESSURE CONTROL

1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in **43 CFR part 3170 Subpart 3172 and API STD 53 Sec. 5.3**.
2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:

- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. Whenever any seal subject to test pressure is broken, all the tests in **43 CFR part 3170 Subpart 3172** must be followed.
 - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
 - b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)
 - c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to **43 CFR part 3170 Subpart 3172** with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
 - d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE.

If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.

- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per **43 CFR part 3170 Subpart 3172**.

C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUID

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

ZS 8/21/2023



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Operator Certification Data Report

05/13/2025

Operator

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME:

Signed on: 09/30/2022

Title:

Street Address:

City:

State:

Zip:

Phone:

Email address:

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Application Data

05/13/2025

APD ID: 10400087540

Submission Date: 09/30/2022

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC

Well Name: SHEBA FEDERAL COM

Well Number: 106H

Well Type: OIL WELL

Well Work Type: Drill

Highlighted data
reflects the most
recent changes
[Show Final Text](#)

Section 1 - General

APD ID: 10400087540

Tie to previous NOS? N

Submission Date: 09/30/2022

BLM Office: Carlsbad

User: MEGHAN X TWELE

Title: Sr Regulatory Analyst

Federal/Indian APD: FED

Is the first lease penetrated for production Federal or Indian? FED

Lease number: NMNM16139

Lease Acres:

Surface access agreement in place?

Allotted?

Reservation:

Agreement in place? NO

Federal or Indian agreement:

Agreement number:

Agreement name:

Keep application confidential? Y

Permitting Agent? NO

APD Operator: CENTENNIAL RESOURCE PRODUCTION LLC

Operator letter of

Operator Info

Operator Organization Name: CENTENNIAL RESOURCE PRODUCTION LLC

Operator Address: 300 N MARIENFIELD STREET SUITE 1000

Zip: 79701

Operator PO Box:

Operator City: MIDLAND

State: TX

Operator Phone: (432)695-4222

Operator Internet Address: KANICIA.SCHLICHTING@PERMIANRES.COM

Section 2 - Well Information

Well in Master Development Plan? NO

Master Development Plan name:

Well in Master SUPO? NO

Master SUPO name:

Well in Master Drilling Plan? NO

Master Drilling Plan name:

Well Name: SHEBA FEDERAL COM

Well Number: 106H

Well API Number:

Field/Pool or Exploratory? Field and Pool

Field Name: Red Hills

Pool Name: BONE SPRING,
NORTH

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H**Is the proposed well in an area containing other mineral resources?** NATURAL GAS,OIL**Is the proposed well in a Helium production area?** N**Use Existing Well Pad?** Y**New surface disturbance?** N**Type of Well Pad:** MULTIPLE WELL**Multiple Well Pad Name:****Number:** 1

SHEBA FED 27 SENE

Well Class: HORIZONTAL**Number of Legs:** 1**Well Work Type:** Drill**Well Type:** OIL WELL**Describe Well Type:****Well sub-Type:** INFILL**Describe sub-type:****Distance to town:** 20 Miles**Distance to nearest well:** 30 FT**Distance to lease line:** 1030 FT**Reservoir well spacing assigned acres Measurement:** 240 Acres**Well plat:** Sheba_Federal_Com_106H_C_102_Lease_Plat_SBMT_20220928140757.pdf

Sheba_Federal_Com_106H_C_102_LPP_SBMT_20220928140801.pdf

Well work start Date: 07/27/2023**Duration:** 25 DAYS**Section 3 - Well Location Table****Survey Type:** RECTANGULAR**Describe Survey Type:****Datum:** NAD83**Vertical Datum:** NAVD88**Survey number:** 23782**Reference Datum:** GROUND LEVEL

Wellbore	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD	Will this well produce from this
SHL Leg #1	2319	FNL	1030	FEL	24S	34E	27	Aliquot SENE	32.189405	-103.452611	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 16139	3464			Y
KOP Leg #1	2319	FNL	1030	FEL	24S	34E	27	Aliquot SENE	32.188778	-103.453333	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 16139	-5597	9078	9061	Y

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H

Wellbore	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD	Will this well produce from this
PPP Leg #1-1	2548	FNL	1210	FEL	24S	34E	27	Aliquot SENE	32.188778	- 103.453191	LEA	NEW MEXICO	NEW MEXICO	F	NMNM 16139	- 6074	9828	9538	Y
PPP Leg #1-2	0	FSL	1209	FEL	24S	34E	22	Aliquot SESE	32.19578	- 103.45319	LEA	NEW MEXICO	NEW MEXICO	F	NMNM 117125	- 6074	12376	9538	Y
PPP Leg #1-3	1320	FSL	1209	FEL	24S	34E	22	Aliquot SESE	32.199408	- 103.45319	LEA	NEW MEXICO	NEW MEXICO	F	NMNM 117125	- 6074	13696	9538	Y
PPP Leg #1-4	2636	FNL	1209	FEL	24S	34E	22	Aliquot SENE	32.203036	- 103.453189	LEA	NEW MEXICO	NEW MEXICO	F	NMNM 117125	- 6074	16336	9538	Y
EXIT Leg #1	100	FNL	1210	FEL	24S	34E	22	Aliquot NENE	32.210007	- 103.453189	LEA	NEW MEXICO	NEW MEXICO	F	NMNM 117125	- 6074	17027	9538	Y
BHL Leg #1	100	FNL	1210	FEL	24S	34E	22	Aliquot NENE	32.210007	- 103.453189	LEA	NEW MEXICO	NEW MEXICO	F	NMNM 117125	- 6074	17027	9538	Y



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Drilling Plan Data Report

05/13/2025

APD ID: 10400087540

Submission Date: 09/30/2022

Highlighted data
reflects the most
recent changes

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC

Well Name: SHEBA FEDERAL COM

Well Number: 106H

Well Type: OIL WELL

Well Work Type: Drill

[Show Final Text](#)

Section 1 - Geologic Formations

Formation ID	Formation Name	Elevation	True Vertical	Measured Depth	Lithologies	Mineral Resources	Producing Formatio
12017905	RUSTLER	3524	1091	1091	SANDSTONE	NONE	N
12017915	SALADO	1807	1717	1717	SALT	NONE	N
12017917	LAMAR	-1913	5437	5437	ANHYDRITE, SALT	NONE	N
12017916	BELL CANYON	-1963	5487	5487	ANHYDRITE	NONE	N
12017906	CHERRY CANYON	-2876	6400	6400	SANDSTONE	NATURAL GAS, OIL	N
12017907	MANZANITA	-3036	6560	6560	SANDSTONE	NATURAL GAS, OIL	N
12017908	BRUSHY CANYON	-4316	7840	7840	SANDSTONE	NATURAL GAS, OIL	N
12017909	BONE SPRING LIME	-5810	9334	9334	OTHER : Carbonate	NATURAL GAS, OIL	N
12017910	AVALON SAND	-5843	9367	9367	SHALE	CO2, NATURAL GAS, OIL	Y

Section 2 - Blowout Prevention

Pressure Rating (PSI): 5M

Rating Depth: 9538

Equipment: The BOP and related equipment will meet or exceed the requirements of a 5M-psi system as set forth in On Shore Order No. 2. See attached BOP Schematic. A. Casinghead: 13 5/8 5,000 psi SOW x 13 5,000 psi WP Intermediate Spool: 13 5,000 psi WP x 11 5,000 psi WP Tubinghead: 11 5,000 psi WP x 7 1/16" 15,000 psi WP B. Minimum Specified Pressure Control Equipment Annular preventer One Pipe ram, One blind ram Drilling spool, or blowout preventer with 2 side outlets. Choke side will be a 3-inch minimum diameter, kill line shall be at least 2-inch diameter 3 inch diameter choke line 2 3 inch choke line valves 2 inch kill line 2 chokes with 1 remotely controlled from rig floor (see Figure 2) 2 2 inch kill line valves and a check valve Upper kelly cock valve with handle available When the expected pressures approach working pressure of the system, 1 remote kill line tested to stack pressure (which shall run to the outer edge of the substructure and be unobstructed) Lower kelly cock valve with handle available Safety valve(s) and subs to fit all drill string connections in use Inside BOP or float sub available Pressure gauge on choke manifold All BOPE connections subjected to well pressure shall be flanged, welded, or clamped Fill-up line above the uppermost preventer. C. Auxiliary Equipment Audio and visual mud monitoring equipment shall be placed to detect volume changes indicating loss or gain of circulating fluid volume. (OOS 1, III.C.2) Gas Buster will be used below intermediate casing setting depth. Upper and lower kelly cocks with handles, safety valve and subs to fit all drill string

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H

connections and a pressure gauge installed on choke manifold.

Requesting Variance? YES**Variance request:** Centennial Resource Production, LLC hereby requests flex hose, well control and offline cement variances for this well. Please see attachments in section 8 for details

Testing Procedure: The BOP test shall be performed before drilling out of each casing and will occur at a minimum: a. when initially installed b. whenever any seal subject to test pressure is broken c. following related repairs d. at 30 day intervals e. checked daily as to mechanical operating conditions. The ram type preventer(s) will be tested using a test plug to 250 psi (low) and 5,000 psi (high) (casinghead WP) with a test plug upon its installation onto the 13 surface casing. If a test plug is not used, the ram type preventer(s) shall be tested to 70% of the minimum internal yield pressure of the casing. The annular type preventer(s) shall be tested to 50% of its working pressure. Pressure will be maintained for at least 10 minutes or until provisions of the test are met, whichever is longer. A Sundry Notice (Form 3160 5), along with a copy of the BOP test report, shall be submitted to the local BLM office within 5 working days following the test. If the bleed line is connected into the buffer tank (header), all BOP equipment including the buffer tank and associated valves will be rated at the required BOP pressure. The BLM office will be provided with a minimum of four (4) hours notice of BOP testing to allow witnessing. The BOP Configuration, choke manifold layout, and accumulator system, will be in compliance with Onshore Order 2 for a 5,000 psi system. A remote accumulator will be used. Pressures, capacities, and specific placement and use of the manual and/or hydraulic controls, accumulator controls, bleed lines, etc., will be identified at the time of the BLM 'witnessed BOP test. Any remote controls will be capable of both opening and closing all preventers and shall be readily accessible

Choke Diagram Attachment:

10M_Choke_Manifold_20220929144606.pdf

BOP Diagram Attachment:

CDEV_Well_Control_Plan_Bonesprings_20210901163333_20220929144826.pdf

BOP_Schematic_CoFlex_Choke_5K_20220929144615.pdf

Section 3 - Casing

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
1	CONDUCTOR	26	20.0	NEW	API	N	0	120	0	120	3464	3344	120	H-40	94	OTHER - WELD						
2	SURFACE	17.5	13.375	NEW	API	N	0	1150	0	1150	3464	2314	1150	J-55	54.5	OTHER - BTC	1.99	4.81	DRY	13.61	DRY	13.61
3	INTERMEDIATE	12.25	9.625	NEW	API	N	0	5450	0	5450	3461	-1986	5450	J-55	40	LT&C	1.28	1.4	DRY	2.39	DRY	2.89
4	PRODUCTION	8.75	5.5	NEW	API	N	0	9077	0	9060	3461	-5596	9077	OTHER - P11 ORY	20	OTHER - TBCHT	2.36	2.69	DRY	3.54	DRY	3.54
5	PRODUCTION	8.5	5.5	NEW	API	N	9077	17027	9060	9538	-5596	-6074	7950	OTHER - P11 ORY	20	OTHER - TBCHT	2.24	2.55	DRY	67.05	DRY	67.05

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H**Casing Attachments**

Casing ID: 1 **String** CONDUCTOR**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**

Casing ID: 2 **String** SURFACE**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**

CASING_ASSUMPTIONS_WORKSHEET_20220929145552.pdf

Casing ID: 3 **String** INTERMEDIATE**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**CASING_ASSUMPTIONS_WORKSHEET_20220929145155.pdf

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H**Casing Attachments****Casing ID:** 4 **String** PRODUCTION**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**

CASING_ASSUMPTIONS_WORKSHEET_20220929145336.pdf

Technical_Data_Sheet_HIS_TCBC_HT_5.5_20__P110RY_20220929145346.pdf

Casing ID: 5 **String** PRODUCTION**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**

Technical_Data_Sheet_HIS_TCBC_HT_5.5_20__P110RY_20220929145506.pdf

CASING_ASSUMPTIONS_WORKSHEET_20220929145509.pdf

Section 4 - Cement

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
CONDUCTOR	Lead		0	120	121	1.49	12.9	181		Grout	Bentonite 4% BWOC, Cellophane #sx, CaCl2 2% BWOC

SURFACE	Lead		0	650	250	1.8	13.5	903	100	Class C Premium	Premium Gel Bentonite 4%, C-45 Econolite 0.25%,
---------	------	--	---	-----	-----	-----	------	-----	-----	-----------------	---

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC

Well Name: SHEBA FEDERAL COM

Well Number: 106H

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
											Phenoseal 0.25#/sk, CaCl 1%, Defoamer C-41P 0.75%
SURFACE	Tail		650	1150	445	1.34	14.8	695	100	Class C Premium	C-45 Econolite 0.10%, CaCl 1.0%
INTERMEDIATE	Lead		0	4950	665	3.42	10.7	3214	100	TXI Lightweight	Salt 1.77/sk, C-45 Econolite 2.25%, STE 6.00%, Citric Acid 0.18%, C-19 0.10%, CSA-1000 0.20%, C-530P 0.30%, CTB-15 LCM 7#/sk, Gyp Seal 8#/sk
INTERMEDIATE	Tail		4950	5450	210	1.34	14.8	188	20	Class C Premium	C-45 Econolite 0.10%, Citric acid 0.05%, C503P 0.25%
PRODUCTION	Lead		0	9077	891	3.41	10.6	3038	30	TXI Lightweight	Salt 8.98#/sk, STE 6.00%, Citric acid 0.20%, CSA-1000 0.23%, C47B 0.10%, C-503P 0.30%
PRODUCTION	Tail		9077	17027	1836	1.24	14.2	2276	25	50:25:25 Class H: Poz: CPO18	Citric acid 0.03%, CSA-1000 0.05%, C47B 0.25%, C-503P 0.30%
PRODUCTION	Lead		0	9077	891	3.41	10.6	3038	30	TXI Lightweight	Salt 8.98#/sk, STE 6.00%, Citric acid 0.20%, CSA-1000 0.23%, C47B 0.10%, C-503P 0.30%
PRODUCTION	Tail		9077	17027	1836	1.24	14.2	2276	25	50:25:25 Class H: Poz: CPO18	Citric acid 0.03%, CSA-1000 0.05%, C47B 0.25%, C-503P 0.30%

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H**Section 5 - Circulating Medium****Mud System Type:** Closed**Will an air or gas system be Used?** NO**Description of the equipment for the circulating system in accordance with 43 CFR 3172:****Diagram of the equipment for the circulating system in accordance with 43 CFR 3172:**

Describe what will be on location to control well or mitigate other conditions: Sufficient quantities of mud materials will be on the well site at all times for the purpose of assuring well control and maintaining wellbore integrity. Surface interval will employ fresh water mud. The intermediate hole will utilize a diesel emulsified brine fluid to inhibit salt washout and prevent severe fluid losses. The production hole will employ oil base fluid to inhibit formation reactivity and of the appropriate density to maintain well control.

Describe the mud monitoring system utilized: Centrifuge separation system. Open tank monitoring with EDR will be used for drilling fluids and return volumes. Open tank monitoring will be used for cement and cuttings return volumes. Mud properties will be monitored at least every 24 hours using industry accepted mud check practices.

Circulating Medium Table

Top Depth	Bottom Depth	Mud Type	Min Weight (lbs/gal)	Max Weight (lbs/gal)	Density (lbs/cu ft)	Gel Strength (lbs/100 sqft)	PH	Viscosity (CP)	Salinity (ppm)	Filtration (cc)	Additional Characteristics
0	1150	OTHER : Freshwater	8.6	9.5							
1150	5450	OTHER : Brine	9	10							
0	1702 7	OIL-BASED MUD	8.8	10							

Section 6 - Test, Logging, Coring**List of production tests including testing procedures, equipment and safety measures:**

Will utilize MWD/LWD (Gamma ray logging) from intermediate hole to TD of the well.

List of open and cased hole logs run in the well:

GAMMA RAY LOG,DIRECTIONAL SURVEY,

Coring operation description for the well:

N/A

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 4960**Anticipated Surface Pressure:** 2861**Anticipated Bottom Hole Temperature(F):** 170**Anticipated abnormal pressures, temperatures, or potential geologic hazards?** NO**Describe:****Contingency Plans geohazards description:****Contingency Plans geohazards****Hydrogen Sulfide drilling operations plan required?** YES**Hydrogen sulfide drilling operations**

H2S_Contingency_Plan_Sheba_Federal_106H__107H__305H__306H__405H__506H____507H_20220929152513.pdf

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

Sheba_Federal_Com_106H__Plan_1_08_05_22_AC_Report_20220929152712.pdf

Sheba_Federal_Com_106H__Plan_1_08_05_22_20220929152718.pdf

Other proposed operations facets description:**Other proposed operations facets attachment:**

Sheba_Federal_Com_106H_Batch_Setting__Aug_2022_20220929153151.pdf

Sheba_Federal_Com_106H_WBD__Proposed__20220929153052.pdf

GEOPROG_Sheba_Federal_Com_106H_PRELIM_20220929153100.pdf


CDEV_Multi_Bowl_Procedure_Sheba_Federal_Com_106H_20220929153203.pdf

Other Variance request(s)?: Y**Other Variance attachment:**

CDEV_Well_Control_Plan_Bonesprings_20210901163333_20220929153227.pdf

Flex_Hose_Variance_Request__Sheba_Federal_Com_106H_20220929153320.pdf

Sheba_Federal_Com_106H_Offline_Cementing_Procedure__Aug_2022_20220929153333.pdf



Centennial Resource Development - Well Control Plan

A. Component and Preventer Compatibility Table

Component	OD (inches)	Preventer	RWP
Drillpipe	5	Upper VBR: 3.5 – 5.5 Lower VBR: 3.5 – 5.5	10M
Heavyweight Drillpipe	5	Upper VBR: 3.5 – 5.5 Lower VBR: 3.5 – 5.5	10M
Drill collars and MWD tools	6 ¾	Annular	5M
Mud Motor	6 ¾	Annular	5M
Production Casing	5-1/2	Upper VBR: 3.5 – 5.5 Lower VBR: 3.5 – 5.5	10M
All	0 – 13 5/8	Annular	5M
Open-hole	-	Blind rams	10M

VBR = Variable Bore Rams

RWP = Rated Working Pressure

MWD = Measurement While Drilling (directional tools)

B. Well Control Procedures

I. General Procedures While Drilling:

1. Sound alarm (alert crew).
2. Space out drill-string.
3. Shut down pumps and stop rotary.
4. Open HCR
5. Shut-in well – utilizing upper VBRs.
6. Close choke
7. Confirm shut-in.
8. Notify rig manager and Centennial company representative.
9. Call Centennial drilling engineer
10. Read and record
 - I. Shut-in drillpipe pressure (SIDPP) and shut-in casing pressure (SCIP).
 - II. Pit gain
 - III. Time
11. Regroup, identify forward plan

II. General Procedure While Tripping

1. Sound alarm (alert crew).
2. Stab full opening safety valve and close
3. Space out drillstring.
4. Open HCR
5. Shut-in well – utilizing upper VBRs
6. Close choke
7. Confirm shut-in.
8. Notify rig manager and Centennial company representative.
9. Call Centennial drilling engineer
10. Read and record:
 - I. SIDPP AND SICP
 - II. Pit gain
 - III. Time
11. Regroup and identify forward plan.

III. General Procedure While Running Casing

1. Sound alarm (alert crew)
2. Stab full opening safety valve and close
3. Space out string.
4. Open HCR
5. Shut-in well – utilizing upper VBRs.
6. Close choke
7. Confirm shut-in.
8. Notify rig manager and Centennial company representative.
9. Call Centennial drilling engineer
10. Read and record:
 - I. SIDPP AND SICP
 - II. Pit gain
 - III. Time
11. Regroup and identify forward plan.

IV. General Procedure With No Pipe In Hole (Open Hole)

1. Sound alarm (alert crew)
2. Open HCR
3. Shut-in with blind rams
4. Close choke
5. Confirm shut-in
6. Notify rig manager and Centennial company representative.
7. Call Centennial drilling engineer
8. Read and record:
 - I. SIDPP AND SICP
 - II. Pit gain
 - III. Time
9. Regroup and identify forward plan.

V. General Procedures While Pulling BHA Thru BOP Stack**1. Prior to pulling last joint of drillpipe thru stack:**

- I. Perform flow check, if flowing
 - a. Sound alarm, alert crew
 - b. Stab full opening safety valve and close
 - c. Space out drillstring with tool joint just beneath the upper pipe ram.
 - d. Open HCR
 - e. Shut-in utilizing upper VBRs
 - f. Close choke
 - g. Confirm shut-in
 - h. Notify rig manager and Centennial company representative.
 - i. Call Centennial drilling engineer
 - j. Read and record:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
- II. Regroup and identify forward plan

2. With BHA in the BOP stack and compatible ram preventer and pipe combo immediately available:


- a. Sound alarm, alert crew
- b. Stab full opening safety valve and close
- c. Space out drillstring with tool joint just beneath the upper pipe ram.
- d. Open HCR
- e. Shut-in utilizing upper VBRs
- f. Close choke
- g. Confirm shut-in
- h. Notify rig manager and Centennial company representative.
- i. Call Centennial drilling engineer
- j. Read and record:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
- II. Regroup and identify forward plan

3. With BHA in the BOP stack and no compatible ram preventer and pipe combo immediately available:

- I. Sound alarm, alert crew.
- II. If possible to pick up high enough, pull string clear of the stack and follow Open Hole (III) scenario.
- III. If impossible to pick up high enough to pull the string clear of the stack:
 - a. Stab crossover, make up one joint/stand of drill pipe and full opening safety valve and close.
 - b. Space out drillstring with tool joint just beneath the upper pipe ram.
 - c. Open HCR
 - d. Shut-in utilizing upper VBRs.
 - e. Close choke
 - f. Confirm shut-in
 - g. Notify rig manager and Centennial company representative.
 - h. Call Centennial drilling engineer
 - i. Read and record:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
- IV. Regroup and identify forward plan.

**** If annular is used to shut-in well and pressure builds to OR is expected to get to 50% of RWP, confirm space-out and swap to upper VBRs for shut-in.**

H&P Rig



CASING ASSUMPTIONS WORKSHEET:

Centralizer Program:

Surface: - 3 welded bow spring centralizers, one on each of the bottom 3 joints, plus one on the shoe joint (4 minimum)
 - No Cement baskets will be run

Production: - 1 welded bow spring centralizer on a stop ring 6' above float shoe
 - 1 centralizer every other joint to the top of the tail cement
 - 1 centralizer every 4 joints to 500' below the top of the lead cement
 - The actual number and placement of centralizers will be determined from hole deviation and potential production zones. Centralizers will be run for maximum practical standoff and through all potential productive zones.

- All casing strings below the conductor shall be tested, prior to drilling out the casing shoe, to 0.22 psi/ft of casing string length or 1500 psi, whichever is greater, but not to exceed 70% of the internal yield pressure of the casing. If pressure declines more than 10 percent in 30 minutes, corrective action will be taken.

No freshly hard banded pipe will be rotated in the surface casing

- CENTENNIAL RESOURCE DEVELOPMENT will not employ an air-drill rig for the surface casing. The casing shoe will be tested by drilling 5'-10' out from under the shoe and pressure testing to the maximum expected mud weight equivalent as shown in the mud program listed in the drilling plan.

CASING ASSUMPTIONS WORKSHEET:Centralizer Program:

Surface: - 3 welded bow spring centralizers, one on each of the bottom 3 joints, plus one on the shoe joint (4 minimum)
 - No Cement baskets will be run

Production: - 1 welded bow spring centralizer on a stop ring 6' above float shoe
 - 1 centralizer every other joint to the top of the tail cement
 - 1 centralizer every 4 joints to 500' below the top of the lead cement
 - The actual number and placement of centralizers will be determined from hole deviation and potential production zones. Centralizers will be run for maximum practical standoff and through all potential productive zones.

- All casing strings below the conductor shall be tested, prior to drilling out the casing shoe, to 0.22 psi/ft of casing string length or 1500 psi, whichever is greater, but not to exceed 70% of the internal yield pressure of the casing. If pressure declines more than 10 percent in 30 minutes, corrective action will be taken.

No freshly hard banded pipe will be rotated in the surface casing

- CENTENNIAL RESOURCE DEVELOPMENT will not employ an air-drill rig for the surface casing. The casing shoe will be tested by drilling 5'-10' out from under the shoe and pressure testing to the maximum expected mud weight equivalent as shown in the mud program listed in the drilling plan.



Size	5.5
Grade	P110 RY
Weight	20

TCBC-HT


SeAH Steel

Coupling and Pipe Dimensions (in)						
	Outer Diameter	Inner Diameter	Coupling Length	Make-up Loss	Wall Thickness	Drift Diameter
Coupling	6.300	5.383				
Pipe		4.778	8.250	4.125	0.361	4.653
Pin		4.778				

Torque Values (ft-lbs)				
Field End Make-Up			Max. Working Torque ^{1.}	Yield Torque
Minimum	Optimum ^{2.}	Maximum		
10,000	13,500	18,500	22,250	25,200


Yield Stress (x1000 lbs.)	
Tensile	Compressive
100%	100%

Maximum Pressure (psi)	
Internal	External
100%	100%



^{1.} Max. Working Torque value is not to be exceeded during operation.

^{2.} If Optimum Torque does not meet the Base of Triangle Stamp, M/U to the Base of Triangle.



*Data are for information purposes only. Though HIS has made efforts to ensure accuracy, HIS makes no warranty for loss or damage due to its use.

Released to Imaging: 9/22/2025 1:45:53 PM

Rev 0

19996 Hickory Twig Way Spring, TX 77388

Phone: (281) 602-7550

Fax: (281) 602-7557



5.5" 20# .361" P-110 Restricted Yield (RY)

Dimensions (Nominal)

Outside Diameter	5.500	in.
Wall	0.361	in.
Inside Diameter	4.778	in.
Drift	4.653	in.
Weight, T&C	20.000	lbs/ft
Weight, PE	19.830	lbs/ft

Performance Properties (Minimum)

Minimum Yield Strength	110000	psi
Maximum Yield Strength	125000	psi
Collapse, PE	11100	psi
Internal Yield Pressure		
PE	12630	psi
LTC	12360	psi
BTC	12360	psi
Yield Strength, Pipe Body	641	1000 lbs
Joint Strength		
LTC	548	1000 lbs
BTC	667	1000 lbs

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.



Size	5.5
Grade	P110 RY
Weight	20

TCBC-HT


SeAH Steel

Coupling and Pipe Dimensions (in)						
	Outer Diameter	Inner Diameter	Coupling Length	Make-up Loss	Wall Thickness	Drift Diameter
Coupling	6.300	5.383				
Pipe		4.778	8.250	4.125	0.361	4.653
Pin		4.778				

Torque Values (ft-lbs)				
Field End Make-Up			Max. Working Torque ^{1.}	Yield Torque
Minimum	Optimum ^{2.}	Maximum		
10,000	13,500	18,500	22,250	25,200


Yield Stress (x1000 lbs.)	
Tensile	Compressive
100%	100%

Maximum Pressure (psi)	
Internal	External
100%	100%



^{1.} Max. Working Torque value is not to be exceeded during operation.

^{2.} If Optimum Torque does not meet the Base of Triangle Stamp, M/U to the Base of Triangle.



*Data are for information purposes only. Though HIS has made efforts to ensure accuracy, HIS makes no warranty for loss or damage due to its use.

Released to Imaging: 9/22/2025 1:45:53 PM

Rev 0

19996 Hickory Twig Way Spring, TX 77388

Phone: (281) 602-7550

Fax: (281) 602-7557



5.5" 20# .361" P-110 Restricted Yield (RY)

Dimensions (Nominal)

Outside Diameter	5.500	in.
Wall	0.361	in.
Inside Diameter	4.778	in.
Drift	4.653	in.
Weight, T&C	20.000	lbs/ft
Weight, PE	19.830	lbs/ft

Performance Properties (Minimum)

Minimum Yield Strength	110000	psi
Maximum Yield Strength	125000	psi
Collapse, PE	11100	psi
Internal Yield Pressure		
PE	12630	psi
LTC	12360	psi
BTC	12360	psi
Yield Strength, Pipe Body	641	1000 lbs
Joint Strength		
LTC	548	1000 lbs
BTC	667	1000 lbs

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.

CASING ASSUMPTIONS WORKSHEET:

Centralizer Program:

Surface: - 3 welded bow spring centralizers, one on each of the bottom 3 joints, plus one on the shoe joint (4 minimum)
 - No Cement baskets will be run

Production: - 1 welded bow spring centralizer on a stop ring 6' above float shoe
 - 1 centralizer every other joint to the top of the tail cement
 - 1 centralizer every 4 joints to 500' below the top of the lead cement
 - The actual number and placement of centralizers will be determined from hole deviation and potential production zones. Centralizers will be run for maximum practical standoff and through all potential productive zones.

- All casing strings below the conductor shall be tested, prior to drilling out the casing shoe, to 0.22 psi/ft of casing string length or 1500 psi, whichever is greater, but not to exceed 70% of the internal yield pressure of the casing. If pressure declines more than 10 percent in 30 minutes, corrective action will be taken.

No freshly hard banded pipe will be rotated in the surface casing

- CENTENNIAL RESOURCE DEVELOPMENT will not employ an air-drill rig for the surface casing. The casing shoe will be tested by drilling 5'-10' out from under the shoe and pressure testing to the maximum expected mud weight equivalent as shown in the mud program listed in the drilling plan.

CASING ASSUMPTIONS WORKSHEET:Centralizer Program:

Surface: - 3 welded bow spring centralizers, one on each of the bottom 3 joints, plus one on the shoe joint (4 minimum)
 - No Cement baskets will be run

Production: - 1 welded bow spring centralizer on a stop ring 6' above float shoe
 - 1 centralizer every other joint to the top of the tail cement
 - 1 centralizer every 4 joints to 500' below the top of the lead cement
 - The actual number and placement of centralizers will be determined from hole deviation and potential production zones. Centralizers will be run for maximum practical standoff and through all potential productive zones.

- All casing strings below the conductor shall be tested, prior to drilling out the casing shoe, to 0.22 psi/ft of casing string length or 1500 psi, whichever is greater, but not to exceed 70% of the internal yield pressure of the casing. If pressure declines more than 10 percent in 30 minutes, corrective action will be taken.

No freshly hard banded pipe will be rotated in the surface casing

- CENTENNIAL RESOURCE DEVELOPMENT will not employ an air-drill rig for the surface casing. The casing shoe will be tested by drilling 5'-10' out from under the shoe and pressure testing to the maximum expected mud weight equivalent as shown in the mud program listed in the drilling plan.



H₂S CONTINGENCY PLAN

FOR

CENTENNIAL RESOURCE PRODUCTION, LLC.

Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H

Lea County, New Mexico

07-14-2022

This plan is subject to updating

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Table of Contents

Section 1.0 – Introduction 3

 I. Purpose

 II. Scope & Applicability

Section 2.0 - Plan Implementation.....3

 I. Activation Requirements

 II. Emergency Evacuation

 III. Emergency Response Activities

Section 3.0 - Potential Hazardous Conditions.....4

Section 4.0 - Notification of H₂S Release Event.....6

 I. Local & State Law Enforcement

 II. General Public

 III. New Mexico Oil Conservation Division

 IV. New Mexico Environment Department

 V. Bureau of Land Management

Section 5.0 - Emergency Contact List.....7

 I. Centennial Management Personnel

 II. Lea County Sheriff

 III. New Mexico State Highway Patrol

 IV. Fire / EMS

 V. Lea County Hospital

 VI. Emergency Response Contractors

 VII. New Mexico Oil Conservation Division

 VIII. New Mexico Environment Department

 IX. Bureau of Land Management

 X. Other Agencies

Section 6.0 – Drilling Location Information.....9-12

 I. Site Safety Information

 II. Directions to Location

 III. Plat of Location including GPS Coordinates

 IV. Routes of Ingress & Egress (MAP)

 V. ROE Map

 VI. Residences in ROE

 VII. Public Roads in ROE

Section 7.0 – Hazard Communication.....13-15

 I. Physical Characteristics of Hydrogen Sulfide Gas

 II. Human Health Hazards / Toxicological Information

 III. Environmental Hazards

Section 8.0 - Regulatory Information.....15-17

 I. OSHA Information

 II. New Mexico Oil Conservation Division & Bureau of Land Management

Section 9.0 - Training Requirements.....17

Section 10.0 - Personal Protective Equipment.....18

Appendices

 I. Appendix A – H₂S SDS

 II. Appendix B – SO₂ SDS

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Section 1.0 – Introduction

I. Purpose

The purpose of this contingency plan (Plan) is to provide Centennial Resource Production, LLC. (Centennial) with an organized plan of action for alerting and protecting Centennial employees, the general public, and any potential first responders prior to any intentional release or immediately following the accidental / unintentional release of a potentially hazardous volume / concentration of Hydrogen Sulfide Gas (H₂S).

II. Scope & Applicability

This Plan applies to all planned, unplanned, uncontrolled and/or unauthorized releases of hazardous concentrations of H₂S or any associated hazardous byproducts of combustion, occurring at any Centennial owned or operated facilities including but not limited to: wells, flowlines, pipelines, tank batteries, production facilities, SWD facilities, compressor stations, gas processing plants, drilling / completions / workover operations, and any other applicable company owned property.

Section 2.0 - Plan Implementation

I. Activation Requirements

In accordance with the requirements of Bureau of Land Management Onshore Order #6 and NMAC 19.15.11, this Plan shall be activated in advance of any authorized, planned, unplanned, uncontrolled, or unauthorized release of a hazardous volume / concentration of H₂S gas, or SO₂, which could potentially adversely impact the workers, general public or the environment.

II. Emergency Evacuation

In the event of an unplanned, uncontrolled, or unauthorized release of a hazardous volume / concentration of H₂S gas, the first priority is to ensure the safety of the workers and general public. Upon discovery and subsequent determination of an applicable release, which cannot be quickly mitigated, immediately by using 911, notify local authorities to begin the process of alerting the general public, evacuate any residents within the Radius of Exposure (ROE), and limit any general public or employee access to any areas within the ROE of the affected facility.

III. Emergency Response Activities

The purpose of emergency response actions is to take steps to quickly mitigate / stop the ongoing release of the hazardous source of H₂S. Upon discovery of any hazardous release, immediately notify Centennial management to activate the Emergency Response Team (ERT). Once Centennial supervision arrives and assesses the situation, a work plan identifying the proper procedures shall be developed to stop the release.

Section 3.0 - Potential Hazardous Conditions & Response Actions

During a planned or unplanned release of H₂S, there are several hazardous conditions that are presented both to employees, the general public, and emergency responders. These specific hazardous conditions

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

are identified in the tables below.

H ₂ S OPERATING CONDITIONS – RESPONSE ACTIONS TO CONSIDER		✓
H₂S CONDITION 1: POTENTIAL DANGER TO LIFE AND HEALTH → WARNING SIGN GREEN		
H₂S concentration <10 ppm detected by location monitors		<input type="checkbox"/>
General Actions During Condition 1		<input type="checkbox"/>
Notify Site Supervisor / Centennial Person-in-Charge (PIC) of any observed increase in ambient H ₂ S concentrations		<input type="checkbox"/>
All personnel check safety equipment is in adequate working order & store in accessible location		<input type="checkbox"/>
Sensitize crews with safety meetings.		<input type="checkbox"/>
Limit visitors and non-essential personnel on location		<input type="checkbox"/>
Continuously monitor H ₂ S concentrations and check calibration of sensors		<input type="checkbox"/>
Ensure H ₂ S scavenger is on location.		<input type="checkbox"/>
H₂S CONDITION 2: MODERATE DANGER TO LIFE AND HEALTH → WARNING SIGN YELLOW		
H₂S concentration >10 ppm and < 30 ppm in atmosphere detected by location monitors:		<input type="checkbox"/>
General Actions During Condition 2		<input type="checkbox"/>
Sound H ₂ S alarm and/or display yellow flag.		<input type="checkbox"/>
Account for on-site personnel		<input type="checkbox"/>
Upon sounding of an area or personal H ₂ S monitor alarm when 10 ppm is reached, proceed to a safe briefing area upwind of the location immediately (see MA-4, Figure 5-1).		<input type="checkbox"/>
Don proper respiratory protection.		<input type="checkbox"/>
Alert other affected personnel		<input type="checkbox"/>
If trained and safe to do so undertake measures to control source H ₂ S discharge and eliminate possible ignition sources. Initiate Emergency Shutdown procedures as deemed necessary to correct or control the specific situation.		<input type="checkbox"/>
Account for on-site personnel at safe briefing area.		<input type="checkbox"/>
Stay in safe briefing area if not working to correct the situation.		<input type="checkbox"/>
Keep Site Supervisor / Centennial PIC informed. Notify applicable government agencies (Appendix A) If off-site impact; notify any neighbors within Radius of Exposure (ROE), Fig 5.11		<input type="checkbox"/>
Continuously monitor H ₂ S until readings below 10 ppm.		<input type="checkbox"/>
Evacuated area shall not be re-entered except by trained and authorized personnel utilizing appropriate respiratory protection; or until “all clear” sounded by Centennial PIC / Site Supervisor.		

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

H₂S CONDITION 3: EXTREME DANGER TO LIFE AND HEALTH → WARNING SIGN RED	
> 30 ppm H ₂ S concentration in air detected by location monitors: Extreme danger to life	<input type="checkbox"/>
General Actions During Condition 3	<input type="checkbox"/>
Sound H ₂ S alarm and/or display red flag.	<input type="checkbox"/>
Account for on-site personnel	<input type="checkbox"/>
Move away from H ₂ S source and get out of the affected area.	<input type="checkbox"/>
Proceed to designated safe briefing area; alert other affected personnel.	<input type="checkbox"/>
Account for personnel at safe briefing area.	<input type="checkbox"/>
If trained and safe to do so undertake measures to control source H ₂ S discharge and eliminate possible ignition sources. Initiate Emergency Shutdown procedures as deemed necessary to correct or control the specific situation.	<input type="checkbox"/>
Notify vehicles or situation and divert all traffic away from location.	<input type="checkbox"/>
Centennial Person-in-Charge will make appropriate community notifications.	<input type="checkbox"/>
Red warning flag must be on display until the situation has been corrected and the Centennial Person-in-Charge determines it is safe to resume operations under Condition 1 .	<input type="checkbox"/>
Notify management of the condition and action taken. If H ₂ S concentration is increasing and steps to correct the situation are not successful – or at any time if well control is questionable – alert all responsible parties for possible activation of the H ₂ S Contingency Plan. If well control at the surface is lost, determine if situation warrants igniting the well.	<input type="checkbox"/>
If uncontrolled flow at the surface occurs, the Centennial PIC, with approval, if possible, from those coordinating the emergency (as specified in the site-specific H₂S Contingency Plan) are responsible for determining if the situation warrants igniting the flow of the uncontrolled well. This decision should be made only as a last resort and in a situation where it is obvious that human life is in danger and there is no hope of controlling the flow under prevailing conditions.	<input type="checkbox"/>
If the flow is ignited, burning H ₂ S will be converted to sulfur dioxide (SO ₂), which is also highly toxic. Do not assume that area is safe after the flow is ignited. If the well is ignited, evacuation of the area is mandatory, because SO ₂ will remain in low-lying places under no-wind conditions.	<input type="checkbox"/>
Keep Site Supervisor / Centennial PIC informed. Notify applicable government agencies and local law enforcement (Appendix A) If off-site impact; notify any neighbors within the Radius of Exposure (ROE), see example in Figure 5-11 .	<input type="checkbox"/>
Continuously monitor H ₂ S until readings fall below 10 ppm.	<input type="checkbox"/>
Evacuated area shall not be re-entered except by trained and authorized personnel utilizing appropriate respiratory protection; or until “all clear” sounded by Centennial PIC / Site Supervisor.	<input type="checkbox"/>
IF ABOVE ACTIONS CANNOT BE ACCOMPLISHED IN TIME TO PREVENT EXPOSURE TO THE PUBLIC	

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Alert public (directly or through appropriate government agencies) who may be subject to potentially harmful exposure levels.	<input type="checkbox"/>
Make recommendations to public officials regarding blocking unauthorized access to the unsafe area and assist as appropriate.	<input type="checkbox"/>
Make recommendations to public officials regarding evacuating the public and assist as appropriate.	<input type="checkbox"/>
Monitor ambient air in the area of exposure (after following abatement measures) to determine when it is safe for re-entry.	<input type="checkbox"/>

Section 4.0 - Notification of H₂S Release Event

I. Local & State Law Enforcement

Prior to the planned / controlled release of a hazardous concentration of H₂S gas or any associated byproducts of the combustion of H₂S gas, notify local law enforcement agencies regarding the contents of this plan.

In the event of the discovery of an unplanned/uncontrolled release of a hazardous concentration of H₂S gas or any associated byproducts of combustion, immediately notify local and/or state law enforcement agencies of the situation and ask for their assistance.

II. General Public

In the event of a planned or unplanned release of a hazardous concentration of H₂S gas or any associated byproducts of combustion, notify local law enforcement agencies and ask for their assistance in alerting the general public and limiting access to any public roads that may be impacted by such a release.

III. New Mexico Oil Conservation Division

The Centennial HSE Department will make any applicable notification to the New Mexico OCD regarding any release of a hazardous concentration of H₂S Gas or any associated byproducts of combustion.

IV. New Mexico Environment Department

The Centennial HSE Department will make any applicable notifications to the NMED regarding any release of a hazardous concentration of H₂S gas or any associated byproducts of combustion.

V. Bureau of Land Management

The Centennial Regulatory Department will make any applicable notifications to the BLM regarding any release of a hazardous concentration of H₂S gas or any associated byproducts of combustion.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Section 5.0 - Emergency Contact List

EMERGENCY CONTACT LIST				
CENTENNIAL RESOURCE PRODUCTION, LLC.				
POSITION	NAME	OFFICE	CELL	ALT PHONE
Operations				
Operations Superintendent	Cory Lewis	432.305.1009	432.557.4274	
TX Operations Assistant Superintendent	Josh Graham	432.940.3191	432.940.3191	
Drilling Superintendent	Jason Fitzgerald	432.315.0146	318-347-3916	
NM Operations Assistant Superintendent	Manual Mata	432.664.0278	575.408.0216	
Drilling Engineer	Ronny Hise	432.315.0144	432.770.4786	
Production Engineer	Travis Donnely	432.315.0143	661.246.5725	
Vice President Operations	Clayton Smith	720.499.1416	361.215.2494	
HSE & Regulatory				
H&S Manager	Adam Hicks	720.499.2377	903.426.4556	
Regulatory Manager	Sarah Ferreyros	720.499.1454	720.854.9020	
Environmental Manager	Montgomery Floyd	432-315-0123	432-425-8321	
Environmental	Nikki Mishler	432-315-0134	432-634-8722	
HSE Consultant	Blake Wisdom		918-323-2343	
Local, State, & Federal Agencies				
Lea County Sheriff		575-396-3611		911
New Mexico State Highway Patrol		505-757-2297		911
Eunice Fire / EMS		575-394-3258		911
Lea County Hospital		575-492-5000		
Secorp – Safety Contractor	Ricky Stephens		(325)-262-0707	
New Mexico Oil Conservation Division – District 1 Office – Hobbs, NM.		575-393-6161		
New Mexico Environment Department – District III Office – Hobbs, NM		575-397-6910		
New Mexico Oil Conservation Division – Hobbs, NM	24 Hour Emergency	575-393-6161		
Bureau of Land Management – Carlsbad, NM		575-234-5972		
U.S. Fish & Wildlife		502-248-6911		

Section 6.0 – Drilling Location Information**I. Site Safety Information****1. Safe Briefing Area**

- There shall be two areas that will be designated as "SAFE BRIEFING AREAS". If H₂S is

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------


detected in concentrations equal to or in excess of 10 ppm all personnel not assigned emergency duties are to assemble in the designated Safe Briefing area for instructions. These two areas shall be positioned in accessible locations to facilitate the availability of self-contained breathing air devices. The briefing areas shall be positioned no less than 250' from the wellhead and in such locations that at least one briefing area will be up-wind from the well at all times.

2. Wind Indicators

- a. 4 Windsocks will be installed at strategic points on the facility.

3. Danger Signs

- a. A warning sign indicating the possible well conditions will be displayed at the location entrance.



4. H₂S Detectors and Alarms

- a. Continuous monitoring type H₂S detectors, capable of sensing a minimum of 5ppm H₂S in air will be located centrally located at the tanks, heater treater, and combustor. Continuous monitoring type SO₂ detector will also be located at the combustor. The automatic H₂S alarm/flashing light will be located at the site entrance and in front of tank battery.

5. Safety Trailer

- a. A safety trailer equipped with an emergency cascade breathing air system with 2 ea. Work/escape packs, a stretcher, 2 OSHA approved full body harnesses, and a 20# Class ABC fire extinguisher shall be available at the site in close proximity to the safe briefing area. The cascade system shall be able to be deployed to the drill floor when needed to provide safe breathing air to the workers as needed.

6. Well Control Equipment

- a. The location shall have a flare line to a remote automatic ignitor and back up flare gun, placed 150' from the wellhead.
b. The location shall be equipped with a remotely operated choke system and a mud gas separator.

7. Mud Program

- a. Company shall have a mud program that contains sufficient weight and additives to control H₂S.

8. Metallurgy

- a. All drill strings, casing, tubing, wellhead, BOP, spools, kill lines, choke manifold and lines, and valves shall be suitable for anticipated H₂S volume and pressure.

9. Communication

- a. The location shall be equipped with a means of effective communication such as a cell phones, intercoms, satellite phones or landlines.


Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

II. Directions to Location

From the intersection of highway 18 and highway 128 in Jal, New Mexico, proceed in a northwesterly, then westerly direction along highway 128 approximately 18 miles to the junction of this road and NM County Road 2B to the south; turn left and proceed in a southerly direction approximately 2.0 miles to the lease road for the Solomon Pad. Turn left and proceed to location.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Plat of Location



Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

1. Routes of Ingress & Egress (MAP)



2. Residences in proximity to the 3000' Radius of Exposure (ROE) (MAP)

There are no residences or public gathering places with the 3000' ROE, 100 PPM, 300 PPM, or 500 PPM ROE.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Map of 3000' ROE Perimeter**100 PPM, 300 PPM, & 500 PPM Max ROE under worst case scenario**Enter H₂S in PPM

1500

Enter Gas flow in mcf/day (maximum worst case conditions)

2500

500 ppm radius of exposure (public road)

105 feet

300 ppm radius of exposure

146 feet

100 ppm radius of exposure (public area)

230 feet

- Location GPS Coordinates **Lat: 32.189763, Long: -103.45274**

3. Public Roads in proximity of the Radius of Exposure (ROE)

There are no public roads that would be within the 500 PPM ROE. The closest public road is New Mexico Highway 128, which is 1.45 miles from the location. County Road 2B is 2554' from this location.

Section 7.0 – Hazard Communication**I. Physical Characteristics of Hydrogen Sulfide Gas**

Hydrogen sulfide (H₂S) is a colorless, poisonous gas that is soluble in water. It can be present in crude oils, condensates, natural gas and wastewater streams.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

H₂S is heavier than air with a vapor density of 1.189 (air = 1.0); however, H₂S is most often mixed with other gases. These mixtures of H₂S and other gases can be heavier or lighter than air. If the H₂S-containing mixture is heavier, it can collect in low areas such as ditches, ravines, firewalls, and pits; in storage tanks; and in areas of poor ventilation. Please see physical properties in **Table 7.0**.

With H₂S the sense of smell is rapidly lost allowing lethal concentrations to be accumulated without warning. The toxicity of hydrogen sulfide at varying concentrations is indicated in the **Table 7.1**.

Warning: Do not use the mouth-to-mouth method if a victim ingested or inhaled hydrogen sulfide. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Table 7.0. Physical Properties of H₂S

Properties of H ₂ S	Description
Vapor Density > 1 = 1.189 Air = 1	<ul style="list-style-type: none"> H₂S gas is slightly heavier than air, which can cause it to settle in low places and build in concentration. Produced as a mixture with other gases associated with oil and gas production.
Flammable Range 4.3%-46% 43000 ppm – 460000 ppm	<ul style="list-style-type: none"> H₂S can be extremely flammable / explosive when these concentrations are reached by volume in air.

Although H₂S is primarily a respiratory hazard, it is also flammable and forms an explosive mixture at concentrations of 4.3%–46.0% (40,000ppm – 460,000 ppm) by volume in air.

H₂S can be encountered when:

- Venting and draining equipment.
- Opening equipment (separators, pumps, and tanks).
- Opening piping connections (“line breaking”).
- Gauging and sampling storage tanks.
- Entering confined spaces.
- Working around wastewater pits, skimmers, and treatment facilities.

II. Human Health Hazards - Toxicological Information

Table 7.1. Hazards & Toxicity

Concentration (ppm)	Symptoms/Effects
0.00011-0.00033 ppm	Typical background concentrations

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

0.01-1.5 ppm	Odor threshold (when rotten egg smell is first noticeable to some). Odor becomes more offensive at 3-5 ppm. Above 30 ppm, odor described as sweet or sickeningly sweet.
2-5 ppm	Prolonged exposure may cause nausea, tearing of the eyes, headaches or loss of sleep. Airway problems (bronchial constriction) in some asthma patients.
20 ppm	Possible fatigue, loss of appetite, headache, irritability, poor memory, dizziness.
50-100 ppm	Slight conjunctivitis ("gas eye") and respiratory tract irritation after 1 hour. May cause digestive upset and loss of appetite.
100 ppm	Coughing, eye irritation, loss of smell after 2-15 minutes (olfactory fatigue). Altered breathing, drowsiness after 15-30 minutes. Throat irritation after 1 hour. Gradual increase in severity of symptoms over several hours. Death may occur after 48 hours.
100-150 ppm	Loss of smell (olfactory fatigue or paralysis).
200-300 ppm	Marked conjunctivitis and respiratory tract irritation after 1 hour. Pulmonary edema may occur from prolonged exposure.
500-700 ppm	Staggering, collapse in 5 minutes. Serious damage to the eyes in 30 minutes. Death after 30-60 minutes.
700-1000 ppm	Rapid unconsciousness, "knockdown" or immediate collapse within 1 to 2 breaths, breathing stops, death within minutes.
1000-2000 ppm	Nearly instant death

III. Environmental Hazards

H₂S and its associated byproducts from combustion presents a serious environmental hazard. Sulphur Dioxide SO₂ is produced as a constituent of flaring H₂S Gas and can present hazards associated, which are similar to H₂S. Although SO₂ is heavier than air, it will be picked up by a breeze and carried downwind at elevated temperatures. Since Sulfur Dioxide is extremely irritating to the eyes and mucous membranes of the upper respiratory tract, it has exceptionally good warning powers in this respect. The following table indicates the toxic nature of the gas. Please see the attached SDS in Appendix B for reference.

SULFUR DIOXIDE TOXICITY	
Concentration	Effects

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

%SO ₂	PPM	
0.0005	3 to 5	Pungent odor-normally a person can detect SO ₂ in this range.
0.0012	12	Throat irritation, coughing, and constriction of the chest tearing and smarting of eyes.
0.15	150	So irritating that it can only be endured for a few minutes.
0.05	500	Causes a sense of suffocation, even with first breath.

Section 8.0 - Regulatory Information

I. OSHA & NIOSH Information

II. Table 8.0. OSHA & NIOSH H₂S Information

PEL, IDLH, TLV	Description
NIOSH PEL 10 PPM	<ul style="list-style-type: none"> PEL is the Permissible Exposure Limit that an employee may be exposed up to 8 hr / day.
OSHA General Industry Ceiling PEL – 20 PPM	<ul style="list-style-type: none"> The maximum exposure limit, which cannot be exceeded for any length of time.
IDLH 100 PPM	<ul style="list-style-type: none"> Immediately Dangerous to Life and Health
Centennial PEL 10 PPM	<ul style="list-style-type: none"> Centennial Policy Regarding H₂S for employee safety

III. New Mexico OCD & BLM – H₂S Concentration Threshold Requirements

New Mexico NMAC 19.15.11 and Onshore Order #6 identify two Radii of Exposure (ROE) that identify potential danger to the public and require additional compliance measures. Centennial is required to install safety devices, establish safety procedures and develop a written H₂S contingency plan for sites where the H₂S concentrations are as follows.

Table 8.1. Calculating H₂S Radius of Exposure

H ₂ S Radius of Exposure	Description	Control and Equipment Requirements
100 ppm	Distance from a release to where the H ₂ S concentration in the air will dilute below 100ppm	ROE > 50-ft and includes any part of a “public area” (residence, school, business, etc., or any area that can be expected to be populated). ROE > 3,000-ft
500 ppm	Distance from a release to where the H ₂ S concentration in the air will dilute below 500ppm	ROE > 50-ft and includes any part of a public road (public roads are tax supported roads or any road used for public access or use)

Calculating H₂S Radius of Exposure

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

The ROE of an H₂S release is calculated to determine if a potentially hazardous volume of H₂S gas at 100 or 500 parts per million (ppm) is within a regulated distance requiring further action. If information about the concentration of H₂S and the potential gas release volume is known, the location of the Muster Areas will be set, and safety measures will be implemented based on the calculated radius of exposure (ROE). NMAC 19.15.11 – Hydrogen Sulfide Safety defines the ROE as the radius constructed with the gas's point of escape as its center and its length calculated by the following Pasquill-Gifford equations:

To determine the extent of the **100 ppm ROE**:

$$x = [(1.589) (\text{mole fraction H}_2\text{S})(Q)]^{(.6258)}.$$

To determine the extent of the **500 ppm ROE**:

$$x = [(0.4546) (\text{mole fraction H}_2\text{S})(Q)]^{(.6258)}.$$

Table 8.2. Calculating H₂S Radius of Exposure

ROE Variable	Description
X =	ROE in feet
Q =	Max volume of gas released determined to be released in cubic feet per day (ft³/d) normalized to standard temperature and pressure, 60°F and 14.65 psia
Mole fraction H ₂ S =	Mole fraction of H ₂ S in the gaseous mixture released.

The volume used as the escape rate in determining the ROE is specified in the rule as follows:

- The maximum daily volume rate of gas containing H₂S handled by that system element for which the ROE is calculated.
- For existing gas wells, the current adjusted open-flow rate, or the operator's estimate of the well's capacity to flow against zero back-pressure at the wellhead.

New Mexico Oil Conservation Division & BLM Site Requirements under NMAC 19.15.11 & Onshore Order #6

- Two cleared areas will be designated as Safe Briefing Areas. During an emergency, personnel will assemble in one of these areas for instructions from the Centennial Person-in-Charge. Prevailing wind direction should be considered in locating the briefing areas 200' or more on either side of the well head. One area should offset the other at an angle of 45° to 90° with respect to prevailing wind direction to allow for wind shifts during the work period.
- In the event of either an intentional or accidental releases of hydrogen sulfide, safeguards to protect the general public from the harmful effects of hydrogen sulfide must be in place for operations. A summary of the provisions in each of three H₂S ROE cases is included in **Table 8.3**.
 - **CASE 1** -100 ppm ROE < 50'
 - **CASE 2** - 100 ppm ROE is 50' or greater, but < 3000' and does not penetrate public area.
 - **CASE 3** -100 ppm ROE is 50' or greater and penetrates a public area or 500 ppm ROE includes a public road. Also if 100 ppm ROE > 3000' regardless of public area.

Table 8.3. NMAC 19.15.11 Compliance Requirements Drilling & Production

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

NMAC 19.15.11 & BLM COMPLIANCE REQUIREMENTS – DRILLING & PRODUCTION			
PROVISION	CASE 1	CASE 2	CASE 3
H ₂ S Concentration Test	X	X	X
H-9	X	X	X
Training	X	X	X
District Office Notification	X	X	X
Drill Stem Tests Restricted	X*	X*	X
BOP Test	X*	X*	X
Materials		X	X
Warning and Marker		X	X
Security		X	X
Contingency Plan			X
Control and Equipment Safety			X
Monitors		X**	X**
Mud (ph Control or Scavenger)			X*
Wind Indicators		X**	X
Protective Breathing Equipment		X**	X
Choke Manifold, Secondary Remote Control, and Mud-Gas Separator			X
Flare Stacks			X*

Section 9.0 - Training Requirements

Training

The following elements are considered a minimum level of training for personnel assigned to operations who may encounter H₂S as part of routine or maintenance work.

- The hazards, characteristics, and properties of hydrogen sulfide (H₂S) and (SO₂).
- Sources of H₂S and SO₂.
- Proper use of H₂S and SO₂ detection methods used at the workplace.
- Recognition of, and proper response to, the warning signals initiated by H₂S and SO₂ detection systems in use at the workplace.
- Symptoms of H₂S exposure; symptoms of SO₂ exposure
- Rescue techniques and first aid to victims of H₂S and SO₂ exposure.
- Proper use and maintenance of breathing equipment for working in H₂S and SO₂ atmospheres, as appropriate theory and hands-on practice, with demonstrated proficiency (29 CFR Part 1910.134).
- Workplace practices and relevant maintenance procedures that have been established to protect personnel from the hazards of H₂S and SO₂.
- Wind direction awareness and routes of egress.
- Confined space and enclosed facility entry procedures (if applicable).
- Emergency response procedures that have been developed for the facility or operations.
- Locations and use of safety equipment.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

- Locations of safe briefing areas.

Refresher training will be conducted annually.

Section 10.0 - Personal Protective Equipment

I. Personal H₂S Monitors

All personnel engaged in planned or unplanned work activity to mitigate the release of a hazardous concentration of H₂S shall have on their person a personal H₂S monitor.

II. Fixed H₂S Detection and Alarms

- 4 channel H₂S monitor
- 4 wireless H₂S monitors
- H₂S alarm system (Audible/Red strobe)
- Personal gas monitor for each person on location
- Gas sample tubes

III. Flame Resistant Clothing

All personnel engaged in planned or unplanned work activity associated with this Plan shall have on the appropriate level of FRC clothing.

IV. Respiratory Protection

The following respiratory protection equipment shall be available at each drilling location.

- Working cascade system available on rig floor and pit system & 750' of air line hose
- Four (4) breathing air manifolds
- Four (4) 30-minute rescue packs
- Five (5) work/Escape units
- Five (5) escape units
- One (1) filler hose for the work/escape/rescue units

Supplied air (airline or SCBA) respiratory protection against hydrogen sulfide exposure is required in the following situations:

- When routine or maintenance work tasks involve exposure to H₂S concentrations of 10 ppm or greater.
- When a fixed location area monitor alarms, and re-entry to the work area is required to complete a job.
- When confined spaces are to be entered without knowledge of H₂S levels present, or if initial measurements are to be taken of H₂S levels.
- During rescue of employees suspected of H₂S overexposure.
- For specific tasks identified with significant exposure potential and outlined in local program guidelines.
- All respiratory equipment for hydrogen sulfide must be of the supplied-air type, equipped with pressure-demand regulators and operated in the pressure-demand mode only. This is the only type of respiratory protection recommended for hydrogen sulfide application. Equipment should be approved by NIOSH/MSHA or other recognized national authority as required. If airline units are used, a five-minute egress bottle should also be carried.
- Gas masks or other air-purifying respirators MUST NEVER BE USED FOR HYDROGEN SULFIDE due to the poor warning properties of the gas.
- Use of respiratory protection should be accompanied by a written respiratory protection program.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Appendix A
H₂S SDS

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

SECTION 1: Identification

1.1. Product identifier

Product form : Substance
Name : Hydrogen sulfide
CAS No : 7783-06-4
Formula : H₂S
Other means of identification : Hydrogen sulfide
Product group : Core Products

1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Industrial use
Use as directed

1.3. Supplier

Praxair Canada inc.
1200 – 1 City Centre Drive
Mississauga - Canada L5B 1M2
T 1-905-803-1600 - F 1-905-803-1682
www.praxair.ca

1.4. Emergency telephone number

Emergency number : 1-800-363-0042
Call emergency number 24 hours a day only for spills, leaks, fire, exposure, or accidents involving this product.
For routine information, contact your supplier or Praxair sales representative.

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

GHS-CA classification

Flam. Gas 1 H220
Liquefied gas H280
Acute Tox. 2 (Inhalation: gas) H330
STOT SE 3 H335

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms



Signal word

: DANGER

Hazard statements

: **EXTREMELY FLAMMABLE GAS**
CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED
FATAL IF INHALED
MAY CAUSE RESPIRATORY IRRITATION
MAY FORM EXPLOSIVE MIXTURES WITH AIR
SYMPTOMS MAY BE DELAYED
EXTENDED EXPOSURE TO GAS REDUCES THE ABILITY TO SMELL SULFIDES

Precautionary statements

: Do not handle until all safety precautions have been read and understood
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

1/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

Do not breathe gas
Use and store only outdoors or in a well-ventilated area
Avoid release to the environment
Wear protective gloves, protective clothing, eye protection, respiratory protection, and/or face protection
Leaking gas fire: Do not extinguish, unless leak can be stopped safely
In case of leakage, eliminate all ignition sources
Store locked up
Dispose of contents/container in accordance with container Supplier/owner instructions
Protect from sunlight when ambient temperature exceeds 52°C (125°F)
Close valve after each use and when empty
Do not open valve until connected to equipment prepared for use
When returning cylinder, install leak tight valve outlet cap or plug
Do not depend on odour to detect the presence of gas

2.3. Other hazards

Other hazards not contributing to the classification : Contact with liquid may cause cold burns/frostbite.

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	CAS No.	% (Vol.)	Common Name (synonyms)
Hydrogen sulfide (Main constituent)	(CAS No) 7783-06-4	100	Hydrogen sulfide (H ₂ S) / Hydrogen sulphide / Sulfur hydride / Sulfureted hydrogen / Dihydrogen sulphide / Hydrogensulfide

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, trained personnel should give oxygen. Call a physician.

First-aid measures after skin contact : The liquid may cause frostbite. For exposure to liquid, immediately warm frostbite area with warm water not to exceed 105°F (41°C). Water temperature should be tolerable to normal skin. Maintain skin warming for at least 15 minutes or until normal coloring and sensation have returned to the affected area. In case of massive exposure, remove clothing while showering with warm water. Seek medical evaluation and treatment as soon as possible.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open and away from the eyeballs to ensure that all surfaces are flushed thoroughly. Contact an ophthalmologist immediately.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Obtain medical assistance. Treat with corticosteroid spray as soon as possible after inhalation.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Carbon dioxide, Dry chemical, Water spray or fog. Use extinguishing media appropriate for surrounding fire.

5.2. Unsuitable extinguishing media

No additional information available

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

2/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

5.3. Specific hazards arising from the hazardous product

- Fire hazard : **EXTREMELY FLAMMABLE GAS.** If venting or leaking gas catches fire, do not extinguish flames. Flammable vapors may spread from leak, creating an explosive reignition hazard. Vapors can be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharge, or other ignition sources at locations distant from product handling point. Explosive atmospheres may linger. Before entering an area, especially a confined area, check the atmosphere with an appropriate device.
- Explosion hazard : **EXTREMELY FLAMMABLE GAS.** Forms explosive mixtures with air and oxidizing agents.
- Reactivity : No reactivity hazard other than the effects described in sub-sections below.
- Reactivity in case of fire : No reactivity hazard other than the effects described in sub-sections below.

5.4. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : **DANGER! Toxic, flammable liquefied gas**
- Evacuate all personnel from the danger area. Use self-contained breathing apparatus (SCBA) and protective clothing. Immediately cool containers with water from maximum distance. Stop flow of gas if safe to do so, while continuing cooling water spray. Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with their provincial and local fire code regulations.
- Special protective equipment for fire fighters : Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.
- Other information : Containers are equipped with a pressure relief device. (Exceptions may exist where authorized by TC.).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : **DANGER! Toxic, flammable liquefied gas .** Forms explosive mixtures with air and oxidizing agents. Immediately evacuate all personnel from danger area. Use self-contained breathing apparatus where needed. Remove all sources of ignition if safe to do so. Reduce vapors with fog or fine water spray, taking care not to spread liquid with water. Shut off flow if safe to do so. Ventilate area or move container to a well-ventilated area. Flammable vapors may spread from leak and could explode if reignited by sparks or flames. Explosive atmospheres may linger. Before entering area, especially confined areas, check atmosphere with an appropriate device.

6.2. Methods and materials for containment and cleaning up

- Methods for cleaning up : Try to stop release. Reduce vapour with fog or fine water spray. Prevent waste from contaminating the surrounding environment. Prevent soil and water pollution. Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements.

6.3. Reference to other sections

For further information refer to section 8: Exposure controls/personal protection

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Leak-check system with soapy water; never use a flame
- All piped systems and associated equipment must be grounded
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Use only explosion-proof equipment
- Wear leather safety gloves and safety shoes when handling cylinders. Protect cylinders from physical damage; do not drag, roll, slide or drop. While moving cylinder, always keep in place removable valve cover. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Never insert an object (e.g. wrench, screwdriver, pry bar) into cap openings; doing so may damage the valve and cause a leak. Use an adjustable strap wrench to remove over-tight or rusted caps. Slowly open the valve. If the valve is hard to open, discontinue use and contact your supplier. Close the container valve after each use; keep closed even when empty. Never apply flame or localized heat directly to any part of the container. High temperatures may damage the container and could cause the pressure relief device to fail prematurely, venting the container contents. For other precautions in using this product, see section 16.

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

3/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store only where temperature will not exceed 125°F (52°C). Post "No Smoking/No Open Flames" signs in storage and use areas. There must be no sources of ignition. Separate packages and protect against potential fire and/or explosion damage following appropriate codes and requirements (e.g. NFPA 30, NFPA 55, NFPA 70, and/or NFPA 221 in the U.S.) or according to requirements determined by the Authority Having Jurisdiction (AHJ). Always secure containers upright to keep them from falling or being knocked over. Install valve protection cap, if provided, firmly in place by hand when the container is not in use. Store full and empty containers separately. Use a first-in, first-out inventory system to prevent storing full containers for long periods. For other precautions in using this product, see section 16

OTHER PRECAUTIONS FOR HANDLING, STORAGE, AND USE: When handling product under pressure, use piping and equipment adequately designed to withstand the pressures to be encountered. Never work on a pressurized system. Use a back flow preventive device in the piping. Gases can cause rapid suffocation because of oxygen deficiency; store and use with adequate ventilation. If a leak occurs, close the container valve and blow down the system in a safe and environmentally correct manner in compliance with all international, federal/national, state/provincial, and local laws; then repair the leak. Never place a container where it may become part of an electrical circuit.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrogen sulfide (7783-06-4)		
USA - ACGIH	ACGIH TLV-TWA (ppm)	1 ppm
USA - ACGIH	ACGIH TLV-STEL (ppm)	5 ppm
USA - OSHA	OSHA PEL (Ceiling) (ppm)	20 ppm
Canada (Quebec)	VECD (mg/m ³)	21 mg/m ³
Canada (Quebec)	VECD (ppm)	15 ppm
Canada (Quebec)	VEMP (mg/m ³)	14 mg/m ³
Canada (Quebec)	VEMP (ppm)	10 ppm
Alberta	OEL Ceiling (mg/m ³)	21 mg/m ³
Alberta	OEL Ceiling (ppm)	15 ppm
Alberta	OEL TWA (mg/m ³)	14 mg/m ³
Alberta	OEL TWA (ppm)	10 ppm
British Columbia	OEL Ceiling (ppm)	10 ppm
Manitoba	OEL STEL (ppm)	5 ppm
Manitoba	OEL TWA (ppm)	1 ppm
New Brunswick	OEL STEL (mg/m ³)	21 mg/m ³
New Brunswick	OEL STEL (ppm)	15 ppm
New Brunswick	OEL TWA (mg/m ³)	14 mg/m ³
New Brunswick	OEL TWA (ppm)	10 ppm
Newfoundland & Labrador	OEL STEL (ppm)	5 ppm
Newfoundland & Labrador	OEL TWA (ppm)	1 ppm
Nova Scotia	OEL STEL (ppm)	5 ppm
Nova Scotia	OEL TWA (ppm)	1 ppm
Nunavut	OEL Ceiling (mg/m ³)	28 mg/m ³
Nunavut	OEL Ceiling (ppm)	20 ppm
Nunavut	OEL STEL (mg/m ³)	21 mg/m ³
Nunavut	OEL STEL (ppm)	15 ppm
Nunavut	OEL TWA (mg/m ³)	14 mg/m ³
Nunavut	OEL TWA (ppm)	10 ppm
Northwest Territories	OEL STEL (ppm)	15 ppm

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

4/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

Hydrogen sulfide (7783-06-4)		
Northwest Territories	OEL TWA (ppm)	10 ppm
Ontario	OEL STEL (ppm)	15 ppm
Ontario	OEL TWA (ppm)	10 ppm
Prince Edward Island	OEL STEL (ppm)	5 ppm
Prince Edward Island	OEL TWA (ppm)	1 ppm
Québec	VECD (mg/m ³)	21 mg/m ³
Québec	VECD (ppm)	15 ppm
Québec	VEMP (mg/m ³)	14 mg/m ³
Québec	VEMP (ppm)	10 ppm
Saskatchewan	OEL STEL (ppm)	15 ppm
Saskatchewan	OEL TWA (ppm)	10 ppm
Yukon	OEL STEL (mg/m ³)	27 mg/m ³
Yukon	OEL STEL (ppm)	15 ppm
Yukon	OEL TWA (mg/m ³)	15 mg/m ³
Yukon	OEL TWA (ppm)	10 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls

: Use corrosion-resistant equipment. Use an explosion-proof local exhaust system. Local exhaust and general ventilation must be adequate to meet exposure standards. **MECHANICAL (GENERAL): Inadequate - Use only in a closed system.** Use explosion proof equipment and lighting.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment

: Safety glasses. Face shield. Gloves.



Hand protection

: Wear work gloves when handling containers. Wear heavy rubber gloves where contact with product may occur.

Eye protection

: Wear goggles and a face shield when transfilling or breaking transfer connections. Select in accordance with the current CSA standard Z94.3, "Industrial Eye and Face Protection", and any provincial regulations, local bylaws or guidelines.

Respiratory protection

: **Respiratory protection:** Use respirable fume respirator or air supplied respirator when working in confined space or where local exhaust or ventilation does not keep exposure below TLV. Select in accordance with provincial regulations, local bylaws or guidelines. Selection should be based on the current CSA standard Z94.4, "Selection, Care, and Use of Respirators." Respirators should also be approved by NIOSH and MSHA. For emergencies or instances with unknown exposure levels, use a self-contained breathing apparatus (SCBA).

Thermal hazard protection

: Wear cold insulating gloves when transfilling or breaking transfer connections. Standard EN 511 - Cold insulating gloves.

Other information

: **Other protection :** Safety shoes for general handling at customer sites. Metatarsal shoes and cuffless trousers for cylinder handling at packaging and filling plants. Select in accordance with the current CSA standard Z195, "Protective Foot Wear", and any provincial regulations, local bylaws or guidelines. For working with flammable and oxidizing materials, consider the use of flame resistant anti-static safety clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Colorless gas. Colorless liquid at low temperature or under high pressure.
Molecular mass	: 34 g/mol
Colour	: Colourless.
Odour	: Odour can persist. Poor warning properties at low concentrations. Rotten eggs.
Odour threshold	: Odour threshold is subjective and inadequate to warn of overexposure.

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

5/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

pH	: Not applicable.
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable.
Melting point	: -86 °C
Freezing point	: -82.9 °C
Boiling point	: -60.3 °C
Flash point	: Not applicable.
Critical temperature	: 100.4 °C
Auto-ignition temperature	: 260 °C
Decomposition temperature	: No data available
Vapour pressure	: 1880 kPa
Vapour pressure at 50 °C	: No data available
Critical pressure	: 8940 kPa
Relative vapour density at 20 °C	: >=
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: 1.2
Solubility	: Water: 3980 mg/l
Log Pow	: Not applicable.
Log Kow	: Not applicable.
Viscosity, kinematic	: Not applicable.
Viscosity, dynamic	: Not applicable.
Viscosity, kinematic (calculated value) (40 °C)	: No data available
Explosive properties	: Not applicable.
Oxidizing properties	: None.
Flammability (solid, gas)	: 4.3 - 46 vol %

9.2. Other information

Gas group	: Liquefied gas
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	: No reactivity hazard other than the effects described in sub-sections below.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May react violently with oxidants. Can form explosive mixture with air.
Conditions to avoid	: Avoid moisture in installation systems. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Incompatible materials	: Ammonia. Bases. Bromine pentafluoride. Chlorine trifluoride. chromium trioxide. (and heat). Copper. (powdered). Fluorine. Lead. Lead oxide. Mercury. Nitric acid. Nitrogen trifluoride. nitrogen sulfide. Organic compounds. Oxidizing agents. Oxygen difluoride. Rubber. Sodium. (and moisture). Water.
Hazardous decomposition products	: Thermal decomposition may produce : Sulfur. Hydrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

6/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

Acute toxicity (inhalation) : Inhalation:gas: FATAL IF INHALED.

Hydrogen sulfide (\f)7783-06-4	
LC50 inhalation rat (mg/l)	0.99 mg/l (Exposure time: 1 h)
LC50 inhalation rat (ppm)	356 ppm/4h
ATE CA (gases)	356.00000000 ppmv/4h
ATE CA (vapours)	0.99000000 mg/l/4h
ATE CA (dust,mist)	0.99000000 mg/l/4h

Skin corrosion/irritation : Not classified
pH: Not applicable.

Serious eye damage/irritation : Not classified
pH: Not applicable.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : MAY CAUSE RESPIRATORY IRRITATION.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : VERY TOXIC TO AQUATIC LIFE.

Hydrogen sulfide (7783-06-4)	
LC50 fish 1	0.0448 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
LC50 fish 2	0.016 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

12.2. Persistence and degradability

Hydrogen sulfide (7783-06-4)	
Persistence and degradability	Not applicable for inorganic gases.

12.3. Bioaccumulative potential

Hydrogen sulfide (7783-06-4)	
BCF fish 1	(no bioaccumulation expected)
Log Pow	Not applicable.
Log Kow	Not applicable.
Bioaccumulative potential	No data available.

12.4. Mobility in soil

Hydrogen sulfide (7783-06-4)	
Mobility in soil	No data available.
Log Pow	Not applicable.
Log Kow	Not applicable.
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.

12.5. Other adverse effects

Other adverse effects : May cause pH changes in aqueous ecological systems.

Effect on the ozone layer : None

Effect on global warming : No known effects from this product

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

7/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Do not attempt to dispose of residual or unused quantities. Return container to supplier.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

TDG

UN-No. (TDG) : UN1053
 TDG Primary Hazard Classes : 2.3 - Class 2.3 - Toxic Gas.
 TDG Subsidiary Classes : 2.1
 Proper shipping name : HYDROGEN SULPHIDE

ERAP Index : 500
 Explosive Limit and Limited Quantity Index : 0
 Passenger Carrying Ship Index : Forbidden
 Passenger Carrying Road Vehicle or Passenger : Forbidden
 Carrying Railway Vehicle Index

14.3. Air and sea transport

IMDG

UN-No. (IMDG) : 1053
 Proper Shipping Name (IMDG) : HYDROGEN SULPHIDE
 Class (IMDG) : 2 - Gases
 MFAG-No : 117

IATA

UN-No. (IATA) : 1053
 Proper Shipping Name (IATA) : Hydrogen sulphide
 Class (IATA) : 2

SECTION 15: Regulatory information

15.1. National regulations

Hydrogen sulfide (7783-06-4)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Hydrogen sulfide (7783-06-4)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Korean ECL (Existing Chemicals List)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on the United States TSCA (Toxic Substances Control Act) inventory
 Listed on INSQ (Mexican national Inventory of Chemical Substances)

SECTION 16: Other information

Date of issue : 15/10/1979
 Revision date : 10/08/2016
 Supersedes : 15/10/2013

Indication of changes:

Training advice : Users of breathing apparatus must be trained. Ensure operators understand the toxicity hazard.
 Ensure operators understand the flammability hazard.

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

8/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Hydrogen sulfide

Safety Data Sheet E-4611

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979

Revision date: 08-10-2016

Supersedes: 10-15-2013

Other information

: When you mix two or more chemicals, you can create additional, unexpected hazards. Obtain and evaluate the safety information for each component before you produce the mixture. Consult an industrial hygienist or other trained person when you evaluate the end product. Before using any plastics, confirm their compatibility with this product

Praxair asks users of this product to study this SDS and become aware of the product hazards and safety information. To promote safe use of this product, a user should (1) notify employees, agents, and contractors of the information in this SDS and of any other known product hazards and safety information, (2) furnish this information to each purchaser of the product, and (3) ask each purchaser to notify its employees and customers of the product hazards and safety information

The opinions expressed herein are those of qualified experts within Praxair Canada Inc. We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use are not within the control of Praxair Canada Inc, it is the user's obligation to determine the conditions of safe use of the product. Praxair Canada Inc, SDSs are furnished on sale or delivery by Praxair Canada Inc, or the independent distributors and suppliers who package and sell our products. To obtain current SDSs for these products, contact your Praxair sales representative, local distributor, or supplier, or download from www.praxair.ca. If you have questions regarding Praxair SDSs, would like the document number and date of the latest SDS, or would like the names of the Praxair suppliers in your area, phone or write Praxair Canada Inc, (Phone: 1-888-257-5149; Address: Praxair Canada Inc, 1 City Centre Drive, Suite 1200, Mississauga, Ontario, L5B 1M2).

PRAXAIR and the Flowing Airstream design are trademarks or registered trademarks of Praxair Technology, Inc. in the United States and/or other countries.

NFPA health hazard


: 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given.

NFPA fire hazard

: 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in air and will burn readily.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health

: 2 Moderate Hazard - Temporary or minor injury may occur

Flammability

: 4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points below 73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Class IA)

Physical

: 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air.

SDS Canada (GHS) - Praxair

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English)

SDS ID : E-4611

9/9

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

Appendix B
SO₂ SDS



Safety Data Sheet

Material Name: SULFUR DIOXIDE

SDS ID: MAT22290

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

SULFUR DIOXIDE

Synonyms

MTG MSDS 80; SULFUROUS ACID ANHYDRIDE; SULFUROUS OXIDE; SULPHUR DIOXIDE;
SULFUROUS ANHYDRIDE; FERMENTICIDE LIQUID; SULFUR DIOXIDE(SO₂); SULFUR OXIDE;
SULFUR OXIDE(SO₂)

Chemical Family

inorganic, gas

Product Description

Classification determined in accordance with Compressed Gas Association standards.

Product Use

Industrial and Specialty Gas Applications.

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

MATHESON TRI-GAS, INC.

3 Mountainview Road

Warren, NJ 07059

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC)

Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Gases Under Pressure - Liquefied gas

Acute Toxicity - Inhalation - Gas - Category 3

Skin Corrosion/Irritation - Category 1B

Serious Eye Damage/Eye Irritation - Category 1

Simple Asphyxiant

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)

Contains gas under pressure; may explode if heated.

Toxic if inhaled.

Causes severe skin burns and eye damage.

May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

Prevention

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Safety Data Sheet

Material Name: SULFUR DIOXIDE

SDS ID: MAT22290

Wash thoroughly after handling.

Do not breathe dusts or mists.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor.

Specific treatment (see label).

Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

Contact with liquified gas may cause frostbite.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7446-09-5	Sulfur dioxide	100.0

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical attention.

Skin

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115°F; 41-46°C). If warm water is not available, gently wrap affected parts in blankets. DO NOT induce vomiting. Get immediate medical attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get immediate medical attention.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate medical attention.

Most Important Symptoms/Effects

Acute

Toxic if inhaled, frostbite, suffocation, respiratory tract burns, skin burns, eye burns

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Note to Physicians

For inhalation, consider oxygen.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Safety Data Sheet

Material Name: SULFUR DIOXIDE

SDS ID: MAT22290

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, Large fires: Use regular foam or flood with fine water spray.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Negligible fire hazard.

Hazardous Combustion Products

sulfur oxides

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Keep unnecessary people away, isolate hazard area and deny entry.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

Ventilate closed spaces before entering. Evacuation radius: 150 feet. Stop leak if possible without personal risk.

Reduce vapors with water spray. Do not get water directly on material.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Do not breathe gas, fumes, vapor, or spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Keep only in original container. Avoid release to the environment.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight.

Store and handle in accordance with all current regulations and standards. Protect from physical damage. Store outside or in a detached building. Keep separated from incompatible substances.

Incompatible Materials

bases, combustible materials, halogens, metal carbide, metal oxides, metals, oxidizing materials, peroxides, reducing agents

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Sulfur dioxide	7446-09-5
ACGIH:	0.25 ppm STEL

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------



Safety Data Sheet

Material Name: SULFUR DIOXIDE

SDS ID: MAT22290

NIOSH:	2 ppm TWA ; 5 mg/m ³ TWA
	5 ppm STEL ; 13 mg/m ³ STEL
	100 ppm IDLH
OSHA (US):	5 ppm TWA ; 13 mg/m ³ TWA
Mexico:	0.25 ppm STEL [PPT-CT]

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles with a faceshield. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate chemical resistant clothing. Wear chemical resistant clothing to prevent skin contact.

Respiratory Protection

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	colorless gas	Physical State	gas
Odor	irritating odor	Color	colorless
Odor Threshold	3 - 5 ppm	pH	(Acidic in solution)
Melting Point	-73 °C (-99 °F)	Boiling Point	-10 °C (14 °F)
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	>1 (Butyl acetate = 1)	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	(Not flammable)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	2432 mmHg @ 20 °C
Vapor Density (air=1)	2.26	Specific Gravity (water=1)	1.462 at -10 °C

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

**MATHESON**

ask...The Gas Professionals™

Safety Data Sheet**Material Name: SULFUR DIOXIDE****SDS ID: MAT22290**

Water Solubility	22.8 % (@ 0 °C)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	liquified gas	Molecular Formula	S-O ₂
Molecular Weight	64.06		

Solvent Solubility**Soluble**

alcohol, acetic acid, sulfuric acid, ether, chloroform, Benzene, sulfuryl chloride, nitrobenzenes, Toluene, acetone

Section 10 - STABILITY AND REACTIVITY**Reactivity**

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Minimize contact with material. Containers may rupture or explode if exposed to heat.

Incompatible Materials

bases, combustible materials, halogens, metal carbide, metal oxides, metals, oxidizing materials, peroxides, reducing agents

Hazardous decomposition products

oxides of sulfur

Section 11 - TOXICOLOGICAL INFORMATION**Information on Likely Routes of Exposure****Inhalation**

Toxic if inhaled. Causes damage to respiratory system, burns, difficulty breathing

Skin Contact

skin burns

Eye Contact

eye burns

Ingestion

burns, nausea, vomiting, diarrhea, stomach pain

Acute and Chronic Toxicity**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Sulfur dioxide (7446-09-5)

Inhalation LC50 Rat 965 - 1168 ppm 4 h

Product Toxicity Data**Acute Toxicity Estimate**

No data available.

Immediate Effects

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

**MATHESON**

ask...The Gas Professionals™

Safety Data Sheet**Material Name: SULFUR DIOXIDE****SDS ID: MAT22290**

Toxic if inhaled, frostbite, suffocation, respiratory tract burns, skin burns, eye burns

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

respiratory tract burns, skin burns, eye burns

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Sulfur dioxide	7446-09-5
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 54 [1992] (Group 3 (not classifiable))

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

Not applicable.

Medical Conditions Aggravated by Exposure

respiratory disorders

Section 12 - ECOLOGICAL INFORMATION**Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility

No data available.

Section 13 - DISPOSAL CONSIDERATIONS**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION**US DOT Information:****Shipping Name:** SULFUR DIOXIDE

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

**MATHESON**

ask. . . The Gas Professionals™

Safety Data Sheet**Material Name: SULFUR DIOXIDE****SDS ID: MAT22290****Hazard Class: 2.3****UN/NA #: UN1079****Required Label(s): 2.3****IMDG Information:****Shipping Name: SULPHUR DIOXIDE****Hazard Class: 2.3****UN#: UN1079****Required Label(s): 2.3****TDG Information:****Shipping Name: SULFUR DIOXIDE****Hazard Class: 2.3****UN#: UN1079****Required Label(s): 2.3****International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION**U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Sulfur dioxide	7446-09-5
SARA 302:	500 lb TPQ
OSHA (safety):	1000 lb TQ (Liquid)
SARA 304:	500 lb EPCRA RQ

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Gas Under Pressure; Acute toxicity; Skin Corrosion/Irritation; Serious Eye Damage/Eye Irritation; Simple Asphyxiant

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Sulfur dioxide	7446-09-5	Yes	Yes	Yes	Yes	Yes

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**WARNING**This product can expose you to chemicals including Sulfur dioxide , which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Centennial Resource Production, LLC.	H ₂ S Contingency Plan Sheba Federal 106H, 107H, 305H, 306H, 405H, 506H, & 507H	Lea County, New Mexico
--------------------------------------	--	------------------------

**MATHESON**

ask. . The Gas Professionals™

Safety Data Sheet**Material Name: SULFUR DIOXIDE****SDS ID: MAT22290**

Sulfur dioxide	7446-09-5
Repro/Dev. Tox	developmental toxicity, 7/29/2011

Component Analysis - Inventory**Sulfur dioxide (7446-09-5)**

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW, CN	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION**NFPA Ratings**

Health: 3 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

SDS update: 02/10/2016

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Se - Semi-quantitative; STEL - Short-term Exposure Limit;



Centennial Resources Development, Inc.

**Lea County, NM (NAD83 - UTM Zone 13)
Sheba/Solomon
Sheba Federal Com 106H**

**OH
Plan 1 08-05-22**

Anticollision Report

05 August, 2022





Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Reference	Plan 1 08-05-22		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	MD Interval 100.00usft	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum centre distance of 50,000.00usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.00 Sigma	Casing Method:	Not applied

Survey Tool Program	Date	8/5/2022		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
0.00	17,027.82	Plan 1 08-05-22 (OH)	MWD+IFR1+MS	OWSG MWD + IFR1 + Multi-Station Correction

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
Sheba Federal Com						
Sheba Federal Com 305H - OH - Plan 2 03-21-22	3,948.55	3,945.31	45.86	24.70	2.167	CC
Sheba Federal Com 305H - OH - Plan 2 03-21-22	9,001.62	9,002.44	47.59	17.99	1.608	ES, SF
Sheba Federal Com 306H - OH - Plan 1 11-10-21	2,651.74	2,653.82	36.08	23.16	2.793	CC, ES, SF
Sheba/Solomon						
Sheba Federal Com 107H - OH - Plan 1 08-05-22	2,237.71	2,237.13	28.73	16.91	2.431	CC, ES, SF
Sheba Federal Com 506H - OH / 68321 - Surveys (H&P 2	2,666.45	2,661.23	39.77	24.96	2.686	CC, ES
Sheba Federal Com 506H - OH / 68321 - Surveys (H&P 2	2,700.00	2,693.69	40.49	25.40	2.682	SF
Solomon Federal Com 105H - OH - Plan 1 08-05-22	9,200.13	9,198.20	879.86	853.07	32.839	CC
Solomon Federal Com 105H - OH - Plan 1 08-05-22	17,027.82	17,012.27	880.04	762.09	7.461	ES, SF
Solomon Federal Com 304H - OH - Plan 1 04-06-22	4,448.48	4,443.33	904.94	884.39	44.017	CC
Solomon Federal Com 304H - OH - Plan 1 04-06-22	9,100.00	9,097.72	905.02	877.67	33.088	ES
Solomon Federal Com 304H - OH - Plan 1 04-06-22	17,027.82	17,966.28	1,272.21	1,154.38	10.797	SF
Solomon Federal Com 505H - OH / 68322 - Surveys (H&	0.00	0.00	102.03			
Solomon Federal Com 505H - OH / 68322 - Surveys (H&	100.00	95.51	102.39	100.01	43.100	ES
Solomon Federal Com 505H - OH / 68322 - Surveys (H&	2,800.00	2,778.05	130.66	115.04	8.368	SF

Offset Design: Sheba Federal Com - Sheba Federal Com 305H - OH - Plan 2 03-21-22												Offset Site Error: 0.00 usft	
Survey Program: 0-MWD+IFR1+MS										Rule Assigned:		Offset Well Error: 1.00 usft	
Reference		Offset		Semi Major Axis		Offset Wellbore Centre			Distance				Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
0.00	0.00	0.80	0.00	1.00	1.00	-81.189	20.14	-129.96	131.51				
100.00	100.00	100.80	100.00	1.12	1.13	-81.189	20.14	-129.96	131.51	129.27	2.25	58.518	
200.00	200.00	200.80	200.00	1.65	1.66	-81.189	20.14	-129.96	131.51	128.21	3.31	39.768	
300.00	300.00	300.80	300.00	2.05	2.05	-81.189	20.14	-129.96	131.51	127.41	4.11	32.020	
400.00	400.00	400.80	400.00	2.39	2.39	-81.189	20.14	-129.96	131.51	126.73	4.78	27.509	
500.00	500.00	500.80	500.00	2.69	2.69	-81.189	20.14	-129.96	131.51	126.14	5.38	24.466	
600.00	600.00	600.80	600.00	2.96	2.96	-81.189	20.14	-129.96	131.51	125.60	5.91	22.234	
700.00	700.00	700.80	700.00	3.21	3.21	-81.189	20.14	-129.96	131.51	125.10	6.41	20.506	
800.00	800.00	800.80	800.00	3.44	3.44	-81.189	20.14	-129.96	131.51	124.63	6.88	19.116	
900.00	900.00	900.80	900.00	3.66	3.66	-81.189	20.14	-129.96	131.51	124.19	7.32	17.966	
1,000.00	1,000.00	1,000.80	1,000.00	3.87	3.87	-81.189	20.14	-129.96	131.51	123.77	7.74	16.994	
1,100.00	1,100.00	1,100.80	1,100.00	4.07	4.07	-81.189	20.14	-129.96	131.51	123.37	8.14	16.158	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 305H - OH - Plan 2 03-21-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Distance		Rule Assigned:		Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
1,200.00	1,200.00	1,200.80	1,200.00	4.26	4.26	-81.189	20.14	-129.96	131.51	122.99	8.52	15.429	
1,300.00	1,300.00	1,300.80	1,300.00	4.45	4.45	-81.189	20.14	-129.96	131.51	122.62	8.89	14.785	
1,400.00	1,400.00	1,400.80	1,400.00	4.63	4.63	-81.189	20.14	-129.96	131.51	122.26	9.25	14.211	
1,500.00	1,500.00	1,500.80	1,500.00	4.80	4.80	-81.189	20.14	-129.96	131.51	121.91	9.60	13.696	
1,600.00	1,600.00	1,600.80	1,600.00	4.97	4.97	-81.189	20.14	-129.96	131.51	121.57	9.94	13.229	
1,700.00	1,700.00	1,700.80	1,700.00	5.14	5.14	-81.189	20.14	-129.96	131.51	121.24	10.27	12.803	
1,800.00	1,800.00	1,800.80	1,800.00	5.30	5.30	-81.189	20.14	-129.96	131.51	120.92	10.59	12.414	
1,900.00	1,900.00	1,900.80	1,900.00	5.45	5.46	-81.189	20.14	-129.96	131.51	120.60	10.91	12.055	
2,000.00	2,000.00	2,000.80	2,000.00	5.61	5.61	-81.189	20.14	-129.96	131.51	120.29	11.22	11.723	
2,016.80	2,016.80	2,017.56	2,016.76	5.63	5.63	54.260	20.12	-129.97	131.50	120.24	11.26	11.676	
2,100.00	2,099.99	2,100.59	2,099.79	5.74	5.74	54.190	19.29	-130.17	131.08	119.60	11.48	11.419	
2,200.00	2,199.96	2,200.37	2,199.53	5.87	5.86	53.984	16.74	-130.80	129.79	118.09	11.70	11.096	
2,300.00	2,299.86	2,300.13	2,299.19	6.01	5.99	53.634	12.52	-131.85	127.63	115.71	11.92	10.708	
2,400.00	2,399.68	2,399.85	2,398.72	6.16	6.14	53.127	6.61	-133.31	124.63	112.48	12.15	10.258	
2,500.00	2,499.37	2,499.52	2,498.08	6.34	6.32	52.439	-0.98	-135.19	120.78	108.39	12.39	9.750	
2,600.00	2,598.90	2,599.12	2,597.23	6.55	6.51	51.536	-10.23	-137.48	116.11	103.47	12.64	9.187	
2,700.00	2,698.26	2,698.65	2,696.12	6.77	6.73	50.372	-21.15	-140.18	110.63	97.73	12.91	8.571	
2,800.00	2,797.40	2,798.09	2,794.71	7.01	6.97	48.877	-33.72	-143.30	104.39	91.19	13.20	7.909	
2,900.00	2,896.30	2,897.43	2,892.97	7.28	7.24	46.952	-47.94	-146.81	97.41	83.89	13.52	7.204	
3,000.00	2,994.93	2,996.66	2,990.85	7.57	7.52	44.448	-63.79	-150.74	89.78	75.89	13.89	6.463	
3,100.00	3,093.41	3,096.23	3,088.90	7.87	7.82	41.204	-80.57	-154.89	82.00	67.68	14.33	5.724	
3,200.00	3,191.89	3,195.81	3,186.96	8.19	8.13	37.295	-97.36	-159.05	74.54	59.71	14.84	5.024	
3,300.00	3,290.38	3,295.39	3,285.03	8.52	8.46	32.549	-114.14	-163.20	67.50	52.05	15.45	4.368	
3,400.00	3,388.86	3,394.97	3,383.10	8.86	8.80	26.752	-130.93	-167.35	61.03	44.83	16.20	3.767	
3,500.00	3,487.35	3,494.69	3,481.31	9.18	9.11	19.675	-147.69	-171.50	55.36	38.34	17.02	3.252	
3,600.00	3,586.06	3,594.97	3,580.28	9.53	9.46	11.734	-163.37	-175.39	51.08	33.05	18.04	2.832	
3,700.00	3,685.03	3,695.37	3,679.64	9.89	9.82	3.598	-177.38	-178.85	48.22	29.16	19.06	2.530	
3,800.00	3,784.24	3,795.86	3,779.32	10.24	10.17	-4.245	-189.71	-181.91	46.59	26.59	20.01	2.329	
3,900.00	3,883.66	3,896.45	3,879.31	10.59	10.52	-11.346	-200.35	-184.54	45.93	25.11	20.82	2.206	
3,948.55	3,931.98	3,945.31	3,927.94	10.76	10.69	-14.427	-204.90	-185.67	45.86	24.70	21.17	2.167 CC	
4,000.00	3,983.24	3,997.10	3,979.54	10.93	10.86	-17.396	-209.29	-186.75	45.92	24.42	21.50	2.136	
4,100.00	4,082.97	4,097.82	4,079.98	11.26	11.19	-22.251	-216.52	-188.54	46.29	24.22	22.07	2.097	
4,200.00	4,182.81	4,198.59	4,180.59	11.58	11.51	-25.886	-222.04	-189.91	46.79	24.23	22.56	2.074	
4,300.00	4,282.74	4,299.40	4,281.32	11.87	11.81	-28.339	-225.84	-190.85	47.24	24.23	23.01	2.053	
4,400.00	4,382.71	4,400.22	4,382.12	12.13	12.07	-29.661	-227.93	-191.36	47.52	24.11	23.41	2.030	
4,500.00	4,482.71	4,500.82	4,482.71	12.23	12.16	-165.385	-228.36	-191.47	47.58	24.03	23.56	2.020	
4,600.00	4,582.71	4,600.82	4,582.71	12.29	12.22	-165.385	-228.36	-191.47	47.58	23.90	23.68	2.009	
4,700.00	4,682.71	4,700.82	4,682.71	12.35	12.28	-165.385	-228.36	-191.47	47.58	23.77	23.81	1.998	
4,800.00	4,782.71	4,800.82	4,782.71	12.41	12.34	-165.385	-228.36	-191.47	47.58	23.65	23.94	1.988	
4,900.00	4,882.71	4,900.82	4,882.71	12.47	12.40	-165.385	-228.36	-191.47	47.58	23.52	24.06	1.977	
5,000.00	4,982.71	5,000.82	4,982.71	12.54	12.46	-165.385	-228.36	-191.47	47.58	23.39	24.19	1.967	
5,100.00	5,082.71	5,100.82	5,082.71	12.60	12.52	-165.385	-228.36	-191.47	47.58	23.26	24.32	1.957	
5,200.00	5,182.71	5,200.82	5,182.71	12.66	12.58	-165.385	-228.36	-191.47	47.58	23.14	24.45	1.946	
5,300.00	5,282.71	5,300.82	5,282.71	12.73	12.64	-165.385	-228.36	-191.47	47.58	23.01	24.58	1.936	
5,400.00	5,382.71	5,400.82	5,382.71	12.79	12.70	-165.385	-228.36	-191.47	47.58	22.88	24.71	1.926	
5,500.00	5,482.71	5,500.82	5,482.71	12.85	12.76	-165.385	-228.36	-191.47	47.58	22.75	24.84	1.916	
5,600.00	5,582.71	5,600.82	5,582.71	12.92	12.82	-165.385	-228.36	-191.47	47.58	22.62	24.97	1.906	
5,700.00	5,682.71	5,700.82	5,682.71	12.98	12.88	-165.385	-228.36	-191.47	47.58	22.49	25.10	1.896	
5,800.00	5,782.71	5,800.82	5,782.71	13.05	12.95	-165.385	-228.36	-191.47	47.58	22.36	25.23	1.886	
5,900.00	5,882.71	5,900.82	5,882.71	13.11	13.01	-165.385	-228.36	-191.47	47.58	22.22	25.36	1.876	
6,000.00	5,982.71	6,000.82	5,982.71	13.18	13.07	-165.385	-228.36	-191.47	47.58	22.09	25.49	1.867	
6,100.00	6,082.71	6,100.82	6,082.71	13.24	13.13	-165.385	-228.36	-191.47	47.58	21.96	25.63	1.857	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 305H - OH - Plan 2 03-21-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Rule Assigned:													
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference	Offset	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
6,200.00	6,182.71	6,200.82	6,182.71	13.31	13.19	-165.385	-228.36	-191.47	47.58	21.83	25.76	1.847	
6,300.00	6,282.71	6,300.82	6,282.71	13.37	13.26	-165.385	-228.36	-191.47	47.58	21.69	25.89	1.838	
6,400.00	6,382.71	6,400.82	6,382.71	13.44	13.32	-165.385	-228.36	-191.47	47.58	21.56	26.02	1.829	
6,500.00	6,482.71	6,500.82	6,482.71	13.50	13.38	-165.385	-228.36	-191.47	47.58	21.43	26.16	1.819	
6,600.00	6,582.71	6,600.82	6,582.71	13.57	13.45	-165.385	-228.36	-191.47	47.58	21.29	26.29	1.810	
6,700.00	6,682.71	6,700.82	6,682.71	13.63	13.51	-165.385	-228.36	-191.47	47.58	21.16	26.42	1.801	
6,800.00	6,782.71	6,800.82	6,782.71	13.70	13.57	-165.385	-228.36	-191.47	47.58	21.03	26.56	1.792	
6,900.00	6,882.71	6,900.82	6,882.71	13.77	13.64	-165.385	-228.36	-191.47	47.58	20.89	26.69	1.783	
7,000.00	6,982.71	7,000.82	6,982.71	13.83	13.70	-165.385	-228.36	-191.47	47.58	20.76	26.83	1.774	
7,100.00	7,082.71	7,100.82	7,082.71	13.90	13.77	-165.385	-228.36	-191.47	47.58	20.62	26.96	1.765	
7,200.00	7,182.71	7,200.82	7,182.71	13.97	13.83	-165.385	-228.36	-191.47	47.58	20.48	27.10	1.756	
7,300.00	7,282.71	7,300.82	7,282.71	14.03	13.90	-165.385	-228.36	-191.47	47.58	20.35	27.24	1.747	
7,400.00	7,382.71	7,400.82	7,382.71	14.10	13.96	-165.385	-228.36	-191.47	47.58	20.21	27.37	1.738	
7,500.00	7,482.71	7,500.82	7,482.71	14.17	14.03	-165.385	-228.36	-191.47	47.58	20.08	27.51	1.730	
7,600.00	7,582.71	7,600.82	7,582.71	14.23	14.09	-165.385	-228.36	-191.47	47.58	19.94	27.65	1.721	
7,700.00	7,682.71	7,700.82	7,682.71	14.30	14.16	-165.385	-228.36	-191.47	47.58	19.80	27.78	1.713	
7,800.00	7,782.71	7,800.82	7,782.71	14.37	14.22	-165.385	-228.36	-191.47	47.58	19.66	27.92	1.704	
7,900.00	7,882.71	7,900.82	7,882.71	14.44	14.29	-165.385	-228.36	-191.47	47.58	19.53	28.06	1.696	
8,000.00	7,982.71	8,000.82	7,982.71	14.51	14.35	-165.385	-228.36	-191.47	47.58	19.39	28.20	1.688	
8,100.00	8,082.71	8,100.82	8,082.71	14.57	14.42	-165.385	-228.36	-191.47	47.58	19.25	28.33	1.679	
8,200.00	8,182.71	8,200.82	8,182.71	14.64	14.49	-165.385	-228.36	-191.47	47.58	19.11	28.47	1.671	
8,300.00	8,282.71	8,300.82	8,282.71	14.71	14.55	-165.385	-228.36	-191.47	47.58	18.97	28.61	1.663	
8,400.00	8,382.71	8,400.82	8,382.71	14.78	14.62	-165.385	-228.36	-191.47	47.58	18.83	28.75	1.655	
8,500.00	8,482.71	8,500.82	8,482.71	14.85	14.69	-165.385	-228.36	-191.47	47.58	18.70	28.89	1.647	
8,600.00	8,582.71	8,600.82	8,582.71	14.92	14.75	-165.385	-228.36	-191.47	47.58	18.56	29.03	1.639	
8,700.00	8,682.71	8,700.82	8,682.71	14.99	14.82	-165.385	-228.36	-191.47	47.58	18.42	29.17	1.631	
8,800.00	8,782.71	8,800.82	8,782.71	15.05	14.89	-165.385	-228.36	-191.47	47.58	18.28	29.31	1.624	
8,900.00	8,882.71	8,900.82	8,882.71	15.12	14.95	-165.385	-228.36	-191.47	47.58	18.14	29.45	1.616	
9,000.00	8,982.71	9,000.82	8,982.71	15.19	15.02	-165.385	-228.36	-191.47	47.58	18.00	29.59	1.608	
9,001.62	8,984.34	9,002.44	8,984.34	15.19	15.02	-165.390	-228.36	-191.47	47.59	17.99	29.59	1.608 ES, SF	
9,100.00	9,082.70	9,100.81	9,082.70	15.23	15.09	-165.530	-228.36	-191.47	48.08	18.39	29.69	1.620	
9,200.00	9,181.38	9,199.49	9,181.38	15.09	15.15	-168.611	-228.36	-191.47	62.75	33.29	29.46	2.130	
9,300.00	9,274.78	9,292.89	9,274.78	14.93	15.22	-172.102	-228.36	-191.47	97.55	68.39	29.17	3.345	
9,400.00	9,358.81	9,376.92	9,358.81	14.77	15.28	-174.175	-228.36	-191.47	151.16	122.21	28.95	5.221	
9,500.00	9,429.81	9,447.92	9,429.81	14.65	15.32	-175.100	-228.36	-191.47	221.17	192.35	28.82	7.674	
9,600.00	9,484.67	9,502.78	9,484.67	14.56	15.36	-175.090	-228.36	-191.47	304.47	275.72	28.75	10.591	
9,700.00	9,520.99	9,539.10	9,520.99	14.53	15.39	-173.483	-228.36	-191.47	397.39	368.68	28.71	13.840	
9,800.00	9,537.19	9,555.29	9,537.19	14.57	15.40	-157.424	-228.36	-191.47	495.85	467.15	28.70	17.276	
9,900.00	9,538.00	9,556.11	9,538.00	14.66	15.40	-90.000	-228.36	-191.47	595.81	567.11	28.70	20.758	
10,000.00	9,538.00	9,556.11	9,538.00	14.80	15.40	-90.000	-228.36	-191.47	695.79	667.08	28.71	24.235	
10,100.00	9,538.00	9,556.11	9,538.00	14.96	15.40	-90.000	-228.36	-191.47	795.78	767.06	28.72	27.707	
10,200.00	9,538.00	11,068.87	10,360.00	15.16	14.86	-179.164	667.33	-191.39	822.09	781.63	40.46	20.317	
10,300.00	9,538.00	11,168.87	10,360.00	15.40	14.95	-179.164	767.33	-191.38	822.09	781.01	41.08	20.010	
10,400.00	9,538.00	11,268.87	10,360.00	15.67	15.08	-179.164	867.33	-191.37	822.09	780.34	41.75	19.689	
10,500.00	9,538.00	11,368.87	10,360.00	15.98	15.29	-179.164	967.33	-191.37	822.09	779.62	42.47	19.356	
10,600.00	9,538.00	11,468.87	10,360.00	16.32	15.57	-179.164	1,067.33	-191.36	822.09	778.86	43.24	19.014	
10,700.00	9,538.00	11,568.87	10,360.00	16.69	15.93	-179.164	1,167.33	-191.35	822.09	778.05	44.04	18.666	
10,800.00	9,538.00	11,668.87	10,360.00	17.09	16.33	-179.164	1,267.33	-191.34	822.09	777.20	44.89	18.314	
10,900.00	9,538.00	11,768.87	10,360.00	17.52	16.78	-179.164	1,367.33	-191.33	822.09	776.32	45.77	17.960	
11,000.00	9,538.00	11,868.87	10,360.00	17.97	17.25	-179.164	1,467.33	-191.32	822.09	775.40	46.69	17.606	
11,100.00	9,538.00	11,968.87	10,360.00	18.45	17.75	-179.164	1,567.33	-191.31	822.09	774.44	47.65	17.253	
11,200.00	9,538.00	12,068.87	10,360.00	18.95	18.28	-179.164	1,667.33	-191.30	822.09	773.46	48.64	16.903	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 305H - OH - Plan 2 03-21-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Distance		Minimum	Separation	Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Separation (usft)	Factor	
11,300.00	9,538.00	12,168.87	10,360.00	19.46	18.82	-179.164	1,767.33	-191.29	822.09	772.44	49.65	16.557	
11,400.00	9,538.00	12,268.87	10,360.00	19.99	19.37	-179.164	1,867.33	-191.28	822.09	771.39	50.70	16.216	
11,500.00	9,538.00	12,368.87	10,360.00	20.54	19.95	-179.164	1,967.33	-191.28	822.09	770.32	51.77	15.880	
11,600.00	9,538.00	12,468.87	10,360.00	21.10	20.53	-179.164	2,067.33	-191.27	822.09	769.23	52.86	15.551	
11,700.00	9,538.00	12,568.87	10,360.00	21.68	21.13	-179.164	2,167.33	-191.26	822.09	768.11	53.98	15.228	
11,800.00	9,538.00	12,668.87	10,360.00	22.26	21.74	-179.164	2,267.33	-191.25	822.09	766.97	55.13	14.913	
11,900.00	9,538.00	12,768.87	10,360.00	22.86	22.36	-179.164	2,367.33	-191.24	822.09	765.80	56.29	14.605	
12,000.00	9,538.00	12,868.87	10,360.00	23.47	22.98	-179.164	2,467.33	-191.23	822.09	764.62	57.47	14.305	
12,100.00	9,538.00	12,968.87	10,360.00	24.09	23.62	-179.164	2,567.33	-191.22	822.09	763.42	58.67	14.013	
12,200.00	9,538.00	13,068.87	10,360.00	24.71	24.26	-179.164	2,667.33	-191.21	822.09	762.21	59.88	13.728	
12,300.00	9,538.00	13,168.87	10,360.00	25.34	24.91	-179.164	2,767.33	-191.20	822.09	760.97	61.12	13.451	
12,400.00	9,538.00	13,268.87	10,360.00	25.99	25.57	-179.164	2,867.33	-191.20	822.09	759.73	62.37	13.182	
12,500.00	9,538.00	13,368.87	10,360.00	26.63	26.23	-179.164	2,967.33	-191.19	822.09	758.46	63.63	12.920	
12,600.00	9,538.00	13,468.87	10,360.00	27.29	26.90	-179.164	3,067.33	-191.18	822.09	757.19	64.90	12.666	
12,700.00	9,538.00	13,568.87	10,360.00	27.95	27.57	-179.164	3,167.33	-191.17	822.09	755.90	66.19	12.420	
12,800.00	9,538.00	13,668.87	10,360.00	28.61	28.25	-179.164	3,267.33	-191.16	822.09	754.60	67.49	12.181	
12,900.00	9,538.00	13,768.87	10,360.00	29.28	28.93	-179.164	3,367.33	-191.15	822.09	753.29	68.80	11.949	
13,000.00	9,538.00	13,868.87	10,360.00	29.95	29.62	-179.164	3,467.33	-191.14	822.09	751.97	70.12	11.723	
13,100.00	9,538.00	13,968.87	10,360.00	30.63	30.31	-179.164	3,567.33	-191.13	822.09	750.63	71.46	11.505	
13,200.00	9,538.00	14,068.87	10,360.00	31.31	31.00	-179.164	3,667.33	-191.12	822.09	749.29	72.80	11.293	
13,300.00	9,538.00	14,168.87	10,360.00	32.00	31.70	-179.164	3,767.33	-191.12	822.09	747.94	74.15	11.087	
13,400.00	9,538.00	14,268.87	10,360.00	32.69	32.40	-179.164	3,867.33	-191.11	822.09	746.58	75.51	10.888	
13,500.00	9,538.00	14,368.87	10,360.00	33.38	33.10	-179.164	3,967.33	-191.10	822.09	745.22	76.87	10.694	
13,600.00	9,538.00	14,468.87	10,360.00	34.08	33.81	-179.164	4,067.33	-191.09	822.09	743.84	78.25	10.506	
13,700.00	9,538.00	14,568.87	10,360.00	34.78	34.51	-179.164	4,167.33	-191.08	822.09	742.46	79.63	10.324	
13,800.00	9,538.00	14,668.87	10,360.00	35.48	35.22	-179.164	4,267.33	-191.07	822.09	741.07	81.02	10.147	
13,900.00	9,538.00	14,768.87	10,360.00	36.18	35.94	-179.164	4,367.33	-191.06	822.09	739.68	82.41	9.975	
14,000.00	9,538.00	14,868.87	10,360.00	36.89	36.65	-179.164	4,467.33	-191.05	822.09	738.28	83.81	9.809	
14,100.00	9,538.00	14,968.87	10,360.00	37.60	37.37	-179.164	4,567.33	-191.04	822.09	736.87	85.22	9.647	
14,200.00	9,538.00	15,068.87	10,360.00	38.31	38.09	-179.164	4,667.33	-191.03	822.09	735.46	86.63	9.489	
14,300.00	9,538.00	15,168.87	10,360.00	39.02	38.81	-179.164	4,767.33	-191.03	822.09	734.04	88.05	9.337	
14,400.00	9,538.00	15,268.87	10,360.00	39.74	39.53	-179.164	4,867.33	-191.02	822.09	732.62	89.47	9.188	
14,500.00	9,538.00	15,368.87	10,360.00	40.46	40.25	-179.164	4,967.33	-191.01	822.09	731.19	90.90	9.044	
14,600.00	9,538.00	15,468.87	10,360.00	41.18	40.98	-179.164	5,067.33	-191.00	822.09	729.76	92.33	8.904	
14,700.00	9,538.00	15,568.87	10,360.00	41.90	41.70	-179.164	5,167.33	-190.99	822.09	728.32	93.77	8.767	
14,800.00	9,538.00	15,668.87	10,360.00	42.62	42.43	-179.164	5,267.33	-190.98	822.09	726.88	95.21	8.635	
14,900.00	9,538.00	15,768.87	10,360.00	43.34	43.16	-179.164	5,367.33	-190.97	822.09	725.43	96.65	8.505	
15,000.00	9,538.00	15,868.87	10,360.00	44.06	43.89	-179.164	5,467.33	-190.96	822.09	723.99	98.10	8.380	
15,100.00	9,538.00	15,968.87	10,360.00	44.79	44.62	-179.164	5,567.33	-190.95	822.09	722.53	99.56	8.258	
15,200.00	9,538.00	16,068.87	10,360.00	45.52	45.35	-179.164	5,667.33	-190.95	822.09	721.08	101.01	8.139	
15,300.00	9,538.00	16,168.87	10,360.00	46.25	46.08	-179.164	5,767.33	-190.94	822.09	719.62	102.47	8.023	
15,400.00	9,538.00	16,268.87	10,360.00	46.98	46.82	-179.164	5,867.33	-190.93	822.09	718.16	103.93	7.910	
15,500.00	9,538.00	16,368.87	10,360.00	47.71	47.55	-179.164	5,967.33	-190.92	822.09	716.69	105.40	7.800	
15,600.00	9,538.00	16,468.87	10,360.00	48.44	48.29	-179.164	6,067.33	-190.91	822.09	715.22	106.87	7.693	
15,700.00	9,538.00	16,568.87	10,360.00	49.17	49.03	-179.164	6,167.33	-190.90	822.09	713.75	108.34	7.588	
15,800.00	9,538.00	16,668.87	10,360.00	49.90	49.76	-179.164	6,267.33	-190.89	822.09	712.28	109.81	7.486	
15,900.00	9,538.00	16,768.87	10,360.00	50.64	50.50	-179.164	6,367.33	-190.88	822.09	710.80	111.29	7.387	
16,000.00	9,538.00	16,868.87	10,360.00	51.37	51.24	-179.164	6,467.33	-190.87	822.09	709.32	112.77	7.290	
16,100.00	9,538.00	16,968.87	10,360.00	52.11	51.98	-179.164	6,567.33	-190.87	822.09	707.84	114.25	7.196	
16,200.00	9,538.00	17,068.87	10,360.00	52.85	52.72	-179.164	6,667.33	-190.86	822.09	706.36	115.73	7.103	
16,300.00	9,538.00	17,168.87	10,360.00	53.58	53.46	-179.164	6,767.33	-190.85	822.09	704.87	117.22	7.013	
16,400.00	9,538.00	17,268.87	10,360.00	54.32	54.21	-179.164	6,867.33	-190.84	822.09	703.38	118.71	6.925	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 305H - OH - Plan 2 03-21-22													Offset Site Error:	0.00 usft
Survey Program:		0-MWD+IFR1+MS							Rule Assigned:			Offset Well Error:	1.00 usft	
Reference		Offset		Semi Major Axis		Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)		+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)				
16,500.00	9,538.00	17,368.87	10,360.00	55.06	54.95	-179.164	6,967.33	-190.83	822.09	701.89	120.20	6.840		
16,600.00	9,538.00	17,468.87	10,360.00	55.80	55.69	-179.164	7,067.33	-190.82	822.09	700.40	121.69	6.756		
16,700.00	9,538.00	17,568.87	10,360.00	56.54	56.44	-179.164	7,167.33	-190.81	822.09	698.90	123.18	6.674		
16,800.00	9,538.00	17,668.87	10,360.00	57.28	57.18	-179.164	7,267.33	-190.80	822.09	697.41	124.68	6.594		
16,900.00	9,538.00	17,768.87	10,360.00	58.03	57.92	-179.164	7,367.33	-190.79	822.09	695.91	126.18	6.515		
17,000.00	9,538.00	17,868.87	10,360.00	58.77	58.67	-179.164	7,467.33	-190.79	822.09	694.41	127.68	6.439		
17,027.82	9,538.00	17,896.69	10,360.00	58.97	58.88	-179.164	7,495.15	-190.78	822.09	693.99	128.09	6.418		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 306H - OH - Plan 1 11-10-21												Offset Site Error:	0.00 usft
Survey Program: 0-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference		Offset		Semi Major Axis		Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)		+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
0.00	0.00	0.00	0.10	1.00	1.00	-73.994	20.07	-69.97	72.79				
100.00	100.00	99.90	100.00	1.12	1.12	-73.994	20.07	-69.97	72.79	70.55	2.24	32.434	
200.00	200.00	199.90	200.00	1.65	1.65	-73.994	20.07	-69.97	72.79	69.49	3.30	22.035	
300.00	300.00	299.90	300.00	2.05	2.05	-73.994	20.07	-69.97	72.79	68.69	4.10	17.735	
400.00	400.00	399.90	400.00	2.39	2.39	-73.994	20.07	-69.97	72.79	68.01	4.78	15.234	
500.00	500.00	499.90	500.00	2.69	2.69	-73.994	20.07	-69.97	72.79	67.42	5.37	13.548	
600.00	600.00	599.90	600.00	2.96	2.96	-73.994	20.07	-69.97	72.79	66.88	5.91	12.311	
700.00	700.00	699.90	700.00	3.21	3.21	-73.994	20.07	-69.97	72.79	66.38	6.41	11.353	
800.00	800.00	799.90	800.00	3.44	3.44	-73.994	20.07	-69.97	72.79	65.91	6.88	10.584	
900.00	900.00	899.90	900.00	3.66	3.66	-73.994	20.07	-69.97	72.79	65.47	7.32	9.947	
1,000.00	1,000.00	999.90	1,000.00	3.87	3.87	-73.994	20.07	-69.97	72.79	65.05	7.74	9.408	
1,100.00	1,100.00	1,099.90	1,100.00	4.07	4.07	-73.994	20.07	-69.97	72.79	64.65	8.14	8.945	
1,200.00	1,200.00	1,199.90	1,200.00	4.26	4.26	-73.994	20.07	-69.97	72.79	64.27	8.52	8.541	
1,300.00	1,300.00	1,299.90	1,300.00	4.45	4.45	-73.994	20.07	-69.97	72.79	63.90	8.89	8.185	
1,400.00	1,400.00	1,399.90	1,400.00	4.63	4.63	-73.994	20.07	-69.97	72.79	63.54	9.25	7.867	
1,500.00	1,500.00	1,499.90	1,500.00	4.80	4.80	-73.994	20.07	-69.97	72.79	63.19	9.60	7.582	
1,600.00	1,600.00	1,599.90	1,600.00	4.97	4.97	-73.994	20.07	-69.97	72.79	62.85	9.94	7.323	
1,700.00	1,700.00	1,699.90	1,700.00	5.14	5.14	-73.994	20.07	-69.97	72.79	62.52	10.27	7.087	
1,800.00	1,800.00	1,799.90	1,800.00	5.30	5.30	-73.994	20.07	-69.97	72.79	62.20	10.59	6.872	
1,900.00	1,900.00	1,899.90	1,900.00	5.45	5.45	-73.994	20.07	-69.97	72.79	61.88	10.91	6.673	
2,000.00	2,000.00	1,999.90	2,000.00	5.61	5.61	-73.994	20.07	-69.97	72.79	61.57	11.22	6.489	
2,100.00	2,099.99	2,101.16	2,101.26	5.74	5.75	62.068	19.80	-69.12	71.50	60.01	11.49	6.224	
2,200.00	2,199.96	2,202.29	2,202.35	5.87	5.88	64.033	18.97	-66.57	67.66	55.93	11.73	5.768	
2,300.00	2,299.86	2,303.15	2,303.10	6.01	6.03	67.833	17.60	-62.34	61.47	49.48	11.99	5.128	
2,400.00	2,399.68	2,403.60	2,403.36	6.16	6.20	74.551	15.70	-56.45	53.37	41.11	12.25	4.355	
2,500.00	2,499.37	2,503.51	2,502.97	6.34	6.39	86.449	13.27	-48.93	44.43	31.91	12.52	3.549	
2,600.00	2,598.90	2,602.77	2,601.76	6.55	6.60	107.223	10.32	-39.83	37.34	24.57	12.77	2.924	
2,651.74	2,650.34	2,653.82	2,652.50	6.66	6.71	121.910	8.61	-34.51	36.08	23.16	12.92	2.793 CC, ES, SF	
2,700.00	2,698.26	2,701.23	2,699.58	6.77	6.82	136.590	6.88	-29.19	37.35	24.25	13.10	2.852	
2,800.00	2,797.40	2,798.79	2,796.30	7.01	7.07	162.539	2.97	-17.07	48.07	34.50	13.57	3.542	
2,900.00	2,896.30	2,895.32	2,891.79	7.28	7.33	178.656	-1.41	-3.54	67.22	53.14	14.08	4.774	
3,000.00	2,994.93	2,990.73	2,985.90	7.57	7.61	-171.921	-6.22	11.33	91.86	77.27	14.59	6.298	
3,100.00	3,093.41	3,086.28	3,080.00	7.87	7.90	-166.234	-11.32	27.11	119.29	104.19	15.10	7.898	
3,200.00	3,191.89	3,181.91	3,174.18	8.19	8.21	-162.672	-16.43	42.91	147.42	131.78	15.64	9.428	
3,300.00	3,290.38	3,277.55	3,268.36	8.52	8.52	-160.251	-21.54	58.71	175.90	159.72	16.19	10.868	
3,400.00	3,388.86	3,373.18	3,362.54	8.86	8.85	-158.505	-26.65	74.51	204.60	187.85	16.75	12.215	
3,500.00	3,487.35	3,468.83	3,456.74	9.18	9.19	-157.214	-31.76	90.32	233.36	216.06	17.29	13.494	
3,600.00	3,586.06	3,564.80	3,551.25	9.53	9.53	-156.175	-36.89	106.17	261.06	243.18	17.89	14.597	
3,700.00	3,685.03	3,661.16	3,646.14	9.89	9.89	-155.205	-42.04	122.09	287.32	268.84	18.49	15.543	
3,800.00	3,784.24	3,757.88	3,741.40	10.24	10.25	-154.270	-47.21	138.07	312.14	293.05	19.09	16.349	
3,900.00	3,883.66	3,854.94	3,836.99	10.59	10.62	-153.349	-52.39	154.11	335.53	315.83	19.70	17.029	
4,000.00	3,983.24	3,952.31	3,932.87	10.93	11.00	-152.427	-57.59	170.20	357.51	337.19	20.31	17.598	
4,100.00	4,082.97	4,049.95	4,029.03	11.26	11.38	-151.491	-62.81	186.33	378.08	357.15	20.92	18.069	
4,200.00	4,182.81	4,147.84	4,125.43	11.58	11.76	-150.533	-68.04	202.50	397.27	375.74	21.53	18.454	
4,300.00	4,282.74	4,245.95	4,222.05	11.87	12.16	-149.545	-73.28	218.71	415.10	392.98	22.12	18.767	
4,400.00	4,382.71	4,344.24	4,318.85	12.13	12.55	-148.520	-78.54	234.95	431.59	408.91	22.69	19.023	
4,500.00	4,482.71	4,442.69	4,415.80	12.23	12.96	77.115	-83.80	251.22	446.85	423.72	23.13	19.323	
4,600.00	4,582.71	4,541.17	4,512.78	12.29	13.36	78.214	-89.06	267.49	461.91	438.35	23.55	19.610	
4,700.00	4,682.71	4,639.65	4,609.77	12.35	13.77	79.244	-94.32	283.76	477.12	453.13	23.99	19.887	
4,800.00	4,782.71	4,738.13	4,706.75	12.41	14.18	80.211	-99.58	300.03	492.48	468.04	24.44	20.154	
4,900.00	4,882.71	4,836.61	4,803.74	12.47	14.59	81.119	-104.84	316.31	507.96	483.08	24.89	20.411	
5,000.00	4,982.71	4,935.09	4,900.72	12.54	15.00	81.973	-110.11	332.58	523.57	498.22	25.34	20.659	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 306H - OH - Plan 1 11-10-21												Offset Site Error:	0.00 usft
Survey Program: 0-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Rule Assigned:													
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference	Offset	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
5,100.00	5,082.71	5,033.57	4,997.71	12.60	15.42	82.778	-115.37	348.85	539.28	513.47	25.81	20.898	
5,200.00	5,182.71	5,132.05	5,094.69	12.66	15.84	83.538	-120.63	365.12	555.09	528.82	26.27	21.128	
5,300.00	5,282.71	5,230.53	5,191.68	12.73	16.26	84.255	-125.89	381.39	570.99	544.25	26.74	21.350	
5,400.00	5,382.71	5,329.01	5,288.66	12.79	16.68	84.934	-131.15	397.66	586.97	559.75	27.22	21.563	
5,500.00	5,482.71	5,427.49	5,385.65	12.85	17.10	85.577	-136.42	413.93	603.03	575.33	27.70	21.769	
5,600.00	5,582.71	5,525.98	5,482.63	12.92	17.53	86.187	-141.68	430.20	619.16	590.98	28.18	21.968	
5,700.00	5,682.71	5,624.46	5,579.62	12.98	17.95	86.765	-146.94	446.48	635.36	606.69	28.67	22.160	
5,800.00	5,782.71	5,722.94	5,676.60	13.05	18.38	87.315	-152.20	462.75	651.62	622.45	29.16	22.345	
5,900.00	5,882.71	5,821.42	5,773.59	13.11	18.81	87.839	-157.46	479.02	667.93	638.27	29.66	22.523	
6,000.00	5,982.71	5,919.90	5,870.57	13.18	19.23	88.337	-162.73	495.29	684.29	654.14	30.15	22.696	
6,100.00	6,082.71	6,018.38	5,967.55	13.24	19.66	88.812	-167.99	511.56	700.70	670.05	30.65	22.862	
6,200.00	6,182.71	6,116.86	6,064.54	13.31	20.10	89.266	-173.25	527.83	717.16	686.01	31.15	23.023	
6,300.00	6,282.71	6,215.34	6,161.52	13.37	20.53	89.699	-178.51	544.10	733.66	702.01	31.65	23.179	
6,400.00	6,382.71	6,313.82	6,258.51	13.44	20.96	90.113	-183.77	560.38	750.19	718.04	32.16	23.329	
6,500.00	6,482.71	6,412.30	6,355.49	13.50	21.39	90.509	-189.03	576.65	766.77	734.11	32.66	23.474	
6,600.00	6,582.71	6,510.78	6,452.48	13.57	21.83	90.889	-194.30	592.92	783.38	750.20	33.17	23.615	
6,700.00	6,682.71	6,609.26	6,549.46	13.63	22.26	91.253	-199.56	609.19	800.02	766.34	33.68	23.753	
6,800.00	6,782.71	6,715.32	6,653.95	13.70	22.71	91.623	-205.14	626.46	816.47	782.25	34.22	23.862	
6,900.00	6,882.71	6,829.98	6,767.24	13.77	23.20	91.968	-210.59	643.29	831.30	796.50	34.80	23.890	
7,000.00	6,982.71	6,945.31	6,881.52	13.83	23.69	92.259	-215.36	658.04	844.24	808.88	35.36	23.878	
7,100.00	7,082.71	7,061.23	6,996.67	13.90	24.16	92.500	-219.43	670.65	855.26	819.37	35.89	23.829	
7,200.00	7,182.71	7,177.64	7,112.57	13.97	24.61	92.694	-222.81	681.09	864.35	827.95	36.40	23.746	
7,300.00	7,282.71	7,294.45	7,229.05	14.03	25.04	92.844	-225.47	689.30	871.49	834.62	36.88	23.633	
7,400.00	7,382.71	7,411.56	7,346.00	14.10	25.44	92.950	-227.40	695.27	876.66	839.35	37.31	23.495	
7,500.00	7,482.71	7,528.89	7,463.26	14.17	25.79	93.016	-228.59	698.97	879.86	842.17	37.70	23.341	
7,600.00	7,582.71	7,646.32	7,580.68	14.23	26.04	93.040	-229.05	700.38	881.09	843.12	37.97	23.208	
7,700.00	7,682.71	7,748.35	7,682.71	14.30	26.07	93.041	-229.05	700.39	881.10	843.03	38.07	23.145	
7,800.00	7,782.71	7,848.35	7,782.71	14.37	26.10	93.041	-229.05	700.39	881.10	842.92	38.17	23.081	
7,900.00	7,882.71	7,948.35	7,882.71	14.44	26.13	93.041	-229.05	700.39	881.10	842.82	38.28	23.018	
8,000.00	7,982.71	8,048.35	7,982.71	14.51	26.16	93.041	-229.05	700.39	881.10	842.71	38.38	22.954	
8,100.00	8,082.71	8,148.35	8,082.71	14.57	26.19	93.041	-229.05	700.39	881.10	842.61	38.49	22.891	
8,200.00	8,182.71	8,248.35	8,182.71	14.64	26.22	93.041	-229.05	700.39	881.10	842.50	38.60	22.828	
8,300.00	8,282.71	8,348.35	8,282.71	14.71	26.25	93.041	-229.05	700.39	881.10	842.40	38.70	22.765	
8,400.00	8,382.71	8,448.35	8,382.71	14.78	26.28	93.041	-229.05	700.39	881.10	842.29	38.81	22.703	
8,500.00	8,482.71	8,548.35	8,482.71	14.85	26.31	93.041	-229.05	700.39	881.10	842.18	38.92	22.640	
8,600.00	8,582.71	8,648.35	8,582.71	14.92	26.34	93.041	-229.05	700.39	881.10	842.07	39.02	22.578	
8,700.00	8,682.71	8,748.35	8,682.71	14.99	26.38	93.041	-229.05	700.39	881.10	841.97	39.13	22.516	
8,800.00	8,782.71	8,848.35	8,782.71	15.05	26.41	93.041	-229.05	700.39	881.10	841.86	39.24	22.454	
8,900.00	8,882.71	8,948.35	8,882.71	15.12	26.44	93.041	-229.05	700.39	881.10	841.75	39.35	22.392	
9,000.00	8,982.71	9,048.35	8,982.71	15.19	26.47	93.041	-229.05	700.39	881.10	841.64	39.46	22.331	
9,001.68	8,984.39	9,050.04	8,984.39	15.19	26.47	93.036	-229.05	700.39	881.10	841.64	39.46	22.330	
9,100.00	9,082.70	9,148.35	9,082.70	15.23	26.50	93.066	-229.05	700.39	881.13	841.58	39.54	22.282	
9,200.00	9,181.38	9,247.03	9,181.38	15.09	26.53	93.913	-229.05	700.39	882.06	842.42	39.64	22.253	
9,300.00	9,274.78	9,340.42	9,274.78	14.93	26.56	95.651	-229.05	700.39	885.24	845.49	39.75	22.270	
9,400.00	9,358.81	9,424.46	9,358.81	14.77	26.59	97.647	-229.05	700.39	892.78	852.93	39.85	22.406	
9,500.00	9,429.81	9,495.45	9,429.81	14.65	26.62	99.065	-229.05	700.39	907.30	867.42	39.88	22.750	
9,600.00	9,484.67	9,550.31	9,484.67	14.56	26.63	99.041	-229.05	700.39	931.18	891.37	39.81	23.392	
9,700.00	9,520.99	9,586.63	9,520.99	14.53	26.65	96.820	-229.05	700.39	965.62	926.02	39.60	24.383	
9,800.00	9,537.19	9,602.83	9,537.19	14.57	26.65	91.882	-229.05	700.39	1,010.19	970.92	39.27	25.724	
9,900.00	9,538.00	9,603.64	9,538.00	14.66	26.65	90.000	-229.05	700.39	1,062.89	1,024.03	38.86	27.350	
10,000.00	9,538.00	9,603.64	9,538.00	14.80	26.65	90.000	-229.05	700.39	1,122.05	1,083.61	38.44	29.192	
10,100.00	9,538.00	9,603.64	9,538.00	14.96	26.65	90.000	-229.05	700.39	1,186.70	1,148.69	38.01	31.222	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 306H - OH - Plan 1 11-10-21												Offset Site Error:	0.00 usft
Survey Program:		0-MWD+IFR1+MS				Rule Assigned:				Offset Well Error:		1.00 usft	
Reference		Offset		Semi Major Axis		Highside		Offset Wellbore Centre		Distance		Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
10,200.00	9,538.00	9,603.64	9,538.00	15.16	26.65	90.000	-229.05	700.39	1,255.99	1,218.40	37.59	33.411	
10,300.00	9,538.00	11,329.67	10,514.10	15.40	26.99	137.952	766.80	700.99	1,314.47	1,275.51	38.96	33.741	
10,400.00	9,538.00	11,429.67	10,514.10	15.67	27.19	137.950	866.80	701.05	1,314.50	1,275.16	39.34	33.415	
10,500.00	9,538.00	11,529.67	10,514.10	15.98	27.40	137.948	966.80	701.11	1,314.54	1,274.77	39.77	33.053	
10,600.00	9,538.00	11,629.67	10,514.10	16.32	27.63	137.947	1,066.80	701.17	1,314.57	1,274.32	40.25	32.658	
10,700.00	9,538.00	11,729.67	10,514.10	16.69	27.88	137.945	1,166.80	701.23	1,314.61	1,273.82	40.78	32.235	
10,800.00	9,538.00	11,829.67	10,514.10	17.09	28.15	137.943	1,266.80	701.29	1,314.64	1,273.28	41.36	31.787	
10,900.00	9,538.00	11,929.67	10,514.10	17.52	28.43	137.942	1,366.80	701.35	1,314.67	1,272.70	41.98	31.318	
11,000.00	9,538.00	12,029.67	10,514.10	17.97	28.73	137.940	1,466.80	701.41	1,314.71	1,272.07	42.64	30.830	
11,100.00	9,538.00	12,129.67	10,514.10	18.45	29.05	137.938	1,566.80	701.47	1,314.74	1,271.39	43.35	30.329	
11,200.00	9,538.00	12,229.67	10,514.10	18.95	29.38	137.937	1,666.80	701.53	1,314.78	1,270.68	44.10	29.816	
11,300.00	9,538.00	12,329.67	10,514.10	19.46	29.73	137.935	1,766.80	701.59	1,314.81	1,269.93	44.88	29.294	
11,400.00	9,538.00	12,429.67	10,514.10	19.99	30.10	137.933	1,866.80	701.65	1,314.85	1,269.14	45.71	28.767	
11,500.00	9,538.00	12,529.67	10,514.10	20.54	30.48	137.932	1,966.80	701.71	1,314.88	1,268.32	46.56	28.238	
11,600.00	9,538.00	12,629.67	10,514.10	21.10	30.87	137.930	2,066.80	701.77	1,314.92	1,267.46	47.46	27.707	
11,700.00	9,538.00	12,729.67	10,514.10	21.68	31.27	137.928	2,166.80	701.83	1,314.95	1,266.57	48.38	27.178	
11,800.00	9,538.00	12,829.67	10,514.10	22.26	31.69	137.927	2,266.80	701.89	1,314.98	1,265.65	49.34	26.652	
11,900.00	9,538.00	12,929.67	10,514.10	22.86	32.12	137.925	2,366.80	701.95	1,315.02	1,264.70	50.32	26.131	
12,000.00	9,538.00	13,029.67	10,514.10	23.47	32.56	137.923	2,466.80	702.01	1,315.05	1,263.72	51.34	25.617	
12,100.00	9,538.00	13,129.67	10,514.10	24.09	33.02	137.922	2,566.80	702.07	1,315.09	1,262.71	52.37	25.109	
12,200.00	9,538.00	13,229.67	10,514.10	24.71	33.48	137.920	2,666.80	702.13	1,315.12	1,261.68	53.44	24.610	
12,300.00	9,538.00	13,329.67	10,514.10	25.34	33.96	137.918	2,766.80	702.19	1,315.16	1,260.63	54.53	24.120	
12,400.00	9,538.00	13,429.67	10,514.10	25.99	34.44	137.917	2,866.80	702.26	1,315.19	1,259.56	55.64	23.639	
12,500.00	9,538.00	13,529.67	10,514.10	26.63	34.94	137.915	2,966.80	702.32	1,315.22	1,258.46	56.77	23.169	
12,600.00	9,538.00	13,629.67	10,514.10	27.29	35.44	137.914	3,066.80	702.38	1,315.26	1,257.34	57.92	22.710	
12,700.00	9,538.00	13,729.67	10,514.10	27.95	35.96	137.912	3,166.80	702.44	1,315.29	1,256.21	59.09	22.261	
12,800.00	9,538.00	13,829.67	10,514.10	28.61	36.48	137.910	3,266.80	702.50	1,315.33	1,255.06	60.27	21.823	
12,900.00	9,538.00	13,929.67	10,514.10	29.28	37.01	137.909	3,366.80	702.56	1,315.36	1,253.89	61.47	21.397	
13,000.00	9,538.00	14,029.67	10,514.10	29.95	37.55	137.907	3,466.80	702.62	1,315.40	1,252.70	62.69	20.981	
13,100.00	9,538.00	14,129.67	10,514.10	30.63	38.10	137.905	3,566.80	702.68	1,315.43	1,251.50	63.93	20.577	
13,200.00	9,538.00	14,229.67	10,514.10	31.31	38.65	137.904	3,666.80	702.74	1,315.47	1,250.29	65.18	20.184	
13,300.00	9,538.00	14,329.67	10,514.10	32.00	39.21	137.902	3,766.80	702.80	1,315.50	1,249.06	66.44	19.801	
13,400.00	9,538.00	14,429.67	10,514.10	32.69	39.78	137.900	3,866.80	702.86	1,315.53	1,247.83	67.71	19.429	
13,500.00	9,538.00	14,529.67	10,514.10	33.38	40.35	137.899	3,966.80	702.92	1,315.57	1,246.58	68.99	19.068	
13,600.00	9,538.00	14,629.67	10,514.10	34.08	40.93	137.897	4,066.80	702.98	1,315.60	1,245.31	70.29	18.717	
13,700.00	9,538.00	14,729.67	10,514.10	34.78	41.52	137.895	4,166.80	703.04	1,315.64	1,244.04	71.60	18.376	
13,800.00	9,538.00	14,829.67	10,514.10	35.48	42.11	137.894	4,266.80	703.10	1,315.67	1,242.76	72.91	18.044	
13,900.00	9,538.00	14,929.67	10,514.10	36.18	42.71	137.892	4,366.80	703.16	1,315.71	1,241.47	74.24	17.723	
14,000.00	9,538.00	15,029.67	10,514.10	36.89	43.31	137.890	4,466.80	703.22	1,315.74	1,240.17	75.57	17.410	
14,100.00	9,538.00	15,129.67	10,514.10	37.60	43.92	137.889	4,566.80	703.28	1,315.78	1,238.86	76.92	17.106	
14,200.00	9,538.00	15,229.67	10,514.10	38.31	44.53	137.887	4,666.80	703.34	1,315.81	1,237.54	78.27	16.812	
14,300.00	9,538.00	15,329.67	10,514.10	39.02	45.15	137.885	4,766.80	703.40	1,315.85	1,236.22	79.63	16.525	
14,400.00	9,538.00	15,429.67	10,514.10	39.74	45.77	137.884	4,866.80	703.46	1,315.88	1,234.89	80.99	16.247	
14,500.00	9,538.00	15,529.67	10,514.10	40.46	46.39	137.882	4,966.80	703.52	1,315.91	1,233.55	82.36	15.977	
14,600.00	9,538.00	15,629.67	10,514.10	41.18	47.02	137.880	5,066.80	703.58	1,315.95	1,232.20	83.74	15.714	
14,700.00	9,538.00	15,729.67	10,514.10	41.90	47.66	137.879	5,166.80	703.64	1,315.98	1,230.85	85.13	15.459	
14,800.00	9,538.00	15,829.67	10,514.10	42.62	48.29	137.877	5,266.80	703.70	1,316.02	1,229.50	86.52	15.211	
14,900.00	9,538.00	15,929.67	10,514.10	43.34	48.94	137.875	5,366.80	703.76	1,316.05	1,228.14	87.92	14.969	
15,000.00	9,538.00	16,029.67	10,514.10	44.06	49.58	137.874	5,466.80	703.82	1,316.09	1,226.77	89.32	14.735	
15,100.00	9,538.00	16,129.67	10,514.10	44.79	50.23	137.872	5,566.80	703.88	1,316.12	1,225.40	90.72	14.507	
15,200.00	9,538.00	16,229.67	10,514.10	45.52	50.88	137.870	5,666.80	703.94	1,316.16	1,224.02	92.14	14.285	
15,300.00	9,538.00	16,329.67	10,514.10	46.25	51.53	137.869	5,766.80	704.00	1,316.19	1,222.64	93.55	14.069	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba Federal Com - Sheba Federal Com 306H - OH - Plan 1 11-10-21													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Distance				Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
15,400.00	9,538.00	16,429.67	10,514.10	46.98	52.19	137.867	5,866.80	704.06	1,316.22	1,221.25	94.97	13.859	
15,500.00	9,538.00	16,529.67	10,514.10	47.71	52.85	137.865	5,966.80	704.12	1,316.26	1,219.86	96.40	13.655	
15,600.00	9,538.00	16,629.67	10,514.10	48.44	53.51	137.864	6,066.80	704.18	1,316.29	1,218.47	97.82	13.456	
15,700.00	9,538.00	16,729.67	10,514.10	49.17	54.18	137.862	6,166.80	704.24	1,316.33	1,217.07	99.26	13.262	
15,800.00	9,538.00	16,829.67	10,514.10	49.90	54.85	137.860	6,266.80	704.30	1,316.36	1,215.67	100.69	13.073	
15,900.00	9,538.00	16,929.67	10,514.10	50.64	55.52	137.859	6,366.80	704.36	1,316.40	1,214.26	102.13	12.889	
16,000.00	9,538.00	17,029.67	10,514.10	51.37	56.19	137.857	6,466.80	704.42	1,316.43	1,212.86	103.57	12.710	
16,100.00	9,538.00	17,129.67	10,514.10	52.11	56.87	137.855	6,566.80	704.48	1,316.47	1,211.45	105.02	12.535	
16,200.00	9,538.00	17,229.67	10,514.10	52.85	57.54	137.854	6,666.80	704.54	1,316.50	1,210.03	106.47	12.365	
16,300.00	9,538.00	17,329.67	10,514.10	53.58	58.22	137.852	6,766.80	704.60	1,316.53	1,208.61	107.92	12.199	
16,400.00	9,538.00	17,429.67	10,514.10	54.32	58.91	137.851	6,866.80	704.66	1,316.57	1,207.19	109.37	12.037	
16,500.00	9,538.00	17,529.67	10,514.10	55.06	59.59	137.849	6,966.80	704.72	1,316.60	1,205.77	110.83	11.879	
16,600.00	9,538.00	17,629.67	10,514.10	55.80	60.28	137.847	7,066.80	704.78	1,316.64	1,204.35	112.29	11.725	
16,700.00	9,538.00	17,729.67	10,514.10	56.54	60.96	137.846	7,166.80	704.84	1,316.67	1,202.92	113.75	11.575	
16,800.00	9,538.00	17,829.67	10,514.10	57.28	61.65	137.844	7,266.80	704.90	1,316.71	1,201.49	115.22	11.428	
16,900.00	9,538.00	17,929.67	10,514.10	58.03	62.34	137.842	7,366.80	704.96	1,316.74	1,200.06	116.68	11.285	
17,000.00	9,538.00	18,029.67	10,514.10	58.77	63.04	137.841	7,466.80	705.02	1,316.78	1,198.62	118.15	11.145	
17,027.82	9,538.00	18,057.05	10,514.10	58.97	63.22	137.840	7,494.17	705.04	1,316.79	1,198.23	118.55	11.107	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 107H - OH - Plan 1 08-05-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference	Offset	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
0.00	0.00	0.00	0.00	1.00	1.00	-179.940	-30.00	-0.03	30.00				
100.00	100.00	100.00	100.00	1.12	1.12	-179.940	-30.00	-0.03	30.00	27.75	2.24	13.365	
200.00	200.00	200.00	200.00	1.65	1.65	-179.940	-30.00	-0.03	30.00	26.69	3.30	9.079	
300.00	300.00	300.00	300.00	2.05	2.05	-179.940	-30.00	-0.03	30.00	25.89	4.10	7.308	
400.00	400.00	400.00	400.00	2.39	2.39	-179.940	-30.00	-0.03	30.00	25.22	4.78	6.278	
500.00	500.00	500.00	500.00	2.69	2.69	-179.940	-30.00	-0.03	30.00	24.62	5.37	5.583	
600.00	600.00	600.00	600.00	2.96	2.96	-179.940	-30.00	-0.03	30.00	24.08	5.91	5.073	
700.00	700.00	700.00	700.00	3.21	3.21	-179.940	-30.00	-0.03	30.00	23.59	6.41	4.679	
800.00	800.00	800.00	800.00	3.44	3.44	-179.940	-30.00	-0.03	30.00	23.12	6.88	4.361	
900.00	900.00	900.00	900.00	3.66	3.66	-179.940	-30.00	-0.03	30.00	22.68	7.32	4.099	
1,000.00	1,000.00	1,000.00	1,000.00	3.87	3.87	-179.940	-30.00	-0.03	30.00	22.26	7.74	3.877	
1,100.00	1,100.00	1,100.00	1,100.00	4.07	4.07	-179.940	-30.00	-0.03	30.00	21.86	8.14	3.686	
1,200.00	1,200.00	1,200.00	1,200.00	4.26	4.26	-179.940	-30.00	-0.03	30.00	21.47	8.52	3.520	
1,300.00	1,300.00	1,300.00	1,300.00	4.45	4.45	-179.940	-30.00	-0.03	30.00	21.10	8.89	3.373	
1,400.00	1,400.00	1,400.00	1,400.00	4.63	4.63	-179.940	-30.00	-0.03	30.00	20.74	9.25	3.242	
1,500.00	1,500.00	1,500.00	1,500.00	4.80	4.80	-179.940	-30.00	-0.03	30.00	20.40	9.60	3.124	
1,600.00	1,600.00	1,600.00	1,600.00	4.97	4.97	-179.940	-30.00	-0.03	30.00	20.06	9.94	3.018	
1,700.00	1,700.00	1,700.00	1,700.00	5.14	5.14	-179.940	-30.00	-0.03	30.00	19.73	10.27	2.921	
1,800.00	1,800.00	1,800.00	1,800.00	5.30	5.30	-179.940	-30.00	-0.03	30.00	19.40	10.59	2.832	
1,900.00	1,900.00	1,900.00	1,900.00	5.45	5.45	-179.940	-30.00	-0.03	30.00	19.09	10.91	2.750	
2,000.00	2,000.00	2,000.00	2,000.00	5.61	5.61	-179.940	-30.00	-0.03	30.00	18.78	11.22	2.674	
2,100.00	2,099.99	2,099.87	2,099.86	5.74	5.75	-47.321	-30.18	0.82	29.59	18.11	11.49	2.576	
2,200.00	2,199.96	2,199.59	2,199.55	5.87	5.88	-56.171	-30.74	3.37	28.84	17.12	11.73	2.460	
2,237.71	2,237.64	2,237.13	2,237.06	5.92	5.94	-61.158	-31.04	4.76	28.73	16.91	11.82	2.431	CC, ES, SF
2,300.00	2,299.86	2,299.04	2,298.91	6.01	6.03	-71.170	-31.65	7.59	29.18	17.21	11.97	2.438	
2,400.00	2,399.68	2,398.07	2,397.75	6.16	6.20	-89.660	-32.93	13.48	32.76	20.53	12.23	2.679	
2,500.00	2,499.37	2,496.56	2,495.93	6.34	6.38	-106.408	-34.57	20.98	41.11	28.57	12.54	3.279	
2,600.00	2,598.90	2,594.36	2,593.29	6.55	6.59	-118.645	-36.54	30.07	54.27	41.38	12.89	4.210	
2,700.00	2,698.26	2,691.35	2,689.67	6.77	6.81	-126.873	-38.85	40.68	71.65	58.37	13.28	5.395	
2,800.00	2,797.40	2,787.41	2,784.94	7.01	7.05	-132.383	-41.47	52.76	92.73	79.03	13.70	6.767	
2,900.00	2,896.30	2,882.43	2,878.94	7.28	7.31	-136.160	-44.41	66.24	117.17	103.02	14.15	8.280	
3,000.00	2,994.93	2,976.28	2,971.56	7.57	7.58	-138.825	-47.63	81.05	144.74	130.12	14.62	9.899	
3,100.00	3,093.41	3,071.09	3,064.94	7.87	7.87	-140.860	-51.11	97.09	174.26	159.12	15.14	11.511	
3,200.00	3,191.89	3,166.46	3,158.87	8.19	8.18	-142.312	-54.63	113.27	203.97	188.29	15.68	13.009	
3,300.00	3,290.38	3,261.84	3,252.79	8.52	8.49	-143.394	-58.15	129.45	233.77	217.53	16.24	14.395	
3,400.00	3,388.86	3,357.22	3,346.72	8.86	8.82	-144.232	-61.67	145.63	263.62	246.80	16.82	15.674	
3,500.00	3,487.35	3,452.61	3,440.67	9.18	9.15	-144.943	-65.19	161.82	293.46	276.09	17.38	16.889	
3,600.00	3,586.06	3,548.34	3,534.94	9.53	9.49	-145.514	-68.72	178.06	322.31	304.32	17.98	17.924	
3,700.00	3,685.03	3,644.48	3,629.63	9.89	9.85	-145.842	-72.27	194.37	349.78	331.18	18.60	18.810	
3,800.00	3,784.24	3,741.02	3,724.70	10.24	10.21	-145.982	-75.83	210.75	375.86	356.64	19.21	19.561	
3,900.00	3,883.66	3,837.92	3,820.13	10.59	10.57	-145.969	-79.40	227.19	400.54	380.70	19.84	20.191	
4,000.00	3,983.24	3,935.15	3,915.88	10.93	10.95	-145.830	-82.99	243.69	423.82	403.36	20.46	20.715	
4,100.00	4,082.97	4,032.69	4,011.93	11.26	11.33	-145.582	-86.59	260.24	445.71	424.63	21.08	21.145	
4,200.00	4,182.81	4,130.49	4,108.25	11.58	11.72	-145.236	-90.20	276.83	466.22	444.53	21.69	21.494	
4,300.00	4,282.74	4,228.54	4,204.81	11.87	12.11	-144.802	-93.81	293.47	485.35	463.06	22.29	21.774	
4,400.00	4,382.71	4,326.81	4,301.58	12.13	12.51	-144.284	-97.44	310.14	503.14	480.27	22.87	22.000	
4,500.00	4,482.71	4,425.24	4,398.53	12.23	12.91	80.884	-101.07	326.84	519.65	496.33	23.32	22.284	
4,600.00	4,582.71	4,523.73	4,495.51	12.29	13.31	81.559	-104.70	343.55	535.89	512.12	23.76	22.551	
4,700.00	4,682.71	4,622.21	4,592.50	12.35	13.72	82.195	-108.34	360.26	552.19	527.98	24.21	22.804	
4,800.00	4,782.71	4,720.69	4,689.48	12.41	14.13	82.795	-111.97	376.97	568.56	543.89	24.67	23.046	
4,900.00	4,882.71	4,819.17	4,786.47	12.47	14.54	83.361	-115.60	393.68	584.98	559.85	25.13	23.277	
5,000.00	4,982.71	4,917.65	4,883.45	12.54	14.95	83.896	-119.24	410.39	601.46	575.87	25.60	23.497	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 107H - OH - Plan 1 08-05-22												Offset Site Error:	0.00 usft
Survey Program: 0-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference												Rule Assigned:	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference	Offset	Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning
				(usft)	(usft)		+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
5,100.00	5,082.71	5,016.13	4,980.44	12.60	15.37	84.403	-122.87	427.10	617.99	591.92	26.07	23.707	
5,200.00	5,182.71	5,114.61	5,077.42	12.66	15.79	84.883	-126.50	443.81	634.56	608.02	26.54	23.907	
5,300.00	5,282.71	5,213.09	5,174.41	12.73	16.21	85.339	-130.14	460.51	651.17	624.15	27.02	24.099	
5,400.00	5,382.71	5,311.57	5,271.39	12.79	16.63	85.772	-133.77	477.22	667.82	640.32	27.50	24.283	
5,500.00	5,482.71	5,410.06	5,368.38	12.85	17.05	86.184	-137.40	493.93	684.51	656.52	27.99	24.458	
5,600.00	5,582.71	5,508.54	5,465.36	12.92	17.47	86.577	-141.04	510.64	701.23	672.75	28.47	24.626	
5,700.00	5,682.71	5,607.02	5,562.35	12.98	17.90	86.951	-144.67	527.35	717.98	689.01	28.97	24.788	
5,800.00	5,782.71	5,705.50	5,659.33	13.05	18.33	87.308	-148.30	544.06	734.76	705.30	29.46	24.942	
5,900.00	5,882.71	5,803.98	5,756.32	13.11	18.75	87.650	-151.93	560.77	751.56	721.61	29.95	25.091	
6,000.00	5,982.71	5,902.46	5,853.31	13.18	19.18	87.976	-155.57	577.48	768.39	737.94	30.45	25.233	
6,100.00	6,082.71	6,000.94	5,950.29	13.24	19.61	88.289	-159.20	594.19	785.24	754.29	30.95	25.370	
6,200.00	6,182.71	6,099.42	6,047.28	13.31	20.04	88.588	-162.83	610.90	802.12	770.66	31.45	25.502	
6,300.00	6,282.71	6,209.57	6,155.85	13.37	20.51	88.898	-166.77	628.99	818.50	786.49	32.01	25.573	
6,400.00	6,382.71	6,324.60	6,269.59	13.44	20.99	89.174	-170.42	645.77	833.04	800.46	32.58	25.566	
6,500.00	6,482.71	6,440.28	6,384.30	13.50	21.47	89.405	-173.60	660.39	845.65	812.51	33.14	25.517	
6,600.00	6,582.71	6,556.53	6,499.85	13.57	21.94	89.595	-176.30	672.80	856.31	822.63	33.67	25.429	
6,700.00	6,682.71	6,673.25	6,616.10	13.63	22.38	89.747	-178.50	682.96	865.00	830.82	34.18	25.307	
6,800.00	6,782.71	6,790.34	6,732.92	13.70	22.80	89.862	-180.21	690.81	871.71	837.05	34.65	25.155	
6,900.00	6,882.71	6,907.72	6,850.16	13.77	23.19	89.941	-181.41	696.35	876.42	841.33	35.09	24.979	
7,000.00	6,982.71	7,025.28	6,967.67	13.83	23.53	89.987	-182.11	699.54	879.13	843.67	35.46	24.793	
7,100.00	7,082.71	7,140.33	7,082.71	13.90	23.74	89.999	-182.30	700.40	879.86	844.16	35.70	24.644	
7,200.00	7,182.71	7,240.33	7,182.71	13.97	23.77	89.999	-182.30	700.40	879.86	844.06	35.80	24.574	
7,300.00	7,282.71	7,340.33	7,282.71	14.03	23.80	89.999	-182.30	700.40	879.86	843.95	35.91	24.500	
7,400.00	7,382.71	7,440.33	7,382.71	14.10	23.84	89.999	-182.30	700.40	879.86	843.84	36.02	24.426	
7,500.00	7,482.71	7,540.33	7,482.71	14.17	23.87	89.999	-182.30	700.40	879.86	843.73	36.13	24.353	
7,600.00	7,582.71	7,640.33	7,582.71	14.23	23.90	89.999	-182.30	700.40	879.86	843.62	36.24	24.279	
7,700.00	7,682.71	7,740.33	7,682.71	14.30	23.94	89.999	-182.30	700.40	879.86	843.51	36.35	24.206	
7,800.00	7,782.71	7,840.33	7,782.71	14.37	23.97	89.999	-182.30	700.40	879.86	843.40	36.46	24.133	
7,900.00	7,882.71	7,940.33	7,882.71	14.44	24.01	89.999	-182.30	700.40	879.86	843.29	36.57	24.061	
8,000.00	7,982.71	8,040.33	7,982.71	14.51	24.04	89.999	-182.30	700.40	879.86	843.18	36.68	23.988	
8,100.00	8,082.71	8,140.33	8,082.71	14.57	24.08	89.999	-182.30	700.40	879.86	843.07	36.79	23.916	
8,200.00	8,182.71	8,240.33	8,182.71	14.64	24.12	89.999	-182.30	700.40	879.86	842.96	36.90	23.844	
8,300.00	8,282.71	8,340.33	8,282.71	14.71	24.15	89.999	-182.30	700.40	879.86	842.85	37.01	23.772	
8,400.00	8,382.71	8,440.33	8,382.71	14.78	24.19	89.999	-182.30	700.40	879.86	842.74	37.12	23.701	
8,500.00	8,482.71	8,540.33	8,482.71	14.85	24.22	89.999	-182.30	700.40	879.86	842.63	37.24	23.630	
8,600.00	8,582.71	8,640.33	8,582.71	14.92	24.26	89.999	-182.30	700.40	879.86	842.51	37.35	23.559	
8,700.00	8,682.71	8,740.33	8,682.71	14.99	24.30	89.999	-182.30	700.40	879.86	842.40	37.46	23.488	
8,800.00	8,782.71	8,840.33	8,782.71	15.05	24.34	89.999	-182.30	700.40	879.86	842.29	37.57	23.417	
8,900.00	8,882.71	8,940.33	8,882.71	15.12	24.37	89.999	-182.30	700.40	879.86	842.18	37.69	23.347	
9,000.00	8,982.71	9,040.33	8,982.71	15.19	24.41	89.999	-182.30	700.40	879.86	842.06	37.80	23.277	
9,020.47	9,003.18	9,060.79	9,003.18	15.20	24.42	90.000	-182.30	700.40	879.86	842.04	37.82	23.266	
9,100.00	9,082.70	9,140.32	9,082.71	15.23	24.44	90.027	-182.29	700.40	879.86	841.98	37.88	23.226	
9,200.00	9,181.38	9,240.76	9,182.36	15.09	24.39	90.297	-171.31	700.40	879.87	841.96	37.91	23.209	
9,300.00	9,274.78	9,342.08	9,278.32	14.93	24.32	90.556	-139.40	700.40	879.90	841.99	37.91	23.210	
9,400.00	9,358.81	9,444.24	9,366.08	14.77	24.26	90.791	-87.50	700.41	879.95	842.05	37.89	23.222	
9,500.00	9,429.81	9,547.15	9,441.32	14.65	24.22	90.991	-17.57	700.41	879.99	842.12	37.88	23.232	
9,600.00	9,484.67	9,650.70	9,500.16	14.56	24.20	91.148	67.39	700.42	880.04	842.15	37.89	23.226	
9,700.00	9,520.99	9,754.72	9,539.48	14.53	24.22	91.252	163.47	700.43	880.07	842.12	37.95	23.191	
9,800.00	9,537.19	9,859.01	9,557.11	14.57	24.27	91.299	266.05	700.44	880.09	842.02	38.07	23.116	
9,900.00	9,538.00	9,960.23	9,558.00	14.66	24.37	91.302	367.25	700.45	880.09	841.81	38.28	22.993	
10,000.00	9,538.00	10,060.23	9,558.00	14.80	24.49	91.302	467.25	700.45	880.09	841.53	38.56	22.825	
10,100.00	9,538.00	10,160.23	9,558.00	14.96	24.63	91.302	567.25	700.46	880.09	841.19	38.90	22.624	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 107H - OH - Plan 1 08-05-22												Offset Site Error:	0.00 usft
Survey Program: 0-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference		Offset		Semi Major Axis		Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)		+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
10,200.00	9,538.00	10,260.23	9,558.00	15.16	24.79	91.302	667.25	700.47	880.09	840.79	39.30	22.392	
10,300.00	9,538.00	10,360.23	9,558.00	15.40	24.98	91.302	767.25	700.48	880.09	840.33	39.76	22.133	
10,400.00	9,538.00	10,460.23	9,558.00	15.67	25.19	91.302	867.25	700.49	880.09	839.81	40.28	21.850	
10,500.00	9,538.00	10,560.23	9,558.00	15.98	25.42	91.302	967.25	700.50	880.09	839.24	40.85	21.546	
10,600.00	9,538.00	10,660.23	9,558.00	16.32	25.67	91.302	1,067.25	700.51	880.09	838.63	41.46	21.226	
10,700.00	9,538.00	10,760.23	9,558.00	16.69	25.94	91.302	1,167.25	700.52	880.09	837.96	42.13	20.891	
10,800.00	9,538.00	10,860.23	9,558.00	17.09	26.23	91.302	1,267.25	700.53	880.09	837.25	42.84	20.546	
10,900.00	9,538.00	10,960.23	9,558.00	17.52	26.54	91.302	1,367.25	700.53	880.09	836.50	43.59	20.192	
11,000.00	9,538.00	11,060.23	9,558.00	17.97	26.87	91.302	1,467.25	700.54	880.09	835.71	44.38	19.832	
11,100.00	9,538.00	11,160.23	9,558.00	18.45	27.21	91.302	1,567.25	700.55	880.09	834.89	45.20	19.469	
11,200.00	9,538.00	11,260.23	9,558.00	18.95	27.57	91.302	1,667.25	700.56	880.09	834.02	46.07	19.104	
11,300.00	9,538.00	11,360.23	9,558.00	19.46	27.95	91.302	1,767.25	700.57	880.09	833.13	46.96	18.740	
11,400.00	9,538.00	11,460.23	9,558.00	19.99	28.34	91.302	1,867.25	700.58	880.09	832.20	47.89	18.377	
11,500.00	9,538.00	11,560.23	9,558.00	20.54	28.75	91.302	1,967.25	700.59	880.09	831.24	48.85	18.017	
11,600.00	9,538.00	11,660.23	9,558.00	21.10	29.17	91.302	2,067.25	700.60	880.09	830.26	49.83	17.661	
11,700.00	9,538.00	11,760.23	9,558.00	21.68	29.60	91.302	2,167.25	700.61	880.09	829.25	50.84	17.310	
11,800.00	9,538.00	11,860.23	9,558.00	22.26	30.05	91.302	2,267.25	700.61	880.09	828.21	51.88	16.964	
11,900.00	9,538.00	11,960.23	9,558.00	22.86	30.51	91.302	2,367.25	700.62	880.09	827.15	52.94	16.625	
12,000.00	9,538.00	12,060.23	9,558.00	23.47	30.98	91.302	2,467.25	700.63	880.09	826.08	54.02	16.293	
12,100.00	9,538.00	12,160.23	9,558.00	24.09	31.46	91.302	2,567.25	700.64	880.09	824.98	55.12	15.968	
12,200.00	9,538.00	12,260.23	9,558.00	24.71	31.95	91.302	2,667.25	700.65	880.09	823.86	56.24	15.650	
12,300.00	9,538.00	12,360.23	9,558.00	25.34	32.46	91.302	2,767.25	700.66	880.09	822.72	57.37	15.340	
12,400.00	9,538.00	12,460.23	9,558.00	25.99	32.97	91.302	2,867.25	700.67	880.09	821.56	58.53	15.037	
12,500.00	9,538.00	12,560.23	9,558.00	26.63	33.49	91.302	2,967.25	700.68	880.09	820.39	59.70	14.742	
12,600.00	9,538.00	12,660.23	9,558.00	27.29	34.03	91.302	3,067.25	700.69	880.09	819.21	60.88	14.455	
12,700.00	9,538.00	12,760.23	9,558.00	27.95	34.57	91.302	3,167.25	700.69	880.09	818.01	62.08	14.176	
12,800.00	9,538.00	12,860.23	9,558.00	28.61	35.12	91.302	3,267.25	700.70	880.09	816.79	63.30	13.904	
12,900.00	9,538.00	12,960.23	9,558.00	29.28	35.67	91.302	3,367.25	700.71	880.09	815.57	64.52	13.640	
13,000.00	9,538.00	13,060.23	9,558.00	29.95	36.24	91.302	3,467.25	700.72	880.09	814.33	65.76	13.383	
13,100.00	9,538.00	13,160.23	9,558.00	30.63	36.81	91.302	3,567.25	700.73	880.09	813.08	67.01	13.133	
13,200.00	9,538.00	13,260.23	9,558.00	31.31	37.39	91.302	3,667.25	700.74	880.09	811.82	68.27	12.891	
13,300.00	9,538.00	13,360.23	9,558.00	32.00	37.97	91.302	3,767.25	700.75	880.09	810.55	69.55	12.655	
13,400.00	9,538.00	13,460.23	9,558.00	32.69	38.56	91.302	3,867.25	700.76	880.09	809.27	70.83	12.426	
13,500.00	9,538.00	13,560.23	9,558.00	33.38	39.16	91.302	3,967.25	700.77	880.09	807.98	72.12	12.204	
13,600.00	9,538.00	13,660.23	9,558.00	34.08	39.76	91.302	4,067.25	700.77	880.09	806.68	73.42	11.988	
13,700.00	9,538.00	13,760.23	9,558.00	34.78	40.37	91.302	4,167.25	700.78	880.09	805.37	74.72	11.778	
13,800.00	9,538.00	13,860.23	9,558.00	35.48	40.98	91.302	4,267.25	700.79	880.09	804.05	76.04	11.574	
13,900.00	9,538.00	13,960.23	9,558.00	36.18	41.60	91.302	4,367.25	700.80	880.09	802.73	77.36	11.376	
14,000.00	9,538.00	14,060.23	9,558.00	36.89	42.22	91.302	4,467.25	700.81	880.09	801.40	78.69	11.184	
14,100.00	9,538.00	14,160.23	9,558.00	37.60	42.85	91.302	4,567.25	700.82	880.09	800.07	80.03	10.997	
14,200.00	9,538.00	14,260.23	9,558.00	38.31	43.48	91.302	4,667.25	700.83	880.09	798.72	81.37	10.816	
14,300.00	9,538.00	14,360.23	9,558.00	39.02	44.12	91.302	4,767.25	700.84	880.09	797.37	82.72	10.639	
14,400.00	9,538.00	14,460.23	9,558.00	39.74	44.76	91.302	4,867.25	700.85	880.09	796.02	84.08	10.468	
14,500.00	9,538.00	14,560.23	9,558.00	40.46	45.40	91.302	4,967.25	700.85	880.09	794.66	85.44	10.301	
14,600.00	9,538.00	14,660.23	9,558.00	41.18	46.05	91.302	5,067.25	700.86	880.09	793.29	86.80	10.139	
14,700.00	9,538.00	14,760.23	9,558.00	41.90	46.70	91.302	5,167.25	700.87	880.09	791.92	88.18	9.981	
14,800.00	9,538.00	14,860.23	9,558.00	42.62	47.35	91.302	5,267.25	700.88	880.09	790.54	89.55	9.828	
14,900.00	9,538.00	14,960.23	9,558.00	43.34	48.01	91.302	5,367.25	700.89	880.09	789.16	90.93	9.678	
15,000.00	9,538.00	15,060.23	9,558.00	44.06	48.67	91.302	5,467.25	700.90	880.09	787.77	92.32	9.533	
15,100.00	9,538.00	15,160.23	9,558.00	44.79	49.33	91.302	5,567.25	700.91	880.09	786.38	93.71	9.392	
15,200.00	9,538.00	15,260.23	9,558.00	45.52	50.00	91.302	5,667.25	700.92	880.09	784.99	95.10	9.254	
15,300.00	9,538.00	15,360.23	9,558.00	46.25	50.67	91.302	5,767.25	700.92	880.09	783.59	96.50	9.120	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 107H - OH - Plan 1 08-05-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Reference		Offset		Semi Major Axis		Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)		+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
15,400.00	9,538.00	15,460.23	9,558.00	46.98	51.34	91.302	5,867.25	700.93	880.09	782.19	97.90	8.989	
15,500.00	9,538.00	15,560.23	9,558.00	47.71	52.01	91.302	5,967.25	700.94	880.09	780.78	99.31	8.862	
15,600.00	9,538.00	15,660.23	9,558.00	48.44	52.69	91.302	6,067.25	700.95	880.09	779.38	100.72	8.738	
15,700.00	9,538.00	15,760.23	9,558.00	49.17	53.37	91.302	6,167.25	700.96	880.09	777.96	102.13	8.617	
15,800.00	9,538.00	15,860.23	9,558.00	49.90	54.05	91.302	6,267.25	700.97	880.09	776.55	103.55	8.499	
15,900.00	9,538.00	15,960.23	9,558.00	50.64	54.73	91.302	6,367.25	700.98	880.09	775.13	104.97	8.385	
16,000.00	9,538.00	16,060.23	9,558.00	51.37	55.42	91.302	6,467.25	700.99	880.09	773.71	106.39	8.273	
16,100.00	9,538.00	16,160.23	9,558.00	52.11	56.11	91.302	6,567.25	701.00	880.09	772.28	107.81	8.163	
16,200.00	9,538.00	16,260.23	9,558.00	52.85	56.80	91.302	6,667.25	701.00	880.09	770.86	109.24	8.057	
16,300.00	9,538.00	16,360.23	9,558.00	53.58	57.49	91.302	6,767.25	701.01	880.09	769.43	110.67	7.952	
16,400.00	9,538.00	16,460.23	9,558.00	54.32	58.18	91.302	6,867.25	701.02	880.09	767.99	112.10	7.851	
16,500.00	9,538.00	16,560.23	9,558.00	55.06	58.88	91.302	6,967.25	701.03	880.10	766.56	113.54	7.752	
16,600.00	9,538.00	16,660.23	9,558.00	55.80	59.57	91.302	7,067.25	701.04	880.10	765.12	114.97	7.655	
16,700.00	9,538.00	16,760.23	9,558.00	56.54	60.27	91.302	7,167.25	701.05	880.10	763.68	116.41	7.560	
16,800.00	9,538.00	16,860.23	9,558.00	57.28	60.97	91.302	7,267.25	701.06	880.10	762.24	117.86	7.468	
16,900.00	9,538.00	16,960.23	9,558.00	58.03	61.67	91.302	7,367.25	701.07	880.10	760.80	119.30	7.377	
17,000.00	9,538.00	17,060.23	9,558.00	58.77	62.37	91.302	7,467.25	701.08	880.10	759.35	120.74	7.289	
17,002.79	9,538.00	17,063.01	9,558.00	58.79	62.39	91.302	7,470.03	701.08	880.10	759.31	120.78	7.287	
17,027.82	9,538.00	17,087.15	9,558.00	58.97	62.56	91.302	7,494.17	701.08	880.10	758.96	121.14	7.265	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 506H - OH / 68321 - Surveys (H&P 296)												Offset Site Error:	0.00 usft
Survey Program: 136-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference												Rule Assigned:	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning
							+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
0.00	0.00	0.00	3.40	1.00	1.00	-105.880	-19.92	-70.01	72.87				
100.00	100.00	96.48	99.88	1.12	1.20	-106.032	-20.13	-70.04	72.87	70.55	2.32	31.407	
200.00	200.00	196.35	199.75	1.65	1.63	-106.446	-20.70	-70.13	73.13	69.85	3.27	22.357	
300.00	300.00	296.24	299.63	2.05	2.05	-106.953	-21.45	-70.36	73.56	69.49	4.07	18.093	
400.00	400.00	396.19	399.58	2.39	2.42	-107.755	-22.60	-70.57	74.10	69.37	4.74	15.642	
500.00	500.00	496.18	499.56	2.69	2.76	-108.713	-23.96	-70.74	74.69	69.35	5.33	14.002	
600.00	600.00	596.27	599.64	2.96	3.09	-109.772	-25.45	-70.80	75.24	69.36	5.88	12.800	
700.00	700.00	696.23	699.58	3.21	3.46	-111.015	-27.16	-70.70	75.74	69.29	6.45	11.749	
800.00	800.00	796.26	799.60	3.44	3.79	-112.465	-29.16	-70.51	76.30	69.36	6.94	10.994	
900.00	900.00	896.21	899.52	3.66	4.09	-113.896	-31.13	-70.26	76.85	69.47	7.39	10.405	
1,000.00	1,000.00	996.23	999.51	3.87	4.39	-115.496	-33.35	-69.94	77.49	69.67	7.82	9.912	
1,100.00	1,100.00	1,096.35	1,099.60	4.07	4.67	-117.409	-35.94	-69.30	78.07	69.85	8.21	9.504	
1,200.00	1,200.00	1,196.76	1,199.97	4.26	4.99	-119.482	-38.56	-68.19	78.34	69.70	8.64	9.065	
1,300.00	1,300.00	1,296.00	1,299.17	4.45	5.28	-121.429	-41.05	-67.18	78.73	69.70	9.03	8.719	
1,400.00	1,400.00	1,395.45	1,398.59	4.63	5.58	-123.207	-43.83	-66.96	80.04	70.60	9.44	8.482	
1,500.00	1,500.00	1,495.42	1,498.51	4.80	5.88	-124.849	-46.79	-67.20	81.90	72.04	9.86	8.308	
1,600.00	1,600.00	1,596.66	1,599.73	4.97	6.17	-126.118	-48.93	-67.05	83.00	72.75	10.25	8.098	
1,700.00	1,700.00	1,697.95	1,701.00	5.14	6.39	-127.254	-49.91	-65.62	82.45	71.89	10.56	7.805	
1,800.00	1,800.00	1,798.26	1,801.29	5.30	6.56	-128.427	-50.32	-63.43	80.98	70.16	10.82	7.486	
1,900.00	1,900.00	1,898.14	1,901.14	5.45	6.71	-129.478	-50.51	-61.32	79.45	68.39	11.06	7.183	
2,000.00	2,000.00	1,997.94	2,000.93	5.61	6.88	-130.570	-50.82	-59.35	78.14	66.82	11.31	6.907	
2,100.00	2,099.99	2,097.75	2,100.71	5.74	7.08	3.567	-51.50	-57.35	76.22	64.65	11.56	6.591	
2,200.00	2,199.96	2,197.73	2,200.67	5.87	7.31	2.103	-52.39	-55.31	72.70	60.89	11.81	6.154	
2,300.00	2,299.86	2,297.61	2,300.49	6.01	7.57	-0.406	-53.90	-52.39	67.31	55.20	12.11	5.558	
2,400.00	2,399.68	2,397.80	2,400.50	6.16	7.87	-6.053	-57.10	-47.32	60.27	47.76	12.51	4.816	
2,500.00	2,499.37	2,497.79	2,500.08	6.34	8.18	-16.813	-60.69	-39.12	51.05	37.95	13.11	3.895	
2,600.00	2,598.90	2,596.52	2,598.16	6.55	8.48	-36.030	-64.13	-28.34	42.25	28.20	14.05	3.007	
2,666.45	2,664.94	2,661.23	2,662.28	6.69	8.69	-54.732	-66.62	-20.02	39.77	24.96	14.81	2.686 CC, ES	
2,700.00	2,698.26	2,693.69	2,694.42	6.77	8.79	-64.894	-68.12	-15.65	40.49	25.40	15.10	2.682 SF	
2,800.00	2,797.40	2,790.18	2,789.79	7.01	9.12	-90.940	-73.56	-2.04	50.76	35.29	15.47	3.281	
2,900.00	2,896.30	2,886.61	2,884.93	7.28	9.47	-106.853	-80.37	12.06	69.45	53.84	15.61	4.449	
3,000.00	2,994.93	2,981.99	2,978.92	7.57	9.84	-115.438	-88.89	25.87	92.39	76.54	15.84	5.832	
3,100.00	3,093.41	3,076.84	3,072.10	7.87	10.21	-120.732	-98.33	40.81	118.46	102.29	16.17	7.325	
3,200.00	3,191.89	3,173.71	3,167.18	8.19	10.60	-124.003	-108.48	56.35	145.54	128.92	16.62	8.759	
3,300.00	3,290.38	3,271.75	3,263.56	8.52	11.00	-126.145	-118.96	70.98	171.84	154.73	17.11	10.041	
3,400.00	3,388.86	3,369.22	3,359.52	8.86	11.40	-127.764	-129.11	84.74	197.50	179.88	17.62	11.209	
3,500.00	3,487.35	3,468.06	3,456.93	9.18	11.81	-129.105	-139.21	98.07	222.60	204.49	18.11	12.289	
3,600.00	3,586.06	3,567.93	3,555.52	9.53	12.22	-130.095	-149.25	110.43	245.87	227.20	18.67	13.169	
3,700.00	3,685.03	3,663.53	3,649.90	9.89	12.62	-130.557	-159.12	121.97	267.78	248.59	19.20	13.948	
3,800.00	3,784.24	3,762.91	3,747.99	10.24	13.03	-130.712	-169.35	134.22	288.85	269.07	19.78	14.604	
3,900.00	3,883.66	3,857.04	3,840.91	10.59	13.43	-130.700	-178.63	146.05	309.01	288.69	20.32	15.208	
4,000.00	3,983.24	3,966.81	3,949.53	10.93	13.95	-130.694	-187.77	158.89	327.10	306.04	21.06	15.532	
4,100.00	4,082.97	4,072.15	4,054.30	11.26	14.35	-130.920	-193.53	168.26	341.09	319.43	21.66	15.748	
4,200.00	4,182.81	4,171.99	4,153.67	11.58	14.73	-130.893	-198.96	176.24	353.06	330.86	22.20	15.901	
4,300.00	4,282.74	4,272.75	4,253.93	11.87	15.12	-130.546	-205.09	184.13	363.79	341.04	22.75	15.993	
4,400.00	4,382.71	4,379.20	4,359.98	12.13	15.52	-130.052	-210.91	191.33	372.31	349.02	23.30	15.982	
4,500.00	4,482.71	4,487.35	4,467.92	12.23	15.90	95.013	-215.28	196.29	377.49	353.77	23.71	15.918	
4,600.00	4,582.71	4,589.57	4,570.05	12.29	16.24	95.373	-217.96	199.54	380.89	356.80	24.08	15.815	
4,700.00	4,682.71	4,687.02	4,667.41	12.35	16.55	95.717	-220.58	202.77	384.45	360.01	24.44	15.729	
4,800.00	4,782.71	4,786.24	4,766.50	12.41	16.88	96.112	-223.66	206.64	388.65	363.83	24.82	15.661	
4,900.00	4,882.71	4,894.74	4,874.91	12.47	17.23	96.524	-226.85	209.94	392.03	366.84	25.19	15.563	
5,000.00	4,982.71	4,995.72	4,975.86	12.54	17.53	96.794	-228.88	211.40	393.69	368.19	25.50	15.439	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 506H - OH / 68321 - Surveys (H&P 296)													Offset Site Error: 0.00 usft
Survey Program: 136-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Rule Assigned:													
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference	Offset	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
5,100.00	5,082.71	5,092.61	5,072.70	12.60	17.82	97.074	-231.04	213.19	395.79	369.98	25.82	15.331	
5,200.00	5,182.71	5,193.25	5,173.29	12.66	18.12	97.378	-233.45	215.41	398.29	372.13	26.16	15.228	
5,300.00	5,282.71	5,300.77	5,280.79	12.73	18.39	97.578	-235.03	216.76	399.73	373.28	26.44	15.118	
5,400.00	5,382.71	5,406.88	5,386.90	12.79	18.40	97.618	-235.25	216.33	399.34	372.86	26.48	15.081	
5,500.00	5,482.71	5,508.58	5,488.58	12.85	18.23	97.557	-234.66	215.10	398.07	371.68	26.39	15.086	
5,600.00	5,582.71	5,608.67	5,588.67	12.92	18.08	97.537	-234.32	213.63	396.56	370.26	26.30	15.077	
5,700.00	5,682.71	5,709.63	5,689.62	12.98	17.96	97.570	-234.33	211.98	394.94	368.73	26.22	15.064	
5,800.00	5,782.71	5,808.60	5,788.57	13.05	17.86	97.619	-234.46	210.35	393.33	367.18	26.15	15.043	
5,900.00	5,882.71	5,908.91	5,888.87	13.11	17.75	97.650	-234.46	208.79	391.79	365.71	26.07	15.026	
6,000.00	5,982.71	6,008.37	5,988.31	13.18	17.64	97.682	-234.48	207.30	390.31	364.30	26.01	15.007	
6,100.00	6,082.71	6,109.09	6,089.02	13.24	17.57	97.757	-234.78	205.69	388.76	362.82	25.95	14.983	
6,200.00	6,182.71	6,209.34	6,189.26	13.31	17.49	97.837	-235.09	203.99	387.13	361.24	25.89	14.953	
6,300.00	6,282.71	6,310.02	6,289.92	13.37	17.41	97.918	-235.38	202.12	385.32	359.49	25.83	14.918	
6,400.00	6,382.71	6,410.66	6,390.54	13.44	17.32	97.976	-235.50	200.17	383.42	357.66	25.76	14.883	
6,500.00	6,482.71	6,511.39	6,491.25	13.50	17.23	98.041	-235.62	197.88	381.19	355.49	25.69	14.835	
6,600.00	6,582.71	6,611.49	6,591.32	13.57	17.15	98.134	-235.92	195.63	379.01	353.37	25.64	14.785	
6,700.00	6,682.71	6,711.82	6,691.62	13.63	17.07	98.212	-236.10	193.19	376.62	351.05	25.58	14.726	
6,800.00	6,782.71	6,807.36	6,787.14	13.70	17.00	98.293	-236.35	191.21	374.62	349.05	25.57	14.653	
6,849.06	6,831.78	6,852.00	6,831.78	13.73	16.96	98.279	-236.21	190.92	374.28	348.71	25.58	14.633	
6,900.00	6,882.71	6,896.17	6,875.95	13.77	17.03	98.239	-236.00	191.31	374.70	349.00	25.70	14.581	
7,000.00	6,982.71	6,987.82	6,967.54	13.83	17.18	98.120	-235.68	194.55	378.11	352.14	25.97	14.561	
7,100.00	7,082.71	7,088.41	7,068.05	13.90	17.35	97.981	-235.32	198.57	382.01	355.72	26.29	14.529	
7,200.00	7,182.71	7,189.01	7,168.56	13.97	17.51	97.795	-234.60	202.50	385.79	359.17	26.61	14.495	
7,300.00	7,282.71	7,290.21	7,269.69	14.03	17.68	97.654	-234.14	206.16	389.31	362.37	26.94	14.452	
7,400.00	7,382.71	7,390.90	7,370.33	14.10	17.84	97.518	-233.65	209.49	392.52	365.27	27.26	14.400	
7,500.00	7,482.71	7,491.68	7,471.06	14.17	18.00	97.350	-232.90	212.71	395.59	368.02	27.57	14.348	
7,600.00	7,582.71	7,593.61	7,572.94	14.23	18.15	97.212	-232.31	215.59	398.32	370.44	27.88	14.286	
7,700.00	7,682.71	7,692.62	7,671.92	14.30	18.30	97.073	-231.65	218.16	400.82	372.63	28.19	14.220	
7,800.00	7,782.71	7,793.65	7,772.91	14.37	18.45	96.916	-230.88	220.92	403.44	374.95	28.49	14.161	
7,900.00	7,882.71	7,894.84	7,874.07	14.44	18.60	96.780	-230.20	223.32	405.71	376.92	28.79	14.091	
8,000.00	7,982.71	7,996.60	7,975.81	14.51	18.76	96.678	-229.71	225.34	407.63	378.54	29.09	14.012	
8,100.00	8,082.71	8,097.95	8,077.14	14.57	18.86	96.526	-228.81	226.99	409.15	379.79	29.36	13.938	
8,200.00	8,182.71	8,199.13	8,178.30	14.64	18.94	96.370	-227.84	228.38	410.41	380.81	29.60	13.865	
8,300.00	8,282.71	8,302.26	8,281.42	14.71	19.00	96.280	-227.28	229.14	411.07	381.26	29.81	13.788	
8,400.00	8,382.71	8,403.91	8,383.08	14.78	18.97	96.200	-226.72	229.28	411.15	381.22	29.93	13.736	
8,500.00	8,482.71	8,504.94	8,484.10	14.85	18.90	96.181	-226.56	229.11	410.96	381.01	29.95	13.721	
8,600.00	8,582.71	8,607.12	8,586.29	14.92	18.81	96.190	-226.56	228.52	410.39	380.47	29.92	13.717	
8,700.00	8,682.71	8,709.36	8,688.52	14.99	18.68	96.155	-226.19	227.35	409.21	379.36	29.85	13.707	
8,800.00	8,782.71	8,811.30	8,790.44	15.05	18.53	96.121	-225.77	225.71	407.57	377.79	29.78	13.688	
8,900.00	8,882.71	8,911.37	8,890.49	15.12	18.39	96.118	-225.53	223.72	405.57	375.87	29.70	13.655	
9,000.00	8,982.71	9,012.98	8,992.08	15.19	18.25	96.106	-225.23	221.70	403.56	373.94	29.62	13.625	
9,100.00	9,082.70	9,113.45	9,092.52	15.23	18.12	96.255	-225.13	219.22	401.15	371.63	29.52	13.587	
9,165.76	9,147.98	9,178.41	9,157.45	15.14	18.05	97.430	-225.19	217.64	400.47	370.96	29.51	13.571	
9,200.00	9,181.38	9,211.59	9,190.63	15.09	18.02	98.461	-225.32	216.84	400.71	371.18	29.53	13.570	
9,300.00	9,274.78	9,305.78	9,284.79	14.93	17.95	102.705	-225.94	214.45	405.19	375.52	29.67	13.655	
9,400.00	9,358.81	9,392.89	9,371.86	14.77	17.88	107.625	-226.47	211.79	418.79	388.90	29.89	14.011	
9,500.00	9,429.81	9,465.99	9,444.90	14.65	17.80	111.179	-226.61	209.06	446.28	416.18	30.11	14.824	
9,600.00	9,484.67	9,521.76	9,500.63	14.56	17.73	111.617	-226.60	206.81	490.85	460.60	30.25	16.225	
9,700.00	9,520.99	9,556.52	9,535.36	14.53	17.70	107.110	-226.66	205.38	552.01	521.68	30.32	18.203	
9,800.00	9,537.19	9,571.48	9,550.31	14.57	17.68	96.219	-226.73	204.76	626.00	595.68	30.33	20.642	
9,900.00	9,538.00	9,571.72	9,550.54	14.66	17.68	91.870	-226.73	204.75	707.57	677.28	30.29	23.360	
10,000.00	9,538.00	9,571.20	9,550.02	14.80	17.68	91.792	-226.73	204.77	793.38	763.14	30.24	26.234	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 506H - OH / 68321 - Surveys (H&P 296)												Offset Site Error:	0.00 usft
Survey Program: 136-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference												Rule Assigned:	
Offset												Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	
							+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
10,100.00	9,538.00	9,570.69	9,549.51	14.96	17.68	91.716	-226.73	204.79	882.19	851.99	30.20	29.216	
10,200.00	9,538.00	9,570.19	9,549.01	15.16	17.68	91.642	-226.73	204.81	973.17	943.02	30.15	32.275	
10,300.00	9,538.00	9,569.70	9,548.52	15.40	17.68	91.569	-226.72	204.83	1,065.77	1,035.65	30.12	35.388	
10,400.00	9,538.00	9,569.22	9,548.05	15.67	17.68	91.497	-226.72	204.85	1,159.60	1,129.51	30.09	38.541	
10,500.00	9,538.00	9,568.75	9,547.58	15.98	17.68	91.427	-226.72	204.87	1,254.38	1,224.32	30.07	41.721	
10,600.00	9,538.00	9,568.29	9,547.12	16.32	17.68	91.359	-226.72	204.89	1,349.92	1,319.87	30.05	44.921	
10,700.00	9,538.00	9,567.84	9,546.67	16.69	17.68	91.291	-226.71	204.91	1,446.06	1,416.01	30.04	48.133	
10,800.00	9,538.00	9,567.39	9,546.22	17.09	17.68	91.226	-226.71	204.93	1,542.68	1,512.64	30.04	51.352	
10,900.00	9,538.00	9,566.96	9,545.79	17.52	17.69	91.161	-226.71	204.95	1,639.72	1,609.67	30.05	54.575	
11,000.00	9,538.00	9,566.54	9,545.37	17.97	17.69	91.098	-226.71	204.96	1,737.09	1,707.03	30.05	57.798	
11,100.00	9,538.00	12,869.72	11,261.95	18.45	21.76	167.731	1,620.64	195.60	1,765.06	1,712.28	52.78	33.445	
11,200.00	9,538.00	12,973.76	11,258.19	18.95	22.17	167.696	1,724.61	195.90	1,761.57	1,707.82	53.74	32.777	
11,300.00	9,538.00	13,064.67	11,255.19	19.46	22.56	167.620	1,815.46	197.62	1,758.73	1,704.10	54.63	32.196	
11,400.00	9,538.00	13,163.35	11,252.01	19.99	23.01	167.546	1,914.07	199.28	1,755.94	1,700.34	55.60	31.582	
11,500.00	9,538.00	13,260.74	11,248.97	20.54	23.48	167.447	2,011.38	201.70	1,753.42	1,696.84	56.58	30.989	
11,600.00	9,538.00	13,342.82	11,246.49	21.10	23.89	167.355	2,093.40	204.03	1,751.15	1,693.71	57.44	30.485	
11,667.18	9,538.00	13,386.14	11,245.90	21.49	24.11	167.318	2,136.70	205.05	1,750.61	1,692.70	57.91	30.230	
11,700.00	9,538.00	13,409.44	11,245.84	21.68	24.23	167.303	2,160.00	205.52	1,750.67	1,692.51	58.16	30.103	
11,800.00	9,538.00	13,505.19	11,245.69	22.26	24.74	167.208	2,255.69	208.49	1,751.19	1,692.02	59.17	29.594	
11,900.00	9,538.00	13,594.00	11,245.84	22.86	25.23	167.102	2,344.44	211.83	1,752.20	1,692.07	60.13	29.140	
12,000.00	9,538.00	13,689.00	11,246.76	23.47	25.76	167.029	2,439.40	214.37	1,753.73	1,692.56	61.18	28.667	
12,100.00	9,538.00	13,813.15	11,246.99	24.09	26.47	166.909	2,563.49	218.18	1,754.59	1,692.01	62.58	28.037	
12,200.00	9,538.00	13,918.26	11,246.13	24.71	27.09	166.787	2,668.52	221.84	1,754.58	1,690.80	63.78	27.509	
12,253.58	9,538.00	13,970.63	11,245.74	25.05	27.41	166.733	2,720.87	223.45	1,754.56	1,690.18	64.39	27.251	
12,300.00	9,538.00	14,008.37	11,245.57	25.34	27.63	166.697	2,758.60	224.55	1,754.67	1,689.85	64.82	27.069	
12,400.00	9,538.00	14,094.68	11,245.91	25.99	28.16	166.622	2,844.87	226.99	1,755.69	1,689.87	65.83	26.672	
12,500.00	9,538.00	14,197.98	11,246.43	26.63	28.80	166.534	2,948.12	229.89	1,756.83	1,689.77	67.06	26.199	
12,600.00	9,538.00	14,292.95	11,246.87	27.29	29.39	166.445	3,043.05	232.83	1,758.01	1,689.81	68.19	25.779	
12,700.00	9,538.00	14,394.94	11,247.74	27.95	30.03	166.351	3,144.99	236.01	1,759.57	1,690.13	69.44	25.340	
12,800.00	9,538.00	14,503.93	11,248.00	28.61	30.73	166.271	3,253.94	238.60	1,760.34	1,689.55	70.79	24.868	
12,900.00	9,538.00	14,593.28	11,248.68	29.28	31.31	166.247	3,343.29	239.54	1,761.34	1,689.45	71.89	24.499	
13,000.00	9,538.00	14,751.68	11,248.91	29.95	32.34	166.228	3,501.67	240.20	1,761.88	1,687.93	73.95	23.826	
13,100.00	9,538.00	14,857.74	11,247.07	30.63	33.05	166.283	3,607.69	238.03	1,759.71	1,684.39	75.31	23.365	
13,200.00	9,538.00	14,959.92	11,245.18	31.31	33.73	166.340	3,709.83	235.78	1,757.39	1,680.75	76.64	22.931	
13,300.00	9,538.00	15,068.90	11,242.91	32.00	34.46	166.413	3,818.75	232.94	1,754.75	1,676.68	78.07	22.478	
13,400.00	9,538.00	15,179.13	11,240.11	32.69	35.20	166.508	3,928.88	229.30	1,751.51	1,671.99	79.52	22.026	
13,500.00	9,538.00	15,264.94	11,237.98	33.38	35.79	166.597	4,014.60	226.00	1,748.22	1,667.55	80.66	21.673	
13,600.00	9,538.00	15,355.51	11,236.43	34.08	36.41	166.656	4,105.13	223.79	1,745.97	1,664.10	81.87	21.326	
13,700.00	9,538.00	15,499.80	11,232.53	34.78	37.40	166.721	4,249.33	220.84	1,743.01	1,659.20	83.81	20.797	
13,800.00	9,538.00	15,562.71	11,230.57	35.48	37.84	166.745	4,312.20	219.64	1,739.47	1,654.80	84.67	20.544	
13,900.00	9,538.00	15,636.24	11,229.72	36.18	38.35	166.799	4,385.70	217.77	1,737.73	1,652.08	85.65	20.289	
13,996.55	9,538.00	15,714.41	11,229.83	36.87	38.89	166.866	4,463.84	215.69	1,737.27	1,650.57	86.69	20.039	
14,000.00	9,538.00	15,717.38	11,229.85	36.89	38.91	166.869	4,466.80	215.61	1,737.27	1,650.54	86.73	20.030	
14,100.00	9,538.00	15,805.68	11,230.88	37.60	39.53	166.967	4,555.06	212.81	1,737.69	1,649.76	87.93	19.763	
14,200.00	9,538.00	15,897.11	11,232.23	38.31	40.16	167.051	4,646.45	210.52	1,738.57	1,649.40	89.17	19.497	
14,300.00	9,538.00	15,994.74	11,234.58	39.02	40.85	167.162	4,744.00	207.60	1,740.24	1,649.71	90.52	19.225	
14,400.00	9,538.00	16,142.09	11,234.70	39.74	41.89	167.285	4,891.30	203.82	1,739.52	1,646.87	92.65	18.775	
14,500.00	9,538.00	16,226.79	11,233.91	40.46	42.49	167.301	4,975.99	203.16	1,738.46	1,644.64	93.81	18.531	
14,600.00	9,538.00	16,324.18	11,234.01	41.18	43.18	167.350	5,073.37	201.67	1,738.21	1,643.04	95.17	18.265	
14,700.00	9,538.00	16,419.22	11,234.17	41.90	43.86	167.415	5,168.39	199.66	1,737.92	1,641.43	96.50	18.010	
14,712.41	9,538.00	16,430.54	11,234.21	41.98	43.94	167.422	5,179.71	199.47	1,737.92	1,641.27	96.65	17.981	
14,800.00	9,538.00	16,513.92	11,234.64	42.62	44.53	167.470	5,263.07	198.08	1,738.04	1,640.22	97.82	17.768	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Sheba Federal Com 506H - OH / 68321 - Surveys (H&P 296)												Offset Site Error:	0.00 usft
Survey Program: 136-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Distance			Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
14,900.00	9,538.00	16,669.03	11,233.12	43.34	45.65	167.557	5,418.13	195.05	1,736.64	1,636.54	100.09	17.351	
15,000.00	9,538.00	16,731.00	11,231.59	44.06	46.09	167.593	5,480.07	193.61	1,734.13	1,633.20	100.93	17.182	
15,100.00	9,538.00	16,826.00	11,231.31	44.79	46.78	167.633	5,575.05	192.32	1,733.56	1,631.27	102.29	16.948	
15,107.75	9,538.00	16,826.00	11,231.31	44.85	46.78	167.633	5,575.05	192.32	1,733.54	1,631.27	102.27	16.950	
15,200.00	9,538.00	16,873.79	11,232.39	45.52	47.12	167.643	5,622.83	192.23	1,735.14	1,632.31	102.83	16.873	
15,300.00	9,538.00	16,955.35	11,235.08	46.25	47.70	167.667	5,704.34	192.09	1,738.31	1,634.38	103.93	16.726	
15,400.00	9,538.00	17,055.65	11,239.19	46.98	48.43	167.718	5,804.56	191.41	1,742.16	1,636.79	105.37	16.534	
15,500.00	9,538.00	17,163.71	11,242.37	47.71	49.21	167.697	5,912.55	192.78	1,745.29	1,638.34	106.95	16.319	
15,600.00	9,538.00	17,242.03	11,244.97	48.44	49.77	167.685	5,990.83	193.74	1,748.85	1,640.87	107.98	16.196	
15,700.00	9,538.00	17,438.49	11,250.78	49.17	51.19	167.635	6,187.12	196.58	1,753.57	1,642.45	111.12	15.781	
15,800.00	9,538.00	17,574.27	11,245.86	49.90	52.18	167.470	6,322.74	200.66	1,750.41	1,637.31	113.10	15.477	
15,900.00	9,538.00	17,653.12	11,242.93	50.64	52.75	167.334	6,401.46	204.26	1,747.78	1,633.57	114.21	15.303	
16,000.00	9,538.00	17,751.80	11,240.08	51.37	53.47	167.149	6,499.97	209.42	1,746.11	1,630.49	115.62	15.102	
16,100.00	9,538.00	17,844.42	11,237.29	52.11	54.14	166.977	6,592.42	214.16	1,744.33	1,627.39	116.94	14.917	
16,186.94	9,538.00	17,906.31	11,236.03	52.75	54.59	166.875	6,654.23	217.06	1,743.58	1,625.79	117.79	14.803	
16,200.00	9,538.00	17,914.43	11,235.97	52.85	54.65	166.864	6,662.34	217.39	1,743.60	1,625.70	117.89	14.790	
16,300.00	9,538.00	17,987.99	11,236.46	53.58	55.19	166.787	6,735.86	219.91	1,744.92	1,626.03	118.89	14.677	
16,400.00	9,538.00	18,101.02	11,236.70	54.32	56.01	166.662	6,848.82	223.90	1,745.89	1,625.32	120.57	14.481	
16,500.00	9,538.00	18,187.75	11,237.33	55.06	56.64	166.559	6,935.47	227.29	1,747.48	1,625.70	121.78	14.349	
16,600.00	9,538.00	18,276.33	11,238.26	55.80	57.29	166.471	7,023.99	230.27	1,749.32	1,626.29	123.03	14.218	
16,700.00	9,538.00	18,349.00	11,240.85	56.54	57.83	166.455	7,096.61	231.40	1,752.99	1,629.00	123.99	14.138	
16,800.00	9,538.00	18,510.97	11,244.04	57.28	59.02	166.477	7,258.52	231.51	1,754.71	1,628.10	126.61	13.859	
16,900.00	9,538.00	18,653.03	11,243.64	58.03	60.06	166.515	7,400.57	230.22	1,754.31	1,625.53	128.78	13.622	
17,000.00	9,538.00	18,747.00	11,242.26	58.77	60.75	166.533	7,494.53	229.33	1,752.66	1,622.50	130.16	13.465	
17,027.24	9,538.00	18,747.00	11,242.26	58.97	60.75	166.533	7,494.53	229.33	1,752.45	1,622.34	130.11	13.469	
17,027.82	9,538.00	18,747.00	11,242.26	58.97	60.75	166.533	7,494.53	229.33	1,752.45	1,622.34	130.11	13.469	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 105H - OH - Plan 1 08-05-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
0.00	0.00	0.00	1.50	1.00	1.00	-88.715	20.96	-934.64	934.88				
100.00	100.00	98.50	100.00	1.12	1.12	-88.715	20.96	-934.64	934.88	932.64	2.24	417.164	
200.00	200.00	198.50	200.00	1.65	1.64	-88.715	20.96	-934.64	934.88	931.58	3.29	283.780	
300.00	300.00	298.50	300.00	2.05	2.05	-88.715	20.96	-934.64	934.88	930.78	4.10	228.109	
400.00	400.00	398.50	400.00	2.39	2.38	-88.715	20.96	-934.64	934.88	930.11	4.77	195.857	
500.00	500.00	498.50	500.00	2.69	2.68	-88.715	20.96	-934.64	934.88	929.51	5.37	174.135	
600.00	600.00	598.50	600.00	2.96	2.95	-88.715	20.96	-934.64	934.88	928.97	5.91	158.216	
700.00	700.00	698.50	700.00	3.21	3.20	-88.715	20.96	-934.64	934.88	928.47	6.41	145.898	
800.00	800.00	798.50	800.00	3.44	3.44	-88.715	20.96	-934.64	934.88	928.00	6.87	135.994	
900.00	900.00	898.50	900.00	3.66	3.66	-88.715	20.96	-934.64	934.88	927.56	7.31	127.804	
1,000.00	1,000.00	998.50	1,000.00	3.87	3.87	-88.715	20.96	-934.64	934.88	927.14	7.73	120.881	
1,100.00	1,100.00	1,098.50	1,100.00	4.07	4.07	-88.715	20.96	-934.64	934.88	926.74	8.13	114.927	
1,200.00	1,200.00	1,198.50	1,200.00	4.26	4.26	-88.715	20.96	-934.64	934.88	926.36	8.52	109.735	
1,300.00	1,300.00	1,298.50	1,300.00	4.45	4.44	-88.715	20.96	-934.64	934.88	925.99	8.89	105.152	
1,400.00	1,400.00	1,398.50	1,400.00	4.63	4.62	-88.715	20.96	-934.64	934.88	925.63	9.25	101.068	
1,500.00	1,500.00	1,498.50	1,500.00	4.80	4.80	-88.715	20.96	-934.64	934.88	925.28	9.60	97.398	
1,600.00	1,600.00	1,598.50	1,600.00	4.97	4.97	-88.715	20.96	-934.64	934.88	924.94	9.94	94.075	
1,700.00	1,700.00	1,698.50	1,700.00	5.14	5.13	-88.715	20.96	-934.64	934.88	924.61	10.27	91.047	
1,800.00	1,800.00	1,798.50	1,800.00	5.30	5.29	-88.715	20.96	-934.64	934.88	924.29	10.59	88.274	
1,900.00	1,900.00	1,898.50	1,900.00	5.45	5.45	-88.715	20.96	-934.64	934.88	923.97	10.91	85.720	
2,000.00	2,000.00	1,998.50	2,000.00	5.61	5.61	-88.715	20.96	-934.64	934.88	923.66	11.22	83.358	
2,100.00	2,099.99	2,091.15	2,092.65	5.74	5.73	46.735	20.34	-935.02	934.67	923.20	11.47	81.500	
2,200.00	2,199.96	2,183.69	2,185.16	5.87	5.84	46.729	18.44	-936.16	934.06	922.37	11.69	79.923	
2,300.00	2,299.86	2,276.22	2,277.62	6.01	5.96	46.719	15.25	-938.06	933.05	921.14	11.91	78.324	
2,400.00	2,399.68	2,368.76	2,370.01	6.16	6.10	46.704	10.78	-940.74	931.65	919.50	12.15	76.678	
2,500.00	2,499.37	2,461.29	2,462.30	6.34	6.26	46.684	5.04	-944.18	929.85	917.45	12.40	74.981	
2,600.00	2,598.90	2,553.83	2,554.47	6.55	6.44	46.659	-1.99	-948.38	927.65	914.98	12.67	73.231	
2,700.00	2,698.26	2,646.36	2,646.49	6.77	6.63	46.630	-10.29	-953.35	925.06	912.11	12.95	71.430	
2,800.00	2,797.40	2,738.89	2,738.34	7.01	6.84	46.595	-19.86	-959.08	922.07	908.82	13.25	69.581	
2,900.00	2,896.30	2,831.41	2,830.00	7.28	7.08	46.555	-30.70	-965.57	918.69	905.12	13.57	67.691	
3,000.00	2,994.93	2,923.93	2,921.44	7.57	7.33	46.510	-42.82	-972.82	914.92	901.01	13.91	65.766	
3,100.00	3,093.41	3,017.76	3,013.92	7.87	7.60	46.392	-56.37	-980.94	911.35	897.07	14.28	63.839	
3,200.00	3,191.89	3,117.67	3,112.31	8.19	7.90	46.235	-71.26	-989.85	908.05	893.38	14.67	61.886	
3,300.00	3,290.38	3,217.59	3,210.71	8.52	8.22	46.078	-86.15	-998.76	904.77	889.68	15.09	59.966	
3,400.00	3,388.86	3,317.50	3,309.11	8.86	8.55	45.919	-101.04	-1,007.68	901.49	885.97	15.52	58.093	
3,500.00	3,487.35	3,419.36	3,409.43	9.18	8.89	45.748	-116.18	-1,016.74	898.25	882.33	15.92	56.433	
3,600.00	3,586.06	3,528.01	3,516.67	9.53	9.27	45.565	-131.11	-1,025.67	895.24	878.85	16.39	54.606	
3,700.00	3,685.03	3,636.68	3,624.25	9.89	9.65	45.409	-144.29	-1,033.57	892.49	875.62	16.87	52.902	
3,800.00	3,784.24	3,745.37	3,732.12	10.24	10.02	45.280	-155.73	-1,040.41	889.99	872.65	17.34	51.320	
3,900.00	3,883.66	3,854.08	3,840.23	10.59	10.40	45.180	-165.41	-1,046.21	887.74	869.93	17.80	49.862	
4,000.00	3,983.24	3,962.78	3,948.55	10.93	10.76	45.108	-173.32	-1,050.95	885.73	867.48	18.25	48.528	
4,100.00	4,082.97	4,071.49	4,057.01	11.26	11.10	45.064	-179.48	-1,054.63	883.98	865.29	18.68	47.316	
4,200.00	4,182.81	4,180.19	4,165.59	11.58	11.43	45.049	-183.86	-1,057.25	882.47	863.38	19.09	46.228	
4,300.00	4,282.74	4,288.87	4,274.23	11.87	11.73	45.064	-186.48	-1,058.82	881.20	861.74	19.46	45.273	
4,400.00	4,382.71	4,397.54	4,382.89	12.13	11.91	45.107	-187.33	-1,059.33	880.19	860.42	19.76	44.540	
4,500.00	4,482.71	4,497.36	4,482.71	12.23	11.96	-90.326	-187.33	-1,059.33	879.88	859.97	19.91	44.202	
4,600.00	4,582.71	4,597.36	4,582.71	12.29	12.03	-90.326	-187.33	-1,059.33	879.88	859.82	20.05	43.879	
4,700.00	4,682.71	4,697.36	4,682.71	12.35	12.09	-90.326	-187.33	-1,059.33	879.88	859.68	20.20	43.559	
4,800.00	4,782.71	4,797.36	4,782.71	12.41	12.15	-90.326	-187.33	-1,059.33	879.88	859.53	20.35	43.244	
4,900.00	4,882.71	4,897.36	4,882.71	12.47	12.21	-90.326	-187.33	-1,059.33	879.88	859.38	20.49	42.933	
5,000.00	4,982.71	4,997.36	4,982.71	12.54	12.28	-90.326	-187.33	-1,059.33	879.88	859.24	20.64	42.626	
5,100.00	5,082.71	5,097.36	5,082.71	12.60	12.34	-90.326	-187.33	-1,059.33	879.88	859.09	20.79	42.322	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 105H - OH - Plan 1 08-05-22												Offset Site Error:	0.00 usft
Survey Program: 0-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Rule Assigned:													
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference	Offset	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
5,200.00	5,182.71	5,197.36	5,182.71	12.66	12.40	-90.326	-187.33	-1,059.33	879.88	858.94	20.94	42.023	
5,300.00	5,282.71	5,297.36	5,282.71	12.73	12.47	-90.326	-187.33	-1,059.33	879.88	858.79	21.09	41.727	
5,400.00	5,382.71	5,397.36	5,382.71	12.79	12.53	-90.326	-187.33	-1,059.33	879.88	858.64	21.23	41.435	
5,500.00	5,482.71	5,497.36	5,482.71	12.85	12.59	-90.326	-187.33	-1,059.33	879.88	858.49	21.38	41.147	
5,600.00	5,582.71	5,597.36	5,582.71	12.92	12.66	-90.326	-187.33	-1,059.33	879.88	858.34	21.53	40.862	
5,700.00	5,682.71	5,697.36	5,682.71	12.98	12.72	-90.326	-187.33	-1,059.33	879.88	858.20	21.68	40.581	
5,800.00	5,782.71	5,797.36	5,782.71	13.05	12.79	-90.326	-187.33	-1,059.33	879.88	858.05	21.83	40.303	
5,900.00	5,882.71	5,897.36	5,882.71	13.11	12.85	-90.326	-187.33	-1,059.33	879.88	857.90	21.98	40.029	
6,000.00	5,982.71	5,997.36	5,982.71	13.18	12.92	-90.326	-187.33	-1,059.33	879.88	857.75	22.13	39.758	
6,100.00	6,082.71	6,097.36	6,082.71	13.24	12.98	-90.326	-187.33	-1,059.33	879.88	857.60	22.28	39.491	
6,200.00	6,182.71	6,197.36	6,182.71	13.31	13.05	-90.326	-187.33	-1,059.33	879.88	857.45	22.43	39.226	
6,300.00	6,282.71	6,297.36	6,282.71	13.37	13.11	-90.326	-187.33	-1,059.33	879.88	857.30	22.58	38.965	
6,400.00	6,382.71	6,397.36	6,382.71	13.44	13.18	-90.326	-187.33	-1,059.33	879.88	857.15	22.73	38.707	
6,500.00	6,482.71	6,497.36	6,482.71	13.50	13.25	-90.326	-187.33	-1,059.33	879.88	856.99	22.88	38.452	
6,600.00	6,582.71	6,597.36	6,582.71	13.57	13.31	-90.326	-187.33	-1,059.33	879.88	856.84	23.03	38.201	
6,700.00	6,682.71	6,697.36	6,682.71	13.63	13.38	-90.326	-187.33	-1,059.33	879.88	856.69	23.18	37.952	
6,800.00	6,782.71	6,797.36	6,782.71	13.70	13.45	-90.326	-187.33	-1,059.33	879.88	856.54	23.34	37.706	
6,900.00	6,882.71	6,897.36	6,882.71	13.77	13.51	-90.326	-187.33	-1,059.33	879.88	856.39	23.49	37.463	
7,000.00	6,982.71	6,997.36	6,982.71	13.83	13.58	-90.326	-187.33	-1,059.33	879.88	856.24	23.64	37.223	
7,100.00	7,082.71	7,097.36	7,082.71	13.90	13.65	-90.326	-187.33	-1,059.33	879.88	856.09	23.79	36.986	
7,200.00	7,182.71	7,197.36	7,182.71	13.97	13.71	-90.326	-187.33	-1,059.33	879.88	855.94	23.94	36.751	
7,300.00	7,282.71	7,297.36	7,282.71	14.03	13.78	-90.326	-187.33	-1,059.33	879.88	855.78	24.09	36.520	
7,400.00	7,382.71	7,397.36	7,382.71	14.10	13.85	-90.326	-187.33	-1,059.33	879.88	855.63	24.25	36.291	
7,500.00	7,482.71	7,497.36	7,482.71	14.17	13.92	-90.326	-187.33	-1,059.33	879.88	855.48	24.40	36.064	
7,600.00	7,582.71	7,597.36	7,582.71	14.23	13.98	-90.326	-187.33	-1,059.33	879.88	855.33	24.55	35.840	
7,700.00	7,682.71	7,697.36	7,682.71	14.30	14.05	-90.326	-187.33	-1,059.33	879.88	855.17	24.70	35.619	
7,800.00	7,782.71	7,797.36	7,782.71	14.37	14.12	-90.326	-187.33	-1,059.33	879.88	855.02	24.85	35.401	
7,900.00	7,882.71	7,897.36	7,882.71	14.44	14.19	-90.326	-187.33	-1,059.33	879.88	854.87	25.01	35.184	
8,000.00	7,982.71	7,997.36	7,982.71	14.51	14.26	-90.326	-187.33	-1,059.33	879.88	854.72	25.16	34.971	
8,100.00	8,082.71	8,097.36	8,082.71	14.57	14.32	-90.326	-187.33	-1,059.33	879.88	854.56	25.31	34.759	
8,200.00	8,182.71	8,197.36	8,182.71	14.64	14.39	-90.326	-187.33	-1,059.33	879.88	854.41	25.47	34.550	
8,300.00	8,282.71	8,297.36	8,282.71	14.71	14.46	-90.326	-187.33	-1,059.33	879.88	854.26	25.62	34.344	
8,400.00	8,382.71	8,397.36	8,382.71	14.78	14.53	-90.326	-187.33	-1,059.33	879.88	854.10	25.77	34.139	
8,500.00	8,482.71	8,497.36	8,482.71	14.85	14.60	-90.326	-187.33	-1,059.33	879.88	853.95	25.93	33.937	
8,600.00	8,582.71	8,597.36	8,582.71	14.92	14.67	-90.326	-187.33	-1,059.33	879.88	853.80	26.08	33.737	
8,700.00	8,682.71	8,697.36	8,682.71	14.99	14.74	-90.326	-187.33	-1,059.33	879.88	853.64	26.23	33.540	
8,800.00	8,782.71	8,797.36	8,782.71	15.05	14.81	-90.326	-187.33	-1,059.33	879.88	853.49	26.39	33.344	
8,900.00	8,882.71	8,897.36	8,882.71	15.12	14.88	-90.326	-187.33	-1,059.33	879.88	853.34	26.54	33.151	
9,000.00	8,982.71	8,997.36	8,982.71	15.19	14.95	-90.326	-187.33	-1,059.33	879.88	853.18	26.70	32.959	
9,100.00	9,082.70	9,097.73	9,083.03	15.23	14.94	-90.254	-185.61	-1,059.33	879.87	853.09	26.78	32.853	
9,200.00	9,181.38	9,198.07	9,181.38	15.09	14.77	-90.000	-166.69	-1,059.33	879.86	853.07	26.79	32.839	
9,200.13	9,181.51	9,198.20	9,181.51	15.09	14.77	-90.000	-166.65	-1,059.33	879.86	853.07	26.79	32.839 CC	
9,300.00	9,274.78	9,297.59	9,272.91	14.93	14.58	-89.748	-128.07	-1,059.32	879.87	853.09	26.78	32.857	
9,400.00	9,358.81	9,396.33	9,353.87	14.77	14.41	-89.507	-71.86	-1,059.32	879.89	853.14	26.76	32.883	
9,500.00	9,429.81	9,494.37	9,421.14	14.65	14.28	-89.288	-0.78	-1,059.31	879.93	853.17	26.76	32.885	
9,600.00	9,484.67	9,591.79	9,472.23	14.56	14.18	-89.101	81.98	-1,059.30	879.97	853.17	26.80	32.831	
9,700.00	9,520.99	9,688.72	9,505.38	14.53	14.14	-88.951	172.88	-1,059.30	880.01	853.10	26.91	32.698	
9,800.00	9,537.19	9,785.27	9,519.50	14.57	14.15	-88.847	268.23	-1,059.29	880.04	852.94	27.10	32.474	
9,900.00	9,538.00	9,884.45	9,520.00	14.66	14.22	-88.828	367.40	-1,059.28	880.05	852.67	27.38	32.145	
10,000.00	9,538.00	9,984.45	9,520.00	14.80	14.31	-88.828	467.40	-1,059.27	880.05	852.30	27.75	31.712	
10,100.00	9,538.00	10,084.45	9,520.00	14.96	14.43	-88.828	567.40	-1,059.26	880.05	851.84	28.20	31.204	
10,200.00	9,538.00	10,184.45	9,520.00	15.16	14.58	-88.828	667.40	-1,059.25	880.05	851.32	28.73	30.632	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 105H - OH - Plan 1 08-05-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Distance		Rule Assigned:		Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
10,300.00	9,538.00	10,284.45	9,520.00	15.40	14.78	-88.828	767.40	-1,059.24	880.05	850.72	29.33	30.009	
10,400.00	9,538.00	10,384.45	9,520.00	15.67	15.02	-88.828	867.40	-1,059.23	880.05	850.06	29.99	29.346	
10,500.00	9,538.00	10,484.45	9,520.00	15.98	15.31	-88.828	967.40	-1,059.23	880.05	849.33	30.71	28.653	
10,600.00	9,538.00	10,584.45	9,520.00	16.32	15.64	-88.828	1,067.40	-1,059.22	880.05	848.55	31.50	27.942	
10,700.00	9,538.00	10,684.45	9,520.00	16.69	16.01	-88.828	1,167.40	-1,059.21	880.05	847.71	32.33	27.220	
10,800.00	9,538.00	10,784.45	9,520.00	17.09	16.42	-88.828	1,267.40	-1,059.20	880.05	846.83	33.22	26.495	
10,900.00	9,538.00	10,884.45	9,520.00	17.52	16.85	-88.828	1,367.40	-1,059.19	880.05	845.90	34.15	25.773	
11,000.00	9,538.00	10,984.45	9,520.00	17.97	17.32	-88.828	1,467.40	-1,059.18	880.05	844.93	35.12	25.060	
11,100.00	9,538.00	11,084.45	9,520.00	18.45	17.81	-88.828	1,567.40	-1,059.17	880.05	843.92	36.13	24.359	
11,200.00	9,538.00	11,184.45	9,520.00	18.95	18.32	-88.828	1,667.40	-1,059.16	880.05	842.87	37.17	23.673	
11,300.00	9,538.00	11,284.45	9,520.00	19.46	18.85	-88.828	1,767.40	-1,059.15	880.05	841.79	38.25	23.006	
11,400.00	9,538.00	11,384.45	9,520.00	19.99	19.40	-88.828	1,867.40	-1,059.15	880.05	840.68	39.36	22.358	
11,500.00	9,538.00	11,484.45	9,520.00	20.54	19.96	-88.828	1,967.40	-1,059.14	880.05	839.55	40.50	21.732	
11,600.00	9,538.00	11,584.45	9,520.00	21.10	20.54	-88.828	2,067.40	-1,059.13	880.05	838.39	41.66	21.126	
11,700.00	9,538.00	11,684.45	9,520.00	21.68	21.13	-88.828	2,167.40	-1,059.12	880.05	837.20	42.84	20.542	
11,800.00	9,538.00	11,784.45	9,520.00	22.26	21.73	-88.828	2,267.40	-1,059.11	880.05	836.00	44.05	19.981	
11,900.00	9,538.00	11,884.45	9,520.00	22.86	22.34	-88.828	2,367.40	-1,059.10	880.05	834.78	45.27	19.440	
12,000.00	9,538.00	11,984.45	9,520.00	23.47	22.97	-88.828	2,467.40	-1,059.09	880.05	833.53	46.51	18.921	
12,100.00	9,538.00	12,084.45	9,520.00	24.09	23.60	-88.828	2,567.40	-1,059.08	880.05	832.27	47.77	18.422	
12,200.00	9,538.00	12,184.45	9,520.00	24.71	24.24	-88.828	2,667.40	-1,059.08	880.04	831.00	49.04	17.944	
12,300.00	9,538.00	12,284.45	9,520.00	25.34	24.88	-88.828	2,767.40	-1,059.07	880.04	829.71	50.33	17.485	
12,400.00	9,538.00	12,384.45	9,520.00	25.99	25.53	-88.828	2,867.40	-1,059.06	880.04	828.41	51.63	17.044	
12,500.00	9,538.00	12,484.45	9,520.00	26.63	26.19	-88.828	2,967.40	-1,059.05	880.04	827.10	52.95	16.621	
12,600.00	9,538.00	12,584.45	9,520.00	27.29	26.86	-88.828	3,067.40	-1,059.04	880.04	825.77	54.27	16.215	
12,700.00	9,538.00	12,684.45	9,520.00	27.95	27.53	-88.828	3,167.40	-1,059.03	880.04	824.44	55.61	15.826	
12,800.00	9,538.00	12,784.45	9,520.00	28.61	28.20	-88.828	3,267.40	-1,059.02	880.04	823.09	56.95	15.452	
12,900.00	9,538.00	12,884.45	9,520.00	29.28	28.88	-88.828	3,367.40	-1,059.01	880.04	821.74	58.31	15.094	
13,000.00	9,538.00	12,984.45	9,520.00	29.95	29.57	-88.828	3,467.40	-1,059.00	880.04	820.38	59.67	14.749	
13,100.00	9,538.00	13,084.45	9,520.00	30.63	30.25	-88.828	3,567.40	-1,059.00	880.04	819.01	61.04	14.418	
13,200.00	9,538.00	13,184.45	9,520.00	31.31	30.94	-88.828	3,667.40	-1,058.99	880.04	817.63	62.42	14.100	
13,300.00	9,538.00	13,284.45	9,520.00	32.00	31.64	-88.828	3,767.40	-1,058.98	880.04	816.25	63.80	13.794	
13,400.00	9,538.00	13,384.45	9,520.00	32.69	32.34	-88.828	3,867.40	-1,058.97	880.04	814.85	65.19	13.500	
13,500.00	9,538.00	13,484.45	9,520.00	33.38	33.04	-88.828	3,967.40	-1,058.96	880.04	813.46	66.59	13.217	
13,600.00	9,538.00	13,584.45	9,520.00	34.08	33.74	-88.828	4,067.40	-1,058.95	880.04	812.06	67.99	12.944	
13,700.00	9,538.00	13,684.45	9,520.00	34.78	34.45	-88.828	4,167.40	-1,058.94	880.04	810.65	69.40	12.681	
13,800.00	9,538.00	13,784.45	9,520.00	35.48	35.16	-88.828	4,267.40	-1,058.93	880.04	809.24	70.81	12.428	
13,900.00	9,538.00	13,884.45	9,520.00	36.18	35.87	-88.828	4,367.40	-1,058.92	880.04	807.82	72.23	12.185	
14,000.00	9,538.00	13,984.45	9,520.00	36.89	36.58	-88.828	4,467.40	-1,058.92	880.04	806.40	73.65	11.949	
14,100.00	9,538.00	14,084.45	9,520.00	37.60	37.29	-88.828	4,567.40	-1,058.91	880.04	804.97	75.07	11.722	
14,200.00	9,538.00	14,184.45	9,520.00	38.31	38.01	-88.828	4,667.40	-1,058.90	880.04	803.54	76.50	11.503	
14,300.00	9,538.00	14,284.45	9,520.00	39.02	38.73	-88.828	4,767.40	-1,058.89	880.04	802.11	77.94	11.292	
14,400.00	9,538.00	14,384.45	9,520.00	39.74	39.45	-88.828	4,867.40	-1,058.88	880.04	800.67	79.37	11.087	
14,500.00	9,538.00	14,484.45	9,520.00	40.46	40.17	-88.828	4,967.40	-1,058.87	880.04	799.23	80.81	10.890	
14,600.00	9,538.00	14,584.45	9,520.00	41.18	40.90	-88.828	5,067.40	-1,058.86	880.04	797.79	82.26	10.699	
14,700.00	9,538.00	14,684.45	9,520.00	41.90	41.62	-88.828	5,167.40	-1,058.85	880.04	796.34	83.70	10.514	
14,800.00	9,538.00	14,784.45	9,520.00	42.62	42.35	-88.828	5,267.40	-1,058.85	880.04	794.89	85.15	10.335	
14,900.00	9,538.00	14,884.45	9,520.00	43.34	43.08	-88.828	5,367.40	-1,058.84	880.04	793.44	86.61	10.161	
15,000.00	9,538.00	14,984.45	9,520.00	44.06	43.81	-88.828	5,467.40	-1,058.83	880.04	791.98	88.06	9.994	
15,100.00	9,538.00	15,084.45	9,520.00	44.79	44.54	-88.828	5,567.40	-1,058.82	880.04	790.53	89.52	9.831	
15,200.00	9,538.00	15,184.45	9,520.00	45.52	45.27	-88.828	5,667.40	-1,058.81	880.04	789.07	90.98	9.673	
15,300.00	9,538.00	15,284.45	9,520.00	46.25	46.00	-88.828	5,767.40	-1,058.80	880.04	787.60	92.44	9.520	
15,400.00	9,538.00	15,384.45	9,520.00	46.98	46.73	-88.828	5,867.40	-1,058.79	880.04	786.14	93.90	9.372	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 105H - OH - Plan 1 08-05-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Distance			Rule Assigned:	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
15,500.00	9,538.00	15,484.45	9,520.00	47.71	47.47	-88.828	5,967.40	-1,058.78	880.04	784.67	95.37	9.228	
15,600.00	9,538.00	15,584.45	9,520.00	48.44	48.20	-88.828	6,067.40	-1,058.77	880.04	783.21	96.84	9.088	
15,700.00	9,538.00	15,684.45	9,520.00	49.17	48.94	-88.828	6,167.40	-1,058.77	880.04	781.74	98.31	8.952	
15,800.00	9,538.00	15,784.45	9,520.00	49.90	49.68	-88.828	6,267.40	-1,058.76	880.04	780.27	99.78	8.820	
15,900.00	9,538.00	15,884.45	9,520.00	50.64	50.41	-88.828	6,367.40	-1,058.75	880.04	778.79	101.25	8.692	
16,000.00	9,538.00	15,984.45	9,520.00	51.37	51.15	-88.828	6,467.40	-1,058.74	880.04	777.32	102.72	8.567	
16,100.00	9,538.00	16,084.45	9,520.00	52.11	51.89	-88.828	6,567.40	-1,058.73	880.04	775.84	104.20	8.446	
16,200.00	9,538.00	16,184.45	9,520.00	52.85	52.63	-88.828	6,667.40	-1,058.72	880.04	774.36	105.68	8.328	
16,300.00	9,538.00	16,284.45	9,520.00	53.58	53.37	-88.828	6,767.40	-1,058.71	880.04	772.89	107.16	8.213	
16,400.00	9,538.00	16,384.45	9,520.00	54.32	54.11	-88.828	6,867.40	-1,058.70	880.04	771.41	108.64	8.101	
16,500.00	9,538.00	16,484.45	9,520.00	55.06	54.86	-88.828	6,967.40	-1,058.69	880.04	769.92	110.12	7.992	
16,600.00	9,538.00	16,584.45	9,520.00	55.80	55.60	-88.828	7,067.40	-1,058.69	880.04	768.44	111.60	7.886	
16,700.00	9,538.00	16,684.45	9,520.00	56.54	56.34	-88.828	7,167.40	-1,058.68	880.04	766.96	113.09	7.782	
16,800.00	9,538.00	16,784.45	9,520.00	57.28	57.09	-88.828	7,267.40	-1,058.67	880.04	765.47	114.57	7.681	
16,900.00	9,538.00	16,884.45	9,520.00	58.03	57.83	-88.828	7,367.40	-1,058.66	880.04	763.98	116.06	7.583	
17,000.00	9,538.00	16,984.45	9,520.00	58.77	58.58	-88.828	7,467.40	-1,058.65	880.04	762.50	117.55	7.487	
17,027.82	9,538.00	17,012.27	9,520.00	58.97	58.78	-88.828	7,495.23	-1,058.65	880.04	762.09	117.96	7.461 ES, SF	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 304H - OH - Plan 1 04-06-22												Offset Site Error:	0.00 usft
Survey Program: 0-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference		Offset		Semi Major Axis		Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)		+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
0.00	0.00	0.00	2.30	1.00	1.00	-91.166	-19.03	-934.67	934.87				
100.00	100.00	97.70	100.00	1.12	1.12	-91.166	-19.03	-934.67	934.86	932.62	2.24	417.496	
200.00	200.00	197.70	200.00	1.65	1.64	-91.166	-19.03	-934.67	934.86	931.57	3.29	284.216	
300.00	300.00	297.70	300.00	2.05	2.04	-91.166	-19.03	-934.67	934.86	930.77	4.10	228.290	
400.00	400.00	397.70	400.00	2.39	2.38	-91.166	-19.03	-934.67	934.86	930.09	4.77	195.967	
500.00	500.00	497.70	500.00	2.69	2.68	-91.166	-19.03	-934.67	934.86	929.50	5.37	174.210	
600.00	600.00	597.70	600.00	2.96	2.95	-91.166	-19.03	-934.67	934.86	928.96	5.91	158.271	
700.00	700.00	697.70	700.00	3.21	3.20	-91.166	-19.03	-934.67	934.86	928.46	6.41	145.941	
800.00	800.00	797.70	800.00	3.44	3.43	-91.166	-19.03	-934.67	934.86	927.99	6.87	136.029	
900.00	900.00	897.70	900.00	3.66	3.65	-91.166	-19.03	-934.67	934.86	927.55	7.31	127.832	
1,000.00	1,000.00	997.70	1,000.00	3.87	3.86	-91.166	-19.03	-934.67	934.86	927.13	7.73	120.905	
1,100.00	1,100.00	1,097.70	1,100.00	4.07	4.06	-91.166	-19.03	-934.67	934.86	926.73	8.13	114.948	
1,200.00	1,200.00	1,197.70	1,200.00	4.26	4.26	-91.166	-19.03	-934.67	934.86	926.34	8.52	109.753	
1,300.00	1,300.00	1,297.70	1,300.00	4.45	4.44	-91.166	-19.03	-934.67	934.86	925.97	8.89	105.168	
1,400.00	1,400.00	1,397.70	1,400.00	4.63	4.62	-91.166	-19.03	-934.67	934.86	925.61	9.25	101.082	
1,500.00	1,500.00	1,497.70	1,500.00	4.80	4.80	-91.166	-19.03	-934.67	934.86	925.27	9.60	97.410	
1,600.00	1,600.00	1,597.70	1,600.00	4.97	4.97	-91.166	-19.03	-934.67	934.86	924.93	9.94	94.086	
1,700.00	1,700.00	1,697.70	1,700.00	5.14	5.13	-91.166	-19.03	-934.67	934.86	924.60	10.27	91.058	
1,800.00	1,800.00	1,797.70	1,800.00	5.30	5.29	-91.166	-19.03	-934.67	934.86	924.27	10.59	88.283	
1,900.00	1,900.00	1,897.70	1,900.00	5.45	5.45	-91.166	-19.03	-934.67	934.86	923.96	10.90	85.728	
2,000.00	2,000.00	1,997.70	2,000.00	5.61	5.61	-91.166	-19.03	-934.67	934.86	923.65	11.21	83.365	
2,100.00	2,099.99	2,089.03	2,091.33	5.74	5.73	44.286	-19.59	-935.07	934.69	923.22	11.47	81.518	
2,200.00	2,199.96	2,180.16	2,182.43	5.87	5.84	44.286	-21.33	-936.31	934.22	922.53	11.69	79.944	
2,300.00	2,299.86	2,271.29	2,273.49	6.01	5.96	44.285	-24.26	-938.40	933.45	921.53	11.91	78.347	
2,400.00	2,399.68	2,362.43	2,364.49	6.16	6.10	44.283	-28.36	-941.32	932.37	920.22	12.16	76.699	
2,500.00	2,499.37	2,453.57	2,455.39	6.34	6.25	44.280	-33.64	-945.08	931.00	918.59	12.41	74.993	
2,600.00	2,598.90	2,544.71	2,546.19	6.55	6.42	44.276	-40.10	-949.68	929.33	916.64	12.69	73.231	
2,700.00	2,698.26	2,635.87	2,636.86	6.77	6.61	44.270	-47.73	-955.12	927.36	914.37	12.99	71.415	
2,800.00	2,797.40	2,727.03	2,727.38	7.01	6.82	44.263	-56.54	-961.40	925.09	911.79	13.30	69.551	
2,900.00	2,896.30	2,818.20	2,817.72	7.28	7.05	44.255	-66.52	-968.51	922.52	908.89	13.64	67.646	
3,000.00	2,994.93	2,909.38	2,907.87	7.57	7.29	44.246	-77.68	-976.46	919.66	905.66	14.00	65.710	
3,100.00	3,093.41	3,000.63	2,997.85	7.87	7.56	44.178	-90.01	-985.24	917.13	902.75	14.38	63.794	
3,200.00	3,191.89	3,100.60	3,096.30	8.19	7.86	44.064	-104.14	-995.32	915.07	900.27	14.80	61.819	
3,300.00	3,290.38	3,200.56	3,194.74	8.52	8.18	43.950	-118.28	-1,005.39	913.01	897.77	15.25	59.880	
3,400.00	3,388.86	3,300.52	3,293.19	8.86	8.51	43.835	-132.42	-1,015.46	910.96	895.25	15.71	57.988	
3,500.00	3,487.35	3,400.48	3,391.63	9.18	8.85	43.713	-146.55	-1,025.54	908.97	892.82	16.15	56.299	
3,600.00	3,586.06	3,503.40	3,492.99	9.53	9.17	43.527	-161.04	-1,035.86	907.88	891.27	16.61	54.670	
3,700.00	3,685.03	3,614.05	3,602.24	9.89	9.56	43.327	-175.35	-1,046.06	907.19	890.05	17.14	52.931	
3,800.00	3,784.24	3,724.74	3,711.85	10.24	9.96	43.150	-187.95	-1,055.04	906.61	888.94	17.67	51.314	
3,900.00	3,883.66	3,835.48	3,821.78	10.59	10.35	42.996	-198.83	-1,062.79	906.11	887.92	18.19	49.818	
4,000.00	3,983.24	3,946.26	3,931.98	10.93	10.73	42.867	-207.97	-1,069.30	905.71	887.01	18.70	48.445	
4,100.00	4,082.97	4,057.06	4,042.40	11.26	11.10	42.761	-215.38	-1,074.58	905.40	886.21	19.19	47.192	
4,200.00	4,182.81	4,167.89	4,153.01	11.58	11.45	42.679	-221.06	-1,078.62	905.17	885.52	19.65	46.063	
4,300.00	4,282.74	4,278.73	4,263.75	11.87	11.79	42.622	-224.98	-1,081.42	905.04	884.95	20.08	45.061	
4,400.00	4,382.71	4,389.59	4,374.57	12.13	12.08	42.589	-227.17	-1,082.98	904.98	884.51	20.47	44.207	
4,448.48	4,431.19	4,443.33	4,428.31	12.18	12.16	42.584	-227.60	-1,083.28	904.94	884.39	20.56	44.017 CC	
4,500.00	4,482.71	4,497.73	4,482.71	12.23	12.21	-92.872	-227.66	-1,083.33	905.00	884.37	20.62	43.879	
4,600.00	4,582.71	4,597.73	4,582.71	12.29	12.27	-92.872	-227.66	-1,083.33	905.00	884.23	20.76	43.584	
4,700.00	4,682.71	4,697.73	4,682.71	12.35	12.33	-92.872	-227.66	-1,083.33	905.00	884.09	20.91	43.289	
4,800.00	4,782.71	4,797.73	4,782.71	12.41	12.39	-92.872	-227.66	-1,083.33	905.00	883.95	21.05	42.997	
4,900.00	4,882.71	4,897.73	4,882.71	12.47	12.45	-92.872	-227.66	-1,083.33	905.00	883.81	21.19	42.709	
5,000.00	4,982.71	4,997.73	4,982.71	12.54	12.51	-92.872	-227.66	-1,083.33	905.00	883.67	21.33	42.423	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 304H - OH - Plan 1 04-06-22												Offset Site Error:	0.00 usft
Survey Program:		0-MWD+IFR1+MS				Rule Assigned:				Offset Well Error:		1.00 usft	
Reference		Offset		Semi Major Axis		Offset Wellbore Centre		Distance				Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)		Separation Factor
5,100.00	5,082.71	5,097.73	5,082.71	12.60	12.57	-92.872	-227.66	-1,083.33	905.00	883.52	21.48	42.141	
5,200.00	5,182.71	5,197.73	5,182.71	12.66	12.63	-92.872	-227.66	-1,083.33	905.00	883.38	21.62	41.863	
5,300.00	5,282.71	5,297.73	5,282.71	12.73	12.70	-92.872	-227.66	-1,083.33	905.00	883.24	21.76	41.587	
5,400.00	5,382.71	5,397.73	5,382.71	12.79	12.76	-92.872	-227.66	-1,083.33	905.00	883.09	21.91	41.314	
5,500.00	5,482.71	5,497.73	5,482.71	12.85	12.82	-92.872	-227.66	-1,083.33	905.00	882.95	22.05	41.045	
5,600.00	5,582.71	5,597.73	5,582.71	12.92	12.88	-92.872	-227.66	-1,083.33	905.00	882.81	22.19	40.778	
5,700.00	5,682.71	5,697.73	5,682.71	12.98	12.95	-92.872	-227.66	-1,083.33	905.00	882.66	22.34	40.515	
5,800.00	5,782.71	5,797.73	5,782.71	13.05	13.01	-92.872	-227.66	-1,083.33	905.00	882.52	22.48	40.254	
5,900.00	5,882.71	5,897.73	5,882.71	13.11	13.07	-92.872	-227.66	-1,083.33	905.00	882.37	22.63	39.996	
6,000.00	5,982.71	5,997.73	5,982.71	13.18	13.14	-92.872	-227.66	-1,083.33	905.00	882.23	22.77	39.741	
6,100.00	6,082.71	6,097.73	6,082.71	13.24	13.20	-92.872	-227.66	-1,083.33	905.00	882.08	22.92	39.489	
6,200.00	6,182.71	6,197.73	6,182.71	13.31	13.27	-92.872	-227.66	-1,083.33	905.00	881.94	23.06	39.240	
6,300.00	6,282.71	6,297.73	6,282.71	13.37	13.33	-92.872	-227.66	-1,083.33	905.00	881.79	23.21	38.993	
6,400.00	6,382.71	6,397.73	6,382.71	13.44	13.39	-92.872	-227.66	-1,083.33	905.00	881.64	23.36	38.749	
6,500.00	6,482.71	6,497.73	6,482.71	13.50	13.46	-92.872	-227.66	-1,083.33	905.00	881.50	23.50	38.508	
6,600.00	6,582.71	6,597.73	6,582.71	13.57	13.52	-92.872	-227.66	-1,083.33	905.00	881.35	23.65	38.270	
6,700.00	6,682.71	6,697.73	6,682.71	13.63	13.59	-92.872	-227.66	-1,083.33	905.00	881.20	23.79	38.034	
6,800.00	6,782.71	6,797.73	6,782.71	13.70	13.65	-92.872	-227.66	-1,083.33	905.00	881.06	23.94	37.800	
6,900.00	6,882.71	6,897.73	6,882.71	13.77	13.72	-92.872	-227.66	-1,083.33	905.00	880.91	24.09	37.569	
7,000.00	6,982.71	6,997.73	6,982.71	13.83	13.78	-92.872	-227.66	-1,083.33	905.00	880.76	24.24	37.341	
7,100.00	7,082.71	7,097.73	7,082.71	13.90	13.85	-92.872	-227.66	-1,083.33	905.00	880.61	24.38	37.115	
7,200.00	7,182.71	7,197.73	7,182.71	13.97	13.92	-92.872	-227.66	-1,083.33	905.00	880.47	24.53	36.891	
7,300.00	7,282.71	7,297.73	7,282.71	14.03	13.98	-92.872	-227.66	-1,083.33	905.00	880.32	24.68	36.670	
7,400.00	7,382.71	7,397.73	7,382.71	14.10	14.05	-92.872	-227.66	-1,083.33	905.00	880.17	24.83	36.451	
7,500.00	7,482.71	7,497.73	7,482.71	14.17	14.12	-92.872	-227.66	-1,083.33	905.00	880.02	24.98	36.235	
7,600.00	7,582.71	7,597.73	7,582.71	14.23	14.18	-92.872	-227.66	-1,083.33	905.00	879.87	25.12	36.021	
7,700.00	7,682.71	7,697.73	7,682.71	14.30	14.25	-92.872	-227.66	-1,083.33	905.00	879.73	25.27	35.809	
7,800.00	7,782.71	7,797.73	7,782.71	14.37	14.32	-92.872	-227.66	-1,083.33	905.00	879.58	25.42	35.599	
7,900.00	7,882.71	7,897.73	7,882.71	14.44	14.38	-92.872	-227.66	-1,083.33	905.00	879.43	25.57	35.392	
8,000.00	7,982.71	7,997.73	7,982.71	14.51	14.45	-92.872	-227.66	-1,083.33	905.00	879.28	25.72	35.186	
8,100.00	8,082.71	8,097.73	8,082.71	14.57	14.52	-92.872	-227.66	-1,083.33	905.00	879.13	25.87	34.983	
8,200.00	8,182.71	8,197.73	8,182.71	14.64	14.58	-92.872	-227.66	-1,083.33	905.00	878.98	26.02	34.782	
8,300.00	8,282.71	8,297.73	8,282.71	14.71	14.65	-92.872	-227.66	-1,083.33	905.00	878.83	26.17	34.583	
8,400.00	8,382.71	8,397.73	8,382.71	14.78	14.72	-92.872	-227.66	-1,083.33	905.00	878.68	26.32	34.386	
8,500.00	8,482.71	8,497.73	8,482.71	14.85	14.79	-92.872	-227.66	-1,083.33	905.00	878.53	26.47	34.191	
8,600.00	8,582.71	8,597.73	8,582.71	14.92	14.86	-92.872	-227.66	-1,083.33	905.00	878.38	26.62	33.998	
8,700.00	8,682.71	8,697.73	8,682.71	14.99	14.92	-92.872	-227.66	-1,083.33	905.00	878.23	26.77	33.807	
8,800.00	8,782.71	8,797.73	8,782.71	15.05	14.99	-92.872	-227.66	-1,083.33	905.00	878.08	26.92	33.618	
8,900.00	8,882.71	8,897.73	8,882.71	15.12	15.06	-92.872	-227.66	-1,083.33	905.00	877.93	27.07	33.431	
9,000.00	8,982.71	8,997.73	8,982.71	15.19	15.13	-92.872	-227.66	-1,083.33	905.00	877.78	27.22	33.246	
9,001.68	8,984.40	8,999.42	8,984.40	15.19	15.13	-92.877	-227.66	-1,083.33	905.00	877.78	27.22	33.244	
9,100.00	9,082.70	9,097.72	9,082.70	15.23	15.20	-92.906	-227.66	-1,083.33	905.02	877.67	27.35	33.088	ES
9,200.00	9,181.38	9,196.40	9,181.38	15.09	15.27	-93.734	-227.66	-1,083.33	905.91	878.38	27.53	32.909	
9,300.00	9,274.78	9,289.80	9,274.78	14.93	15.33	-95.433	-227.66	-1,083.33	908.96	881.17	27.79	32.709	
9,400.00	9,358.81	9,373.83	9,358.81	14.77	15.39	-97.386	-227.66	-1,083.33	916.23	888.12	28.11	32.592	
9,500.00	9,429.81	9,444.83	9,429.81	14.65	15.44	-98.780	-227.66	-1,083.33	930.30	901.83	28.47	32.679	
9,600.00	9,484.67	9,499.69	9,484.67	14.56	15.47	-98.770	-227.66	-1,083.33	953.49	924.66	28.83	33.071	
9,700.00	9,520.99	9,536.01	9,520.99	14.53	15.50	-96.620	-227.66	-1,083.33	987.04	957.85	29.18	33.825	
9,800.00	9,537.19	9,552.21	9,537.19	14.57	15.51	-91.827	-227.66	-1,083.33	1,030.56	1,001.06	29.50	34.931	
9,900.00	9,538.00	9,553.02	9,538.00	14.66	15.51	-90.000	-227.66	-1,083.33	1,082.16	1,052.36	29.79	36.324	
10,000.00	9,538.00	9,553.02	9,538.00	14.80	15.51	-90.000	-227.66	-1,083.33	1,140.21	1,110.17	30.04	37.956	
10,100.00	9,538.00	9,553.02	9,538.00	14.96	15.51	-90.000	-227.66	-1,083.33	1,203.78	1,173.54	30.24	39.804	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 304H - OH - Plan 1 04-06-22													Offset Site Error:	0.00 usft
Survey Program:		0-MWD+IFR1+MS					Rule Assigned:				Offset Well Error:	1.00 usft		
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning	
10,200.00	9,538.00	11,138.46	10,433.30	15.16	15.53	-134.728	667.41	-1,083.25	1,272.21	1,239.03	33.18	38.338		
10,300.00	9,538.00	11,238.46	10,433.30	15.40	15.73	-134.728	767.41	-1,083.24	1,272.21	1,238.65	33.56	37.903		
10,400.00	9,538.00	11,338.46	10,433.30	15.67	15.98	-134.728	867.41	-1,083.23	1,272.21	1,238.20	34.01	37.405		
10,500.00	9,538.00	11,438.46	10,433.30	15.98	16.26	-134.728	967.41	-1,083.22	1,272.21	1,237.69	34.52	36.850		
10,600.00	9,538.00	11,538.46	10,433.30	16.32	16.59	-134.728	1,067.41	-1,083.21	1,272.21	1,237.12	35.10	36.249		
10,700.00	9,538.00	11,638.46	10,433.30	16.69	16.94	-134.728	1,167.41	-1,083.20	1,272.21	1,236.49	35.73	35.608		
10,800.00	9,538.00	11,738.46	10,433.30	17.09	17.33	-134.728	1,267.41	-1,083.19	1,272.21	1,235.80	36.41	34.937		
10,900.00	9,538.00	11,838.46	10,433.30	17.52	17.75	-134.728	1,367.41	-1,083.19	1,272.21	1,235.06	37.15	34.242		
11,000.00	9,538.00	11,938.46	10,433.30	17.97	18.20	-134.728	1,467.41	-1,083.18	1,272.21	1,234.27	37.94	33.531		
11,100.00	9,538.00	12,038.46	10,433.30	18.45	18.67	-134.728	1,567.41	-1,083.17	1,272.21	1,233.44	38.78	32.810		
11,200.00	9,538.00	12,138.46	10,433.30	18.95	19.17	-134.728	1,667.41	-1,083.16	1,272.21	1,232.56	39.65	32.084		
11,300.00	9,538.00	12,238.46	10,433.30	19.46	19.68	-134.728	1,767.41	-1,083.15	1,272.21	1,231.64	40.57	31.359		
11,400.00	9,538.00	12,338.46	10,433.30	19.99	20.21	-134.728	1,867.41	-1,083.14	1,272.21	1,230.69	41.53	30.637		
11,500.00	9,538.00	12,438.46	10,433.30	20.54	20.75	-134.728	1,967.41	-1,083.13	1,272.21	1,229.70	42.52	29.924		
11,600.00	9,538.00	12,538.46	10,433.30	21.10	21.31	-134.728	2,067.41	-1,083.12	1,272.21	1,228.67	43.54	29.220		
11,700.00	9,538.00	12,638.46	10,433.30	21.68	21.89	-134.728	2,167.41	-1,083.12	1,272.21	1,227.62	44.59	28.530		
11,800.00	9,538.00	12,738.46	10,433.30	22.26	22.47	-134.728	2,267.41	-1,083.11	1,272.21	1,226.54	45.67	27.854		
11,900.00	9,538.00	12,838.46	10,433.30	22.86	23.07	-134.728	2,367.41	-1,083.10	1,272.21	1,225.43	46.78	27.195		
12,000.00	9,538.00	12,938.46	10,433.30	23.47	23.68	-134.728	2,467.41	-1,083.09	1,272.21	1,224.30	47.91	26.552		
12,100.00	9,538.00	13,038.46	10,433.30	24.09	24.29	-134.728	2,567.41	-1,083.08	1,272.21	1,223.14	49.07	25.926		
12,200.00	9,538.00	13,138.46	10,433.30	24.71	24.92	-134.728	2,667.41	-1,083.07	1,272.21	1,221.97	50.25	25.319		
12,300.00	9,538.00	13,238.46	10,433.30	25.34	25.55	-134.728	2,767.41	-1,083.06	1,272.21	1,220.77	51.44	24.730		
12,400.00	9,538.00	13,338.46	10,433.30	25.99	26.19	-134.728	2,867.41	-1,083.05	1,272.21	1,219.55	52.66	24.160		
12,500.00	9,538.00	13,438.46	10,433.30	26.63	26.84	-134.728	2,967.41	-1,083.04	1,272.21	1,218.32	53.89	23.607		
12,600.00	9,538.00	13,538.46	10,433.30	27.29	27.49	-134.728	3,067.41	-1,083.04	1,272.21	1,217.07	55.14	23.073		
12,700.00	9,538.00	13,638.46	10,433.30	27.95	28.15	-134.728	3,167.41	-1,083.03	1,272.21	1,215.81	56.40	22.556		
12,800.00	9,538.00	13,738.46	10,433.30	28.61	28.82	-134.728	3,267.41	-1,083.02	1,272.21	1,214.53	57.68	22.056		
12,900.00	9,538.00	13,838.46	10,433.30	29.28	29.48	-134.728	3,367.41	-1,083.01	1,272.21	1,213.24	58.97	21.574		
13,000.00	9,538.00	13,938.46	10,433.30	29.95	30.16	-134.728	3,467.41	-1,083.00	1,272.21	1,211.94	60.27	21.107		
13,100.00	9,538.00	14,038.46	10,433.30	30.63	30.84	-134.728	3,567.41	-1,082.99	1,272.21	1,210.62	61.59	20.657		
13,200.00	9,538.00	14,138.46	10,433.30	31.31	31.52	-134.728	3,667.41	-1,082.98	1,272.21	1,209.30	62.91	20.222		
13,300.00	9,538.00	14,238.46	10,433.30	32.00	32.20	-134.728	3,767.41	-1,082.97	1,272.21	1,207.96	64.25	19.802		
13,400.00	9,538.00	14,338.46	10,433.30	32.69	32.89	-134.728	3,867.41	-1,082.96	1,272.21	1,206.62	65.59	19.396		
13,500.00	9,538.00	14,438.46	10,433.30	33.38	33.59	-134.728	3,967.41	-1,082.96	1,272.21	1,205.27	66.94	19.004		
13,600.00	9,538.00	14,538.46	10,433.30	34.08	34.28	-134.728	4,067.41	-1,082.95	1,272.21	1,203.91	68.31	18.625		
13,700.00	9,538.00	14,638.46	10,433.30	34.78	34.98	-134.728	4,167.41	-1,082.94	1,272.21	1,202.54	69.68	18.259		
13,800.00	9,538.00	14,738.46	10,433.30	35.48	35.68	-134.728	4,267.41	-1,082.93	1,272.21	1,201.16	71.05	17.905		
13,900.00	9,538.00	14,838.46	10,433.30	36.18	36.39	-134.728	4,367.41	-1,082.92	1,272.21	1,199.77	72.44	17.563		
14,000.00	9,538.00	14,938.46	10,433.30	36.89	37.09	-134.728	4,467.41	-1,082.91	1,272.21	1,198.38	73.83	17.232		
14,100.00	9,538.00	15,038.46	10,433.30	37.60	37.80	-134.728	4,567.41	-1,082.90	1,272.21	1,196.99	75.22	16.912		
14,200.00	9,538.00	15,138.46	10,433.30	38.31	38.51	-134.728	4,667.41	-1,082.89	1,272.21	1,195.58	76.63	16.603		
14,300.00	9,538.00	15,238.46	10,433.30	39.02	39.22	-134.728	4,767.41	-1,082.88	1,272.21	1,194.18	78.03	16.303		
14,400.00	9,538.00	15,338.46	10,433.30	39.74	39.94	-134.728	4,867.41	-1,082.88	1,272.21	1,192.76	79.45	16.013		
14,500.00	9,538.00	15,438.46	10,433.30	40.46	40.65	-134.728	4,967.41	-1,082.87	1,272.21	1,191.34	80.87	15.732		
14,600.00	9,538.00	15,538.46	10,433.30	41.18	41.37	-134.728	5,067.41	-1,082.86	1,272.21	1,189.92	82.29	15.460		
14,700.00	9,538.00	15,638.46	10,433.30	41.90	42.09	-134.728	5,167.41	-1,082.85	1,272.21	1,188.49	83.72	15.196		
14,800.00	9,538.00	15,738.46	10,433.30	42.62	42.81	-134.728	5,267.41	-1,082.84	1,272.21	1,187.06	85.15	14.941		
14,900.00	9,538.00	15,838.46	10,433.30	43.34	43.54	-134.728	5,367.41	-1,082.83	1,272.21	1,185.62	86.59	14.693		
15,000.00	9,538.00	15,938.46	10,433.30	44.06	44.26	-134.728	5,467.41	-1,082.82	1,272.21	1,184.18	88.03	14.453		
15,100.00	9,538.00	16,038.46	10,433.30	44.79	44.99	-134.728	5,567.41	-1,082.81	1,272.21	1,182.74	89.47	14.219		
15,200.00	9,538.00	16,138.46	10,433.30	45.52	45.71	-134.728	5,667.41	-1,082.81	1,272.21	1,181.29	90.92	13.993		
15,300.00	9,538.00	16,238.46	10,433.30	46.25	46.44	-134.728	5,767.41	-1,082.80	1,272.21	1,179.84	92.37	13.773		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 304H - OH - Plan 1 04-06-22													Offset Site Error: 0.00 usft
Survey Program: 0-MWD+IFR1+MS													Offset Well Error: 1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Rule Assigned:				Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
15,400.00	9,538.00	16,338.46	10,433.30	46.98	47.17	-134.728	5,867.41	-1,082.79	1,272.21	1,178.39	93.82	13.560	
15,500.00	9,538.00	16,438.46	10,433.30	47.71	47.90	-134.728	5,967.41	-1,082.78	1,272.21	1,176.93	95.28	13.353	
15,600.00	9,538.00	16,538.46	10,433.30	48.44	48.63	-134.728	6,067.41	-1,082.77	1,272.21	1,175.47	96.74	13.151	
15,700.00	9,538.00	16,638.46	10,433.30	49.17	49.36	-134.728	6,167.41	-1,082.76	1,272.21	1,174.01	98.20	12.955	
15,800.00	9,538.00	16,738.46	10,433.30	49.90	50.10	-134.728	6,267.41	-1,082.75	1,272.21	1,172.54	99.67	12.765	
15,900.00	9,538.00	16,838.46	10,433.30	50.64	50.83	-134.728	6,367.41	-1,082.74	1,272.21	1,171.08	101.13	12.580	
16,000.00	9,538.00	16,938.46	10,433.30	51.37	51.57	-134.728	6,467.41	-1,082.73	1,272.21	1,169.61	102.60	12.399	
16,100.00	9,538.00	17,038.46	10,433.30	52.11	52.30	-134.728	6,567.41	-1,082.73	1,272.21	1,168.13	104.08	12.224	
16,200.00	9,538.00	17,138.46	10,433.30	52.85	53.04	-134.728	6,667.41	-1,082.72	1,272.21	1,166.66	105.55	12.053	
16,300.00	9,538.00	17,238.46	10,433.30	53.58	53.78	-134.728	6,767.41	-1,082.71	1,272.21	1,165.18	107.03	11.887	
16,400.00	9,538.00	17,338.46	10,433.30	54.32	54.52	-134.728	6,867.41	-1,082.70	1,272.21	1,163.70	108.51	11.725	
16,500.00	9,538.00	17,438.46	10,433.30	55.06	55.25	-134.728	6,967.41	-1,082.69	1,272.21	1,162.22	109.99	11.567	
16,600.00	9,538.00	17,538.46	10,433.30	55.80	55.99	-134.728	7,067.41	-1,082.68	1,272.21	1,160.74	111.47	11.413	
16,700.00	9,538.00	17,638.46	10,433.30	56.54	56.73	-134.728	7,167.41	-1,082.67	1,272.21	1,159.25	112.95	11.263	
16,800.00	9,538.00	17,738.46	10,433.30	57.28	57.47	-134.728	7,267.41	-1,082.66	1,272.21	1,157.77	114.44	11.117	
16,900.00	9,538.00	17,838.46	10,433.30	58.03	58.22	-134.728	7,367.41	-1,082.65	1,272.21	1,156.28	115.93	10.974	
17,000.00	9,538.00	17,938.46	10,433.30	58.77	58.96	-134.728	7,467.41	-1,082.65	1,272.21	1,154.79	117.42	10.835	
17,027.82	9,538.00	17,966.28	10,433.30	58.97	59.16	-134.728	7,495.23	-1,082.64	1,272.21	1,154.38	117.83	10.797 SF	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 505H - OH / 68322 - Surveys (H&P 296)												Offset Site Error:	0.00 usft
Survey Program: 156-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference												Rule Assigned:	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre		Distance		Minimum Separation (usft)	Separation Factor	Warning
							+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)			
0.00	0.00	0.00	3.60	1.00	1.00	-101.246	-19.89	-100.01	102.03				
100.00	100.00	95.51	99.11	1.12	1.25	-101.199	-19.89	-100.43	102.39	100.01	2.38	43.100	ES
200.00	200.00	194.81	198.40	1.65	1.69	-101.045	-19.86	-101.73	103.66	100.33	3.34	31.075	
300.00	300.00	294.74	298.32	2.05	1.94	-100.837	-19.79	-103.39	105.28	101.30	3.99	26.394	
400.00	400.00	394.95	398.51	2.39	2.20	-100.826	-20.05	-104.86	106.77	102.18	4.58	23.301	
500.00	500.00	495.09	498.65	2.69	2.45	-100.971	-20.57	-106.09	108.07	102.94	5.13	21.058	
600.00	600.00	595.35	598.90	2.96	2.69	-101.255	-21.31	-107.10	109.21	103.57	5.64	19.357	
700.00	700.00	695.36	698.90	3.21	2.99	-101.577	-22.11	-107.93	110.18	103.98	6.19	17.789	
800.00	800.00	795.35	798.89	3.44	3.31	-102.008	-23.13	-108.75	111.19	104.45	6.74	16.494	
900.00	900.00	895.20	898.73	3.66	3.62	-102.519	-24.33	-109.56	112.24	104.99	7.25	15.473	
1,000.00	1,000.00	995.20	998.70	3.87	3.92	-103.220	-25.93	-110.38	113.40	105.66	7.74	14.652	
1,100.00	1,100.00	1,095.36	1,098.85	4.07	4.18	-104.087	-27.86	-111.03	114.48	106.31	8.17	14.014	
1,200.00	1,200.00	1,195.53	1,199.00	4.26	4.50	-104.957	-29.79	-111.50	115.42	106.77	8.65	13.348	
1,300.00	1,300.00	1,294.78	1,298.23	4.45	4.78	-105.668	-31.48	-112.25	116.59	107.51	9.08	12.834	
1,400.00	1,400.00	1,394.78	1,398.21	4.63	5.07	-106.214	-32.98	-113.40	118.11	108.58	9.53	12.389	
1,500.00	1,500.00	1,494.65	1,498.06	4.80	5.37	-106.689	-34.37	-114.63	119.68	109.70	9.98	11.990	
1,600.00	1,600.00	1,594.54	1,597.94	4.97	5.66	-107.150	-35.77	-115.90	121.31	110.89	10.43	11.637	
1,700.00	1,700.00	1,693.87	1,697.24	5.14	5.95	-107.635	-37.34	-117.45	123.27	112.41	10.87	11.342	
1,800.00	1,800.00	1,793.17	1,796.50	5.30	6.26	-108.110	-39.09	-119.54	125.82	114.50	11.32	11.114	
1,900.00	1,900.00	1,892.87	1,896.16	5.45	6.56	-108.487	-40.79	-122.01	128.70	116.93	11.78	10.927	
2,000.00	2,000.00	1,992.68	1,995.92	5.61	6.87	-108.788	-42.42	-124.69	131.77	119.53	12.24	10.768	
2,100.00	2,099.99	2,092.87	2,096.06	5.74	7.17	26.564	-43.97	-127.40	134.05	121.38	12.67	10.578	
2,200.00	2,199.96	2,193.49	2,196.64	5.87	7.47	26.858	-45.32	-129.84	134.44	121.35	13.08	10.275	
2,300.00	2,299.86	2,293.32	2,296.44	6.01	7.76	27.457	-46.63	-131.86	132.89	119.40	13.49	9.851	
2,400.00	2,399.68	2,391.53	2,394.60	6.16	8.06	28.532	-47.90	-134.68	130.63	116.73	13.90	9.396	
2,500.00	2,499.37	2,488.63	2,491.59	6.34	8.37	30.009	-49.60	-139.09	128.64	114.30	14.34	8.971	
2,600.00	2,598.90	2,585.19	2,587.88	6.55	8.71	32.267	-51.11	-146.02	127.77	112.99	14.78	8.644	
2,615.52	2,614.34	2,600.18	2,602.81	6.58	8.76	32.683	-51.33	-147.33	127.75	112.90	14.85	8.604	
2,700.00	2,698.26	2,681.37	2,683.58	6.77	9.06	35.198	-52.55	-155.52	128.34	113.13	15.21	8.437	
2,800.00	2,797.40	2,778.05	2,779.47	7.01	9.42	38.608	-54.22	-167.72	130.66	115.04	15.61	8.368	SF
2,900.00	2,896.30	2,875.75	2,876.14	7.28	9.78	42.383	-56.04	-181.77	133.94	117.95	15.98	8.380	
3,000.00	2,994.93	2,973.81	2,972.98	7.57	10.15	46.419	-57.99	-196.98	137.74	121.42	16.32	8.441	
3,100.00	3,093.41	3,071.34	3,069.13	7.87	10.54	50.312	-60.28	-213.17	142.72	126.10	16.62	8.589	
3,200.00	3,191.89	3,169.12	3,165.28	8.19	10.93	53.680	-63.05	-230.76	149.65	132.73	16.92	8.843	
3,300.00	3,290.38	3,268.19	3,262.46	8.52	11.35	56.163	-67.40	-249.50	157.68	140.38	17.29	9.119	
3,400.00	3,388.86	3,366.36	3,358.55	8.86	11.77	57.790	-73.31	-268.71	166.25	148.55	17.70	9.394	
3,500.00	3,487.35	3,464.48	3,454.37	9.18	12.20	59.097	-79.47	-288.91	175.91	157.83	18.08	9.729	
3,600.00	3,586.06	3,564.15	3,551.71	9.53	12.64	60.183	-85.09	-309.61	186.66	168.10	18.56	10.057	
3,700.00	3,685.03	3,667.59	3,653.08	9.89	13.11	61.172	-89.78	-329.65	197.23	178.12	19.11	10.323	
3,800.00	3,784.24	3,769.24	3,753.07	10.24	13.54	61.901	-93.90	-347.41	206.96	187.34	19.62	10.550	
3,900.00	3,883.66	3,871.20	3,853.49	10.59	13.98	61.988	-98.95	-364.33	216.41	196.22	20.19	10.718	
4,000.00	3,983.24	3,970.09	3,950.92	10.93	14.41	61.589	-104.36	-380.42	226.23	205.43	20.80	10.876	
4,100.00	4,082.97	4,066.79	4,046.01	11.26	14.84	60.778	-109.87	-397.07	237.77	216.30	21.47	11.076	
4,200.00	4,182.81	4,167.52	4,144.94	11.58	15.28	59.440	-116.54	-414.81	250.40	228.14	22.26	11.249	
4,300.00	4,282.74	4,270.65	4,246.41	11.87	15.74	57.893	-123.53	-431.87	263.02	239.91	23.11	11.383	
4,400.00	4,382.71	4,374.32	4,348.88	12.13	16.21	56.579	-129.07	-446.54	274.66	250.74	23.92	11.484	
4,500.00	4,482.71	4,474.19	4,447.73	12.23	16.63	-80.203	-133.88	-459.96	286.79	262.18	24.60	11.656	
4,600.00	4,582.71	4,578.32	4,550.92	12.29	17.06	-81.562	-138.77	-473.00	298.45	273.15	25.30	11.797	
4,700.00	4,682.71	4,681.18	4,653.02	12.35	17.49	-82.943	-144.62	-483.95	308.25	282.27	25.97	11.868	
4,800.00	4,782.71	4,777.22	4,748.15	12.41	17.89	-84.613	-152.61	-494.49	318.30	291.64	26.67	11.936	
4,900.00	4,882.71	4,869.24	4,839.02	12.47	18.29	-86.311	-161.25	-506.13	330.25	302.88	27.36	12.069	
5,000.00	4,982.71	4,960.08	4,928.50	12.54	18.69	-87.770	-169.07	-519.68	344.76	316.74	28.03	12.302	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 505H - OH / 68322 - Surveys (H&P 296)													Offset Site Error:	0.00 usft
Survey Program: 156-MWD+IFR1+MS				Rule Assigned:					Offset Well Error:		1.00 usft			
Reference		Offset		Semi Major Axis		Offset Wellbore Centre			Distance				Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,100.00	5,082.71	5,054.15	5,020.94	12.60	19.11	-89.029	-176.28	-535.50	361.41	332.72	28.69	12.598		
5,200.00	5,182.71	5,153.10	5,118.22	12.66	19.55	-90.044	-182.60	-552.50	378.57	349.22	29.35	12.897		
5,300.00	5,282.71	5,255.84	5,219.41	12.73	20.01	-90.793	-187.72	-569.54	395.22	365.21	30.00	13.173		
5,400.00	5,382.71	5,359.60	5,321.84	12.79	20.45	-91.417	-192.36	-585.40	410.60	379.98	30.62	13.410		
5,500.00	5,482.71	5,461.55	5,422.63	12.85	20.93	-92.011	-197.08	-600.02	425.08	393.81	31.27	13.596		
5,600.00	5,582.71	5,557.34	5,517.37	12.92	21.38	-92.581	-201.87	-613.32	439.18	407.32	31.86	13.784		
5,700.00	5,682.71	5,646.44	5,605.22	12.98	21.77	-93.085	-206.46	-627.44	455.27	422.88	32.39	14.057		
5,800.00	5,782.71	5,741.84	5,699.05	13.05	22.20	-93.607	-211.59	-643.93	472.85	439.89	32.96	14.347		
5,900.00	5,882.71	5,846.30	5,801.89	13.11	22.66	-93.997	-216.00	-661.66	490.08	456.51	33.57	14.600		
6,000.00	5,982.71	5,954.20	5,908.46	13.18	23.12	-94.217	-219.09	-678.27	505.64	471.48	34.16	14.803		
6,100.00	6,082.71	6,055.25	6,008.48	13.24	23.54	-94.337	-221.22	-692.53	519.87	485.18	34.68	14.988		
6,200.00	6,182.71	6,159.41	6,111.60	13.31	23.97	-94.468	-223.54	-707.02	533.92	498.70	35.22	15.158		
6,300.00	6,282.71	6,280.39	6,231.75	13.37	24.47	-94.555	-225.45	-720.89	545.53	509.72	35.80	15.236		
6,400.00	6,382.71	6,390.80	6,341.79	13.44	24.88	-94.606	-226.66	-729.93	553.76	517.48	36.28	15.264		
6,500.00	6,482.71	6,494.93	6,445.64	13.50	25.26	-94.692	-228.10	-737.34	560.97	524.24	36.73	15.272		
6,600.00	6,582.71	6,609.84	6,560.39	13.57	25.65	-94.761	-229.27	-743.27	566.20	529.04	37.15	15.239		
6,700.00	6,682.71	6,716.09	6,666.58	13.63	25.98	-94.835	-230.28	-746.50	569.29	531.75	37.53	15.167		
6,800.00	6,782.71	6,814.71	6,765.16	13.70	26.28	-94.914	-231.30	-749.28	572.19	534.27	37.92	15.090		
6,900.00	6,882.71	6,913.64	6,864.04	13.77	26.59	-94.991	-232.35	-752.37	575.39	537.08	38.31	15.021		
7,000.00	6,982.71	7,011.64	6,961.98	13.83	26.90	-95.045	-233.17	-755.61	578.75	540.06	38.70	14.956		
7,100.00	7,082.71	7,111.50	7,061.76	13.90	27.21	-95.109	-234.15	-759.19	582.42	543.32	39.09	14.899		
7,200.00	7,182.71	7,210.20	7,160.40	13.97	27.53	-95.181	-235.20	-762.71	586.07	546.58	39.49	14.841		
7,300.00	7,282.71	7,307.90	7,258.02	14.03	27.84	-95.244	-236.20	-766.54	590.06	550.16	39.90	14.790		
7,400.00	7,382.71	7,412.23	7,362.27	14.10	28.18	-95.296	-237.10	-770.57	593.99	553.70	40.29	14.743		
7,500.00	7,482.71	7,538.63	7,488.65	14.17	28.23	-95.262	-236.87	-771.81	594.88	554.58	40.30	14.760		
7,600.00	7,582.71	7,636.49	7,586.50	14.23	28.06	-95.197	-236.13	-771.11	594.10	553.85	40.24	14.762		
7,700.00	7,682.71	7,735.69	7,685.70	14.30	27.92	-95.113	-235.20	-770.61	593.51	553.30	40.21	14.761		
7,800.00	7,782.71	7,834.49	7,784.49	14.37	27.81	-95.039	-234.41	-770.30	593.13	552.92	40.21	14.752		
7,900.00	7,882.71	7,932.95	7,882.94	14.44	27.75	-94.968	-233.66	-770.14	592.90	552.64	40.26	14.727		
7,906.41	7,889.13	7,939.13	7,889.13	14.44	27.75	-94.964	-233.62	-770.14	592.90	552.63	40.27	14.724		
8,000.00	7,982.71	8,029.71	7,979.71	14.51	27.80	-94.916	-233.15	-770.43	593.15	552.72	40.43	14.672		
8,100.00	8,082.71	8,126.83	8,076.82	14.57	27.96	-94.881	-232.84	-771.17	593.89	553.19	40.70	14.593		
8,200.00	8,182.71	8,223.13	8,173.11	14.64	28.18	-94.855	-232.68	-772.42	595.17	554.15	41.02	14.510		
8,300.00	8,282.71	8,320.52	8,270.49	14.71	28.43	-94.843	-232.71	-774.29	597.08	555.72	41.36	14.435		
8,400.00	8,382.71	8,420.04	8,369.98	14.78	28.70	-94.820	-232.65	-776.37	599.15	557.44	41.71	14.365		
8,500.00	8,482.71	8,519.24	8,469.16	14.85	28.96	-94.809	-232.72	-778.54	601.35	559.28	42.06	14.296		
8,600.00	8,582.71	8,627.52	8,577.42	14.92	29.23	-94.809	-232.88	-780.57	603.25	560.88	42.37	14.238		
8,700.00	8,682.71	8,748.21	8,698.10	14.99	29.27	-94.796	-232.68	-779.68	602.52	560.15	42.37	14.219		
8,800.00	8,782.71	8,844.10	8,793.96	15.05	29.06	-94.745	-231.95	-777.51	600.20	557.95	42.26	14.203		
8,900.00	8,882.71	8,939.05	8,888.90	15.12	28.86	-94.681	-231.18	-776.19	598.75	556.58	42.17	14.198		
9,000.00	8,982.71	9,036.55	8,986.40	15.19	28.69	-94.645	-230.73	-775.43	597.94	555.85	42.09	14.205		
9,100.00	9,082.70	9,134.00	9,083.84	15.23	28.52	-94.679	-230.48	-774.88	597.41	555.40	42.01	14.220		
9,106.13	9,088.83	9,141.89	9,091.74	15.22	28.52	-94.716	-230.46	-774.85	597.40	555.39	42.00	14.222		
9,200.00	9,181.38	9,229.00	9,178.84	15.09	28.51	-95.858	-230.51	-774.71	598.66	556.47	42.19	14.189		
9,300.00	9,274.78	9,320.59	9,270.43	14.93	28.67	-98.313	-231.06	-775.06	603.87	561.21	42.67	14.154		
9,400.00	9,358.81	9,405.11	9,354.95	14.77	28.81	-101.202	-231.89	-775.47	615.66	572.54	43.12	14.279		
9,500.00	9,429.81	9,470.28	9,420.11	14.65	28.94	-102.783	-232.76	-775.86	637.61	594.20	43.40	14.691		
9,600.00	9,484.67	9,518.81	9,468.62	14.56	29.04	-102.091	-233.62	-776.53	672.72	629.36	43.36	15.514		
9,700.00	9,520.99	9,551.04	9,500.85	14.53	29.13	-98.302	-234.23	-777.14	721.20	678.20	43.00	16.774		
9,800.00	9,537.19	9,564.38	9,514.18	14.57	29.16	-90.600	-234.49	-777.42	781.00	738.63	42.37	18.433		
9,900.00	9,538.00	9,563.34	9,513.14	14.66	29.16	-87.619	-234.47	-777.40	848.74	807.11	41.63	20.386		
10,000.00	9,538.00	9,561.54	9,511.34	14.80	29.15	-87.447	-234.43	-777.36	922.35	881.46	40.89	22.556		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 505H - OH / 68322 - Surveys (H&P 296)													Offset Site Error:	0.00 usft
Survey Program:		156-MWD+IFR1+MS					Rule Assigned:				Offset Well Error:	1.00 usft		
Reference		Offset		Semi Major Axis		Offset Wellbore Centre		Distance				Warning		
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)		Separation Factor	
10,100.00	9,538.00	9,559.74	9,509.54	14.96	29.15	-87.275	-234.40	-777.32	1,000.54	960.36	40.18	24.901		
10,200.00	9,538.00	9,557.95	9,507.75	15.16	29.14	-87.103	-234.36	-777.28	1,082.33	1,042.81	39.53	27.383		
10,300.00	9,538.00	9,556.16	9,505.96	15.40	29.14	-86.932	-234.33	-777.25	1,166.96	1,128.02	38.93	29.975		
10,400.00	9,538.00	9,554.37	9,504.17	15.67	29.13	-86.761	-234.30	-777.21	1,253.84	1,215.44	38.40	32.653		
10,500.00	9,538.00	9,552.58	9,502.38	15.98	29.13	-86.590	-234.26	-777.17	1,342.56	1,304.63	37.92	35.401		
10,600.00	9,538.00	9,550.79	9,500.60	16.32	29.13	-86.419	-234.23	-777.13	1,432.75	1,395.25	37.50	38.202		
10,700.00	9,538.00	9,549.01	9,498.82	16.69	29.12	-86.249	-234.19	-777.10	1,524.17	1,487.04	37.13	41.047		
10,800.00	9,538.00	9,547.23	9,497.04	17.09	29.12	-86.078	-234.16	-777.06	1,616.60	1,579.80	36.80	43.925		
10,900.00	9,538.00	9,545.45	9,495.26	17.52	29.11	-85.909	-234.12	-777.02	1,709.89	1,673.37	36.51	46.830		
11,000.00	9,538.00	12,714.81	11,212.37	17.97	32.87	-160.911	1,494.28	-758.77	1,772.01	1,725.11	46.90	37.782		
11,100.00	9,538.00	12,800.19	11,211.65	18.45	33.12	-160.953	1,579.64	-757.12	1,770.62	1,723.07	47.56	37.233		
11,200.00	9,538.00	12,909.54	11,211.64	18.95	33.46	-161.012	1,688.97	-755.20	1,770.08	1,721.70	48.39	36.581		
11,269.25	9,538.00	12,957.54	11,211.41	19.30	33.61	-161.032	1,736.96	-754.46	1,769.50	1,720.68	48.82	36.247		
11,300.00	9,538.00	12,974.54	11,211.57	19.46	33.67	-161.041	1,753.95	-754.20	1,769.61	1,720.63	48.98	36.130		
11,400.00	9,538.00	13,050.03	11,213.67	19.99	33.92	-161.102	1,829.41	-752.92	1,771.54	1,721.88	49.66	35.674		
11,500.00	9,538.00	13,198.66	11,215.72	20.54	34.42	-161.232	1,977.97	-749.36	1,771.97	1,721.05	50.92	34.799		
11,600.00	9,538.00	13,339.30	11,214.35	21.10	34.94	-161.343	2,118.54	-745.28	1,770.06	1,717.90	52.17	33.931		
11,700.00	9,538.00	13,450.82	11,211.66	21.68	35.36	-161.421	2,229.98	-741.83	1,766.79	1,713.57	53.22	33.195		
11,800.00	9,538.00	13,551.07	11,208.93	22.26	35.76	-161.495	2,330.13	-738.50	1,763.16	1,708.93	54.22	32.517		
11,900.00	9,538.00	13,654.95	11,205.91	22.86	36.18	-161.545	2,433.94	-735.86	1,759.59	1,704.32	55.27	31.835		
12,000.00	9,538.00	13,753.98	11,202.31	23.47	36.59	-161.547	2,532.90	-734.58	1,755.74	1,699.45	56.29	31.191		
12,100.00	9,538.00	13,846.02	11,198.89	24.09	36.99	-161.513	2,624.87	-734.54	1,752.22	1,694.96	57.25	30.605		
12,200.00	9,538.00	13,937.33	11,195.75	24.71	37.39	-161.459	2,716.13	-735.20	1,749.18	1,690.96	58.22	30.045		
12,300.00	9,538.00	14,023.11	11,192.96	25.34	37.78	-161.377	2,801.84	-736.91	1,746.74	1,687.60	59.14	29.537		
12,400.00	9,538.00	14,111.33	11,190.74	25.99	38.19	-161.280	2,890.00	-739.25	1,745.20	1,685.11	60.09	29.045		
12,500.00	9,538.00	14,219.05	11,187.98	26.63	38.69	-161.138	2,997.62	-742.89	1,743.87	1,682.64	61.23	28.480		
12,600.00	9,538.00	14,332.86	11,184.23	27.29	39.24	-160.998	3,111.33	-746.09	1,741.67	1,679.21	62.46	27.884		
12,700.00	9,538.00	14,465.25	11,177.75	27.95	39.90	-160.781	3,243.47	-750.78	1,738.19	1,674.32	63.87	27.214		
12,800.00	9,538.00	14,566.32	11,172.32	28.61	40.41	-160.659	3,344.37	-752.80	1,733.79	1,668.77	65.01	26.669		
12,900.00	9,538.00	14,638.00	11,168.91	29.28	40.77	-160.621	3,415.97	-752.81	1,729.55	1,663.66	65.89	26.250		
13,000.00	9,538.00	14,733.00	11,166.43	29.95	41.26	-160.608	3,510.93	-752.35	1,726.92	1,659.87	67.05	25.756		
13,100.00	9,538.00	14,804.65	11,165.76	30.63	41.63	-160.596	3,582.58	-752.48	1,725.85	1,657.92	67.94	25.404		
13,200.00	9,538.00	14,917.08	11,163.92	31.31	42.22	-160.538	3,694.98	-753.68	1,724.67	1,655.38	69.29	24.890		
13,300.00	9,538.00	15,012.94	11,162.03	32.00	42.73	-160.486	3,790.82	-754.66	1,723.16	1,652.70	70.46	24.455		
13,400.00	9,538.00	15,113.00	11,160.07	32.69	43.27	-160.447	3,890.86	-755.21	1,721.50	1,649.79	71.70	24.008		
13,500.00	9,538.00	15,207.00	11,158.45	33.38	43.79	-160.403	3,984.84	-756.02	1,720.18	1,647.30	72.88	23.603		
13,554.75	9,538.00	15,244.42	11,158.16	33.76	43.99	-160.386	4,022.26	-756.47	1,719.97	1,646.61	73.35	23.448		
13,600.00	9,538.00	15,279.42	11,158.13	34.08	44.18	-160.373	4,057.26	-756.85	1,720.10	1,646.31	73.79	23.310		
13,700.00	9,538.00	15,357.25	11,158.88	34.78	44.62	-160.358	4,135.08	-757.61	1,721.33	1,646.56	74.77	23.020		
13,800.00	9,538.00	15,441.70	11,160.78	35.48	45.09	-160.353	4,219.50	-758.41	1,723.76	1,647.90	75.85	22.725		
13,900.00	9,538.00	15,557.44	11,163.53	36.18	45.74	-160.339	4,335.20	-759.84	1,726.47	1,649.10	77.37	22.314		
14,000.00	9,538.00	15,656.68	11,164.63	36.89	46.31	-160.299	4,434.42	-761.51	1,728.08	1,649.42	78.66	21.969		
14,100.00	9,538.00	15,807.20	11,164.46	37.60	47.19	-160.208	4,584.91	-764.34	1,728.65	1,648.01	80.64	21.437		
14,200.00	9,538.00	15,907.56	11,162.57	38.31	47.78	-160.123	4,685.22	-766.37	1,727.58	1,645.64	81.94	21.083		
14,300.00	9,538.00	16,006.25	11,160.95	39.02	48.36	-160.050	4,783.88	-768.14	1,726.64	1,643.41	83.23	20.745		
14,400.00	9,538.00	16,113.79	11,159.15	39.74	49.01	-159.985	4,891.40	-769.55	1,725.52	1,640.87	84.65	20.384		
14,500.00	9,538.00	16,222.05	11,156.79	40.46	49.66	-159.921	4,999.63	-770.73	1,723.85	1,637.76	86.09	20.024		
14,600.00	9,538.00	16,323.95	11,154.10	41.18	50.28	-159.842	5,101.48	-772.26	1,721.89	1,634.45	87.44	19.692		
14,700.00	9,538.00	16,446.23	11,150.52	41.90	51.03	-159.773	5,223.70	-773.15	1,719.42	1,630.35	89.07	19.303		
14,800.00	9,538.00	16,558.91	11,146.23	42.62	51.73	-159.746	5,336.29	-772.42	1,715.61	1,625.01	90.60	18.936		
14,900.00	9,538.00	16,634.00	11,143.76	43.34	52.19	-159.759	5,411.33	-771.08	1,712.01	1,620.35	91.67	18.677		
15,000.00	9,538.00	16,706.15	11,142.69	44.06	52.64	-159.797	5,483.45	-769.47	1,709.97	1,617.27	92.70	18.447		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Offset Design: Sheba/Solomon - Solomon Federal Com 505H - OH / 68322 - Surveys (H&P 296)												Offset Site Error:	0.00 usft
Survey Program: 156-MWD+IFR1+MS												Offset Well Error:	1.00 usft
Reference		Offset		Semi Major Axis			Offset Wellbore Centre		Distance			Rule Assigned:	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	+N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning
15,100.00	9,538.00	16,793.61	11,143.00	44.79	53.18	-159.849	5,570.90	-767.92	1,709.65	1,615.71	93.94	18.200	
15,158.07	9,538.00	16,848.16	11,143.21	45.21	53.52	-159.879	5,625.45	-767.06	1,709.55	1,614.84	94.71	18.050	
15,200.00	9,538.00	16,884.37	11,143.41	45.52	53.75	-159.892	5,661.65	-766.69	1,709.62	1,614.41	95.22	17.955	
15,300.00	9,538.00	16,982.82	11,144.01	46.25	54.37	-159.903	5,760.10	-766.57	1,710.15	1,613.55	96.60	17.703	
15,400.00	9,538.00	17,079.98	11,144.27	46.98	54.99	-159.891	5,857.26	-767.02	1,710.57	1,612.61	97.96	17.461	
15,500.00	9,538.00	17,169.88	11,144.87	47.71	55.56	-159.879	5,947.15	-767.63	1,711.43	1,612.21	99.22	17.249	
15,600.00	9,538.00	17,262.45	11,145.71	48.44	56.15	-159.838	6,039.71	-769.23	1,712.88	1,612.38	100.50	17.044	
15,700.00	9,538.00	17,377.25	11,146.75	49.17	56.90	-159.795	6,154.48	-770.96	1,714.29	1,612.15	102.13	16.785	
15,800.00	9,538.00	17,493.79	11,147.20	49.90	57.65	-159.814	6,271.02	-770.51	1,714.51	1,610.69	103.82	16.515	
15,900.00	9,538.00	17,595.90	11,147.20	50.64	58.31	-159.840	6,373.13	-769.69	1,714.23	1,608.94	105.29	16.281	
16,000.00	9,538.00	17,693.57	11,147.21	51.37	58.95	-159.866	6,470.79	-768.84	1,713.95	1,607.24	106.70	16.063	
16,046.55	9,538.00	17,736.70	11,147.28	51.72	59.23	-159.878	6,513.93	-768.50	1,713.90	1,606.58	107.33	15.969	
16,100.00	9,538.00	17,785.35	11,147.48	52.11	59.55	-159.891	6,562.58	-768.13	1,713.96	1,605.94	108.03	15.866	
16,200.00	9,538.00	17,871.00	11,148.30	52.85	60.11	-159.914	6,648.22	-767.70	1,714.69	1,605.44	109.25	15.695	
16,300.00	9,538.00	17,955.13	11,149.86	53.58	60.67	-159.941	6,732.33	-767.39	1,716.30	1,605.85	110.45	15.539	
16,400.00	9,538.00	18,116.62	11,150.42	54.32	61.73	-160.010	6,893.79	-765.40	1,715.99	1,603.10	112.89	15.200	
16,500.00	9,538.00	18,215.54	11,149.27	55.06	62.39	-160.044	6,992.70	-763.90	1,714.39	1,600.05	114.35	14.993	
16,600.00	9,538.00	18,307.77	11,148.57	55.80	63.01	-160.082	7,084.91	-762.40	1,713.12	1,597.42	115.70	14.806	
16,700.00	9,538.00	18,400.03	11,148.42	56.54	63.62	-160.135	7,177.15	-760.67	1,712.34	1,595.27	117.07	14.627	
16,800.00	9,538.00	18,490.88	11,148.75	57.28	64.23	-160.195	7,267.99	-758.87	1,712.01	1,593.59	118.42	14.457	
16,805.52	9,538.00	18,495.79	11,148.78	57.32	64.26	-160.199	7,272.89	-758.77	1,712.01	1,593.52	118.49	14.449	
16,900.00	9,538.00	18,584.99	11,149.62	58.03	64.86	-160.262	7,362.07	-757.05	1,712.22	1,592.40	119.82	14.290	
17,000.00	9,538.00	18,682.11	11,150.68	58.77	65.51	-160.333	7,459.17	-755.15	1,712.60	1,591.32	121.27	14.122	
17,027.82	9,538.00	18,709.93	11,151.01	58.97	65.70	-160.354	7,486.98	-754.61	1,712.73	1,591.04	121.69	14.075	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Reference Depths are relative to RKB @ 3490.00usft (TBD)

Offset Depths are relative to Offset Datum


Central Meridian is 105° 0' 0.000000 W

Coordinates are relative to: Sheba Federal Com 106H

Coordinate System is Universal Transverse Mercator (US Survey Feet), Zone 13N

Grid Convergence at Surface is: 0.825°

Ladder Plot



LEGEND

Sheba FederalCom 306H, OH, Plan 1 11-10-21 V0	Solomon Federal Com 105H, OH, Plan 1 08-05-22 V0	Sheba FederalCom 506H, OH / 68321, Surveys (H&P 296) V0
Solomon Federal Com 304H, OH, Plan 1 04-06-22 V0	Sheba FederalCom 107H, OH, Plan 1 08-05-22 V0	
Sheba FederalCom 305H, OH, Plan 2 08-21-22 V0	Solomon Federal Com 505H, OH / 68322, Surveys (H&P 296) V0	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



Anticollision Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3490.00usft (TBD)
Reference Site:	Sheba/Solomon	MD Reference:	RKB @ 3490.00usft (TBD)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Well Error:	1.00 usft	Output errors are at	2.00 sigma
Reference Wellbore	OH	Database:	USA Compass
Reference Design:	Plan 1 08-05-22	Offset TVD Reference:	Reference Datum

Reference Depths are relative to RKB @ 3490.00usft (TBD)

Offset Depths are relative to Offset Datum


Central Meridian is 105° 0' 0.000000 W

Coordinates are relative to: Sheba Federal Com 106H

Coordinate System is Universal Transverse Mercator (US Survey Feet), Zone 13N



Grid Convergence at Surface is: 0.825°

Separation Factor Plot



LEGEND

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



WELL DETAILS										
	+N/-S	+E/-W	Northing	Ground Level:	Easting	Latitude	Longitude			
	0.00	0.00	11687901.84	3464.00	2118977.58	32° 11' 21.858930 N	103° 27' 9.398587 W			



SECTION DETAILS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSec	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0.00	
2	2000.00	0.00	0.00	2000.00	0.00	0.00	0.00	0.000	0.00	
3	2999.79	10.00	224.55	2994.73	-62.01	-61.04	1.00	224.549	-60.53	KOP, Begin 1.00°/100' Build
4	3471.00	10.00	224.55	3458.77	-120.31	-118.43	0.00	0.000	-117.45	Hold 10.00° Inc at 224.55° Azm
5	4470.79	0.00	0.00	4453.50	-182.31	-179.47	1.00	180.000	-177.98	Begin 1.00°/100' Drop
6	9077.82	0.00	0.00	9060.54	-182.31	-179.47	0.00	0.000	-177.98	Begin Vertical Hold
7	9827.82	90.00	0.01	9538.00	295.15	-179.42	12.00	0.005	299.34	KOP2, Begin 12.00°/100' Build
8	17027.82	90.00	0.01	9538.00	7495.15	-178.79	0.00	0.000	7497.28	LP, Hold 90.00° Inc at 0.01° Azm

BHL - Sheba Federal Com 106H

TD at 17027.82

DESIGN TARGET DETAILS							
Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
BHL - Sheba Federal Com 106H	9538.00	7495.15	-178.79	11695392.61	2118690.99	32° 12' 36.024977 N	103° 27' 11.479248 W
FTP - Sheba Federal Com 106H	9538.00	-228.36	-179.47	11687670.95	2118801.44	32° 11' 19.599223 N	103° 27' 11.486922 W

FORMATION TOP DETAILS		
TVDPath	MDPath	Formation
1092.00	1092.00	Rustler
1718.00	1718.00	Salado
4528.00	4545.29	BX BLM (Fletcher Anhydrite)
5438.00	5455.29	Lamar
5488.00	5505.29	Bell Canyon
6401.00	6418.29	Cherry Canyon
6561.00	6578.29	Manzanita Lime
7841.00	7858.29	Brushy Canyon
9335.00	9370.23	Bone Spring Lime
9368.00	9411.88	Avalon
9388.00	9438.67	Target Top at 0°VS



Map System: Universal Transverse Mercator (US Survey Feet)
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone Name: Zone 13N (108 W to 102 W)




Local Origin: Well Sheba Federal Com 106H, True North

Latitude: 32° 11' 21.858930 N
Longitude: 103° 27' 9.398587 W

Grid East: 2118977.58
Grid North: 11687901.84
Scale Factor: 1.000

Geomagnetic Model: MVHD
Sample Date: 04-Oct-22
Magnetic Declination: 6.281°
Dip Angle from Horizontal: 59.731°
Magnetic Field Strength: 47472.31429204nT

To convert a Magnetic Direction to a Grid Direction, Add 5.456°
To convert a Magnetic Direction to a True Direction, Add 6.281° East
To convert a True Direction to a Grid Direction, Subtract 0.825°





Centennial Resources Development, Inc.

**Lea County, NM (NAD83 - UTM Zone 13)
Sheba/Solomon
Sheba Federal Com 106H**

OH

Plan: Plan 1 08-05-22

Standard Planning Report

05 August, 2022





Planning Report



Database:	USA Compass	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Company:	Centennial Resources Development, Inc.	TVD Reference:	RKB @ 3490.00usft (TBD)
Project:	Lea County, NM (NAD83 - UTM Zone 13)	MD Reference:	RKB @ 3490.00usft (TBD)
Site:	Sheba/Solomon	North Reference:	True
Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1 08-05-22		

Project	Lea County, NM (NAD83 - UTM Zone 13)		
Map System:	Universal Transverse Mercator (US Survey Fee	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Zone 13N (108 W to 102 W)		Using geodetic scale factor

Site		Sheba/Solomon			
Site Position:		Northing:	11,687,880.92 usft	Latitude:	32° 11' 21.661842 N
From:	Map	Easting:	2,118,907.87 usft	Longitude:	103° 27' 10.213283 W
Position Uncertainty:		0.00 usft	Slot Radius:	13-3/16 "	

Well	Sheba Federal Com 106H					
Well Position	+N/-S	19.92 usft	Northing:	11,687,901.84 usft	Latitude:	32° 11' 21.858931 N
	+E/-W	70.01 usft	Easting:	2,118,977.58 usft	Longitude:	103° 27' 9.398587 W
Position Uncertainty		1.00 usft	Wellhead Elevation:		Ground Level:	3,464.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	MVHD	10/4/2022	6.281	59.731	47,472.31429204

Design	Plan 1 08-05-22			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	358.63

Plan Survey Tool Program	Date	8/5/2022		
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks
1	0.00	17,027.82	Plan 1 08-05-22 (OH)	MWD+IFR1+MS
				OWSG MWD + IFR1 + Mult

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.000	
2,999.79	10.00	224.55	2,994.73	-62.01	-61.04	1.00	1.00	0.00	224.549	
3,471.00	10.00	224.55	3,458.77	-120.31	-118.43	0.00	0.00	0.00	0.000	
4,470.79	0.00	0.00	4,453.50	-182.31	-179.47	1.00	-1.00	0.00	180.000	
9,077.82	0.00	0.00	9,060.54	-182.31	-179.47	0.00	0.00	0.00	0.000	
9,827.82	90.00	0.01	9,538.00	295.15	-179.42	12.00	12.00	0.00	0.005	
17,027.82	90.00	0.01	9,538.00	7,495.15	-178.79	0.00	0.00	0.00	0.000	BHL - Sheba Feder



Planning Report



Database:	USA Compass	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Company:	Centennial Resources Development, Inc.	TVD Reference:	RKB @ 3490.00usft (TBD)
Project:	Lea County, NM (NAD83 - UTM Zone 13)	MD Reference:	RKB @ 3490.00usft (TBD)
Site:	Sheba/Solomon	North Reference:	True
Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1 08-05-22		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1,092.00	0.00	0.00	1,092.00	0.00	0.00	0.00	0.00	0.00	0.00
Rustler									
1,718.00	0.00	0.00	1,718.00	0.00	0.00	0.00	0.00	0.00	0.00
Salado									
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
KOP, Begin 1.00°/100' Build									
2,100.00	1.00	224.55	2,099.99	-0.62	-0.61	-0.61	1.00	1.00	0.00
2,200.00	2.00	224.55	2,199.96	-2.49	-2.45	-2.43	1.00	1.00	0.00
2,300.00	3.00	224.55	2,299.86	-5.60	-5.51	-5.46	1.00	1.00	0.00
2,400.00	4.00	224.55	2,399.68	-9.95	-9.79	-9.71	1.00	1.00	0.00
2,500.00	5.00	224.55	2,499.37	-15.54	-15.29	-15.17	1.00	1.00	0.00
2,600.00	6.00	224.55	2,598.90	-22.37	-22.02	-21.84	1.00	1.00	0.00
2,700.00	7.00	224.55	2,698.26	-30.44	-29.96	-29.71	1.00	1.00	0.00
2,800.00	8.00	224.55	2,797.40	-39.74	-39.12	-38.79	1.00	1.00	0.00
2,900.00	9.00	224.55	2,896.30	-50.27	-49.49	-49.08	1.00	1.00	0.00
2,999.79	10.00	224.55	2,994.73	-62.01	-61.04	-60.53	1.00	1.00	0.00
Hold 10.00° Inc at 224.55° Azm									
3,000.00	10.00	224.55	2,994.93	-62.03	-61.06	-60.56	0.00	0.00	0.00
3,100.00	10.00	224.55	3,093.41	-74.41	-73.24	-72.64	0.00	0.00	0.00
3,200.00	10.00	224.55	3,191.89	-86.78	-85.42	-84.72	0.00	0.00	0.00
3,300.00	10.00	224.55	3,290.38	-99.15	-97.60	-96.80	0.00	0.00	0.00
3,400.00	10.00	224.55	3,388.86	-111.52	-109.78	-108.87	0.00	0.00	0.00
3,471.00	10.00	224.55	3,458.77	-120.31	-118.43	-117.45	0.00	0.00	0.00
Begin 1.00°/100' Drop									
3,500.00	9.71	224.55	3,487.35	-123.84	-121.91	-120.90	1.00	-1.00	0.00
3,600.00	8.71	224.55	3,586.06	-135.25	-133.13	-132.03	1.00	-1.00	0.00
3,700.00	7.71	224.55	3,685.03	-145.42	-143.15	-141.97	1.00	-1.00	0.00
3,800.00	6.71	224.55	3,784.24	-154.36	-151.95	-150.70	1.00	-1.00	0.00
3,900.00	5.71	224.55	3,883.66	-162.07	-159.54	-158.22	1.00	-1.00	0.00
4,000.00	4.71	224.55	3,983.24	-168.54	-165.90	-164.53	1.00	-1.00	0.00
4,100.00	3.71	224.55	4,082.97	-173.77	-171.05	-169.64	1.00	-1.00	0.00
4,200.00	2.71	224.55	4,182.81	-177.76	-174.98	-173.53	1.00	-1.00	0.00
4,300.00	1.71	224.55	4,282.74	-180.50	-177.68	-176.21	1.00	-1.00	0.00
4,400.00	0.71	224.55	4,382.71	-182.00	-179.16	-177.68	1.00	-1.00	0.00
4,470.79	0.00	0.00	4,453.50	-182.31	-179.47	-177.98	1.00	-1.00	0.00
Begin Vertical Hold									
4,545.29	0.00	0.00	4,528.00	-182.31	-179.47	-177.98	0.00	0.00	0.00
BX BLM (Flether Anhydrite)									
5,455.29	0.00	0.00	5,438.00	-182.31	-179.47	-177.98	0.00	0.00	0.00
Lamar									
5,505.29	0.00	0.00	5,488.00	-182.31	-179.47	-177.98	0.00	0.00	0.00
Bell Canyon									
6,418.29	0.00	0.00	6,401.00	-182.31	-179.47	-177.98	0.00	0.00	0.00
Cherry Canyon									
6,578.29	0.00	0.00	6,561.00	-182.31	-179.47	-177.98	0.00	0.00	0.00
Manzanita Lime									
7,858.29	0.00	0.00	7,841.00	-182.31	-179.47	-177.98	0.00	0.00	0.00
Brushy Canyon									
9,077.82	0.00	0.00	9,060.54	-182.31	-179.47	-177.98	0.00	0.00	0.00
KOP2, Begin 12.00°/100' Build									
9,100.00	2.66	0.01	9,082.70	-181.80	-179.46	-177.47	12.00	12.00	0.00
9,200.00	14.66	0.01	9,181.38	-166.77	-179.46	-162.44	12.00	12.00	0.00



Planning Report



Database:	USA Compass	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Company:	Centennial Resources Development, Inc.	TVD Reference:	RKB @ 3490.00usft (TBD)
Project:	Lea County, NM (NAD83 - UTM Zone 13)	MD Reference:	RKB @ 3490.00usft (TBD)
Site:	Sheba/Solomon	North Reference:	True
Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1 08-05-22		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,300.00	26.66	0.01	9,274.78	-131.55	-179.46	-127.23	12.00	12.00	0.00
9,370.23	35.09	0.01	9,335.00	-95.54	-179.46	-91.24	12.00	12.00	0.00
Bone Spring Lime									
9,400.00	38.66	0.01	9,358.81	-77.68	-179.46	-73.38	12.00	12.00	0.00
9,411.88	40.09	0.01	9,368.00	-70.14	-179.46	-65.84	12.00	12.00	0.00
Avalon									
9,438.67	43.30	0.01	9,388.00	-52.33	-179.45	-48.03	12.00	12.00	0.00
Target Top at 0°VS									
9,500.00	50.66	0.01	9,429.81	-7.52	-179.45	-3.24	12.00	12.00	0.00
9,600.00	62.66	0.01	9,484.67	75.87	-179.44	80.13	12.00	12.00	0.00
9,700.00	74.66	0.01	9,520.99	168.85	-179.43	173.08	12.00	12.00	0.00
9,800.00	86.66	0.01	9,537.19	267.34	-179.43	271.55	12.00	12.00	0.00
9,827.82	90.00	0.01	9,538.00	295.15	-179.42	299.34	12.00	12.00	0.00
LP, Hold 90.00° Inc at 0.01° Azm									
9,900.00	90.00	0.01	9,538.00	367.33	-179.42	371.50	0.00	0.00	0.00
10,000.00	90.00	0.01	9,538.00	467.33	-179.41	471.47	0.00	0.00	0.00
10,100.00	90.00	0.01	9,538.00	567.33	-179.40	571.44	0.00	0.00	0.00
10,200.00	90.00	0.01	9,538.00	667.33	-179.39	671.42	0.00	0.00	0.00
10,300.00	90.00	0.01	9,538.00	767.33	-179.38	771.39	0.00	0.00	0.00
10,400.00	90.00	0.01	9,538.00	867.33	-179.37	871.36	0.00	0.00	0.00
10,500.00	90.00	0.01	9,538.00	967.33	-179.36	971.33	0.00	0.00	0.00
10,600.00	90.00	0.01	9,538.00	1,067.33	-179.36	1,071.30	0.00	0.00	0.00
10,700.00	90.00	0.01	9,538.00	1,167.33	-179.35	1,171.27	0.00	0.00	0.00
10,800.00	90.00	0.01	9,538.00	1,267.33	-179.34	1,271.24	0.00	0.00	0.00
10,900.00	90.00	0.01	9,538.00	1,367.33	-179.33	1,371.21	0.00	0.00	0.00
11,000.00	90.00	0.01	9,538.00	1,467.33	-179.32	1,471.19	0.00	0.00	0.00
11,100.00	90.00	0.01	9,538.00	1,567.33	-179.31	1,571.16	0.00	0.00	0.00
11,200.00	90.00	0.01	9,538.00	1,667.33	-179.30	1,671.13	0.00	0.00	0.00
11,300.00	90.00	0.01	9,538.00	1,767.33	-179.29	1,771.10	0.00	0.00	0.00
11,400.00	90.00	0.01	9,538.00	1,867.33	-179.28	1,871.07	0.00	0.00	0.00
11,500.00	90.00	0.01	9,538.00	1,967.33	-179.28	1,971.04	0.00	0.00	0.00
11,600.00	90.00	0.01	9,538.00	2,067.33	-179.27	2,071.01	0.00	0.00	0.00
11,700.00	90.00	0.01	9,538.00	2,167.33	-179.26	2,170.99	0.00	0.00	0.00
11,800.00	90.00	0.01	9,538.00	2,267.33	-179.25	2,270.96	0.00	0.00	0.00
11,900.00	90.00	0.01	9,538.00	2,367.33	-179.24	2,370.93	0.00	0.00	0.00
12,000.00	90.00	0.01	9,538.00	2,467.33	-179.23	2,470.90	0.00	0.00	0.00
12,100.00	90.00	0.01	9,538.00	2,567.33	-179.22	2,570.87	0.00	0.00	0.00
12,200.00	90.00	0.01	9,538.00	2,667.33	-179.21	2,670.84	0.00	0.00	0.00
12,300.00	90.00	0.01	9,538.00	2,767.33	-179.21	2,770.81	0.00	0.00	0.00
12,400.00	90.00	0.01	9,538.00	2,867.33	-179.20	2,870.78	0.00	0.00	0.00
12,500.00	90.00	0.01	9,538.00	2,967.33	-179.19	2,970.76	0.00	0.00	0.00
12,600.00	90.00	0.01	9,538.00	3,067.33	-179.18	3,070.73	0.00	0.00	0.00
12,700.00	90.00	0.01	9,538.00	3,167.33	-179.17	3,170.70	0.00	0.00	0.00
12,800.00	90.00	0.01	9,538.00	3,267.33	-179.16	3,270.67	0.00	0.00	0.00
12,900.00	90.00	0.01	9,538.00	3,367.33	-179.15	3,370.64	0.00	0.00	0.00
13,000.00	90.00	0.01	9,538.00	3,467.33	-179.14	3,470.61	0.00	0.00	0.00
13,100.00	90.00	0.01	9,538.00	3,567.33	-179.14	3,570.58	0.00	0.00	0.00
13,200.00	90.00	0.01	9,538.00	3,667.33	-179.13	3,670.56	0.00	0.00	0.00
13,300.00	90.00	0.01	9,538.00	3,767.33	-179.12	3,770.53	0.00	0.00	0.00
13,400.00	90.00	0.01	9,538.00	3,867.33	-179.11	3,870.50	0.00	0.00	0.00
13,500.00	90.00	0.01	9,538.00	3,967.33	-179.10	3,970.47	0.00	0.00	0.00
13,600.00	90.00	0.01	9,538.00	4,067.33	-179.09	4,070.44	0.00	0.00	0.00
13,700.00	90.00	0.01	9,538.00	4,167.33	-179.08	4,170.41	0.00	0.00	0.00



Planning Report



Database:	USA Compass	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Company:	Centennial Resources Development, Inc.	TVD Reference:	RKB @ 3490.00usft (TBD)
Project:	Lea County, NM (NAD83 - UTM Zone 13)	MD Reference:	RKB @ 3490.00usft (TBD)
Site:	Sheba/Solomon	North Reference:	True
Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1 08-05-22		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,800.00	90.00	0.01	9,538.00	4,267.33	-179.07	4,270.38	0.00	0.00	0.00
13,900.00	90.00	0.01	9,538.00	4,367.33	-179.06	4,370.36	0.00	0.00	0.00
14,000.00	90.00	0.01	9,538.00	4,467.33	-179.06	4,470.33	0.00	0.00	0.00
14,100.00	90.00	0.01	9,538.00	4,567.33	-179.05	4,570.30	0.00	0.00	0.00
14,200.00	90.00	0.01	9,538.00	4,667.33	-179.04	4,670.27	0.00	0.00	0.00
14,300.00	90.00	0.01	9,538.00	4,767.33	-179.03	4,770.24	0.00	0.00	0.00
14,400.00	90.00	0.01	9,538.00	4,867.33	-179.02	4,870.21	0.00	0.00	0.00
14,500.00	90.00	0.01	9,538.00	4,967.33	-179.01	4,970.18	0.00	0.00	0.00
14,600.00	90.00	0.01	9,538.00	5,067.33	-179.00	5,070.15	0.00	0.00	0.00
14,700.00	90.00	0.01	9,538.00	5,167.33	-178.99	5,170.13	0.00	0.00	0.00
14,800.00	90.00	0.01	9,538.00	5,267.33	-178.99	5,270.10	0.00	0.00	0.00
14,900.00	90.00	0.01	9,538.00	5,367.33	-178.98	5,370.07	0.00	0.00	0.00
15,000.00	90.00	0.01	9,538.00	5,467.33	-178.97	5,470.04	0.00	0.00	0.00
15,100.00	90.00	0.01	9,538.00	5,567.33	-178.96	5,570.01	0.00	0.00	0.00
15,200.00	90.00	0.01	9,538.00	5,667.33	-178.95	5,669.98	0.00	0.00	0.00
15,300.00	90.00	0.01	9,538.00	5,767.33	-178.94	5,769.95	0.00	0.00	0.00
15,400.00	90.00	0.01	9,538.00	5,867.33	-178.93	5,869.93	0.00	0.00	0.00
15,500.00	90.00	0.01	9,538.00	5,967.33	-178.92	5,969.90	0.00	0.00	0.00
15,600.00	90.00	0.01	9,538.00	6,067.33	-178.92	6,069.87	0.00	0.00	0.00
15,700.00	90.00	0.01	9,538.00	6,167.33	-178.91	6,169.84	0.00	0.00	0.00
15,800.00	90.00	0.01	9,538.00	6,267.33	-178.90	6,269.81	0.00	0.00	0.00
15,900.00	90.00	0.01	9,538.00	6,367.33	-178.89	6,369.78	0.00	0.00	0.00
16,000.00	90.00	0.01	9,538.00	6,467.33	-178.88	6,469.75	0.00	0.00	0.00
16,100.00	90.00	0.01	9,538.00	6,567.33	-178.87	6,569.72	0.00	0.00	0.00
16,200.00	90.00	0.01	9,538.00	6,667.33	-178.86	6,669.70	0.00	0.00	0.00
16,300.00	90.00	0.01	9,538.00	6,767.33	-178.85	6,769.67	0.00	0.00	0.00
16,400.00	90.00	0.01	9,538.00	6,867.33	-178.85	6,869.64	0.00	0.00	0.00
16,500.00	90.00	0.01	9,538.00	6,967.33	-178.84	6,969.61	0.00	0.00	0.00
16,600.00	90.00	0.01	9,538.00	7,067.33	-178.83	7,069.58	0.00	0.00	0.00
16,700.00	90.00	0.01	9,538.00	7,167.33	-178.82	7,169.55	0.00	0.00	0.00
16,800.00	90.00	0.01	9,538.00	7,267.33	-178.81	7,269.52	0.00	0.00	0.00
16,900.00	90.00	0.01	9,538.00	7,367.33	-178.80	7,369.50	0.00	0.00	0.00
17,000.00	90.00	0.01	9,538.00	7,467.33	-178.79	7,469.47	0.00	0.00	0.00
17,027.82	90.00	0.01	9,538.00	7,495.15	-178.79	7,497.28	0.00	0.00	0.00
TD at 17027.82									

Design Targets									
Target Name									
- hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- Shape									
FTP - Sheba Federal	0.00	0.00	9,538.00	-228.36	-179.47	11,687,670.95	2,118,801.44	32° 11' 19.599223 N	3° 27' 11.486922 W
- plan misses target center by 231.11usft at 9433.58usft MD (9384.28 TVD, -55.80 N, -179.45 E)									
- Point									
BHL - Sheba Federal	0.00	358.63	9,538.00	7,495.15	-178.79	11,695,392.61	2,118,690.99	32° 12' 36.024977 N	3° 27' 11.479248 W
- plan hits target center									
- Rectangle (sides W0.00 H7,723.51 D20.00)									



Planning Report



Database:	USA Compass	Local Co-ordinate Reference:	Well Sheba Federal Com 106H
Company:	Centennial Resources Development, Inc.	TVD Reference:	RKB @ 3490.00usft (TBD)
Project:	Lea County, NM (NAD83 - UTM Zone 13)	MD Reference:	RKB @ 3490.00usft (TBD)
Site:	Sheba/Solomon	North Reference:	True
Well:	Sheba Federal Com 106H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1 08-05-22		

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
1,092.00	1,092.00	Rustler				
1,718.00	1,718.00	Salado				
4,545.29	4,528.00	BX BLM (Fletcher Anhydrite)				
5,455.29	5,438.00	Lamar				
5,505.29	5,488.00	Bell Canyon				
6,418.29	6,401.00	Cherry Canyon				
6,578.29	6,561.00	Manzanita Lime				
7,858.29	7,841.00	Brushy Canyon				
9,370.23	9,335.00	Bone Spring Lime				
9,411.88	9,368.00	Avalon				
9,438.67	9,388.00	Target Top at 0°VS				

Plan Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
2,000.00	2,000.00	0.00	0.00	KOP, Begin 1.00°/100' Build	
2,999.79	2,994.73	-62.01	-61.04	Hold 10.00° Inc at 224.55° Azm	
3,471.00	3,458.77	-120.31	-118.43	Begin 1.00°/100' Drop	
4,470.79	4,453.50	-182.31	-179.47	Begin Vertical Hold	
9,077.82	9,060.54	-182.31	-179.47	KOP2, Begin 12.00°/100' Build	
9,827.82	9,538.00	295.15	-179.42	LP, Hold 90.00° Inc at 0.01° Azm	
17,027.82	9,538.00	7,495.15	-178.79	TD at 17027.82	

Centennial Resource Development New Mexico Multi-Well Pad Drilling Batch Setting Procedures

13-3/8" Surface Casing - CRD intends to Batch set all 13-3/8" casing to a depth approved in the APD. 17-1/2" Surface Holes will be batch drilled by a rig. Appropriate notifications will be made prior to spudding the well, running and cementing casing and prior to skidding to the rig to the next well on pad.

1. Drill 17-1/2" Surface hole to Approved Depth with Rig and perform wellbore cleanup cycles. Trip out and rack back drilling BHA.
2. Run and land 13-3/8" 54.5# J55 BTC casing [see Illustration 1-1 Below](#) to depth approved in APD.
3. Set packoff and test to 5k psi
4. Offline Cement
5. Install nightcap with Pressure Gauge on wellhead. Nightcap is shown on final wellhead Stack up [Illustration #2-2 page 3](#).
6. Skid Rig to adjacent well to drill Surface hole.
7. Surface casing test will be performed by the rig in order to allow ample time for Cement to develop 500psi compressive strength. Casing test to 0.22 psi/ft or 1500 psi whichever is greater - not to exceed 70% casing burst.




Illustration 1-1

Intermediate Casing – CRD intends to Batch set all intermediate casing strings to a depth approved in the APD, typically set into Lamar. 12-1/4" Intermediate Holes will be batch drilled by the rig. Appropriate notifications will be made prior Testing BOPE, and prior to running/cementing all casing strings.

1. Rig will remove the nightcap and install and test BOPE.
2. Test Surface casing per COA WOC timing (.22 psi/ft or 1500 psi whichever is greater) - not to exceed 70% casing burst. Cement must have achieved 500psi compressive strength prior to test.
3. Install wear bushing then drill out 13-3/8" shoe-track plus 20' and conduct FIT to minimum of the MW equivalent anticipated to control the formation pressure to the next casing point.
4. Drill Intermediate hole to approved casing point. Trip out of hole with BHA to run Casing.
5. Remove wear bushing then run and land Intermediate Casing with mandrel hanger in wellhead.
6. Cement casing to surface with floats holding.
7. Washout stack then run wash tool in wellhead and wash hanger and pack-off setting area.
8. Install pack-off and test void to 5,000 psi for 15 minutes. Nightcap shown on final wellhead stack up [illustration 2-2 on page 3](#).
9. Test casing per COA WOC timing (.22 psi/ft or 1500 psi whichever is greater) - not to exceed 70% casing burst. Cement must have achieved 500psi compressive strength prior to test.
10. Install nightcap – skid rig to adjacent well to drill Intermediate hole.




Illustration 2-2

Production Casing – CRD intends to Batch set all Production casings with Rig. Appropriate notifications will be made prior Testing BOPE, and prior to running/cementing all casing strings.

1. Big Rig will remove the nightcap and install and test BOPE.
2. Install wear bushing then drill Intermediate shoe-track plus 20' and conduct FIT to minimum MW equivalent to control the formation pressure to TD of well.
3. Drill Vertical hole to KOP – Trip out for Curve BHA.
4. Drill Curve, landing in production interval – Trip for Lateral BHA.
5. Drill Lateral / Production hole to Permitted BHL, perform cleanup cycles and trip out to run 5-1/2" Production Casing.
6. Remove wear bushing then run 5-1/2" production casing to TD landing casing mandrel in wellhead.
7. Cement 5-1/2" Production string to surface with floats holding.

8. Run in with wash tool and wash wellhead area – install pack-off and test void to 5,000psi for 15 minutes.
9. Install BPV in 5-1/2" mandrel hanger – Nipple down BOPE and install nightcap.
10. Test nightcap void to 5,000psi for 30 minutes per [illustration 2-2 page 3](#).
11. Skid rig to adjacent well on pad to drill production hole.

CENTENNIAL

WBD

Well : Sheba Federal Com 106H

Area : Solomon

FM tgt: Avalon A




County : Lea State : NM


Location : Lot H Section 27, T24S, R34E; 2319' FNL & 1030' FEL

BHL : Lot A, Section 22, T24S, R34E; 100' FNL & 1210' FEL


KB Elev : 3,489' MSL KB : 25' AGL GL Elev : 3,464' MSL




GEOLOGIC PROG

			WELL NAME		Sheba Federal Com 106H		7/22/2022	
			AREA		Solomon		API	
			HZ TARGET		Avalon		WI %	
			LAT LENGTH		7,700		AFE#	
			TRRC PERMIT				COUNTY	
	TWNP	RNG	SECTION	FOOTAGE		COMMENT		
SHL	24S	34E	27	2319' FNL, 1030' FEL		On lease. Drill S to N.		
FTP/PP	24S	34E	27	2548' FNL, 1210' FEL				
LTP	24S	34E	22	100' FNL, 1210' FEL				
BHL	24S	34E	22	100' FNL, 1210' FEL				
			GROUND LEVEL	3,464'	RIG KB	25'	KB ELEV	3,489'
GEOLOGIST	Ali Sloan		Ali.Sloan@cdevinc.com			(832) 269-9694		
LOGGING			No open hole logging. MWD GR from drill out of surface casing to TD.					
MUDLOGGING			None					
FORMATION			TVD	SSTVD	THICKNESS	FINAL MD	FINAL TVD	DELTA
Rustler			1,091'	2,398'	626'			
Salado			1,717'	1,772'	2,810'			
BX BLM (Fletcher Anhydrite)			4,527'	-1,038'	910'			
Lamar			5,437'	-1,948'	50'			
Bell Canyon			5,487'	-1,998'	913'			
Cherry Canyon			6,400'	-2,911'	160'			
Manzanita Lime			6,560'	-3,071'	1,280'			
Brushy Canyon			7,840'	-4,351'	1,494'			
Bone Spring Lime			9,334'	-5,845'	33'			
Avalon			9,367'	-5,878'	970'			
FBSG Sand			10,337'	-6,848'	221'			
SBSG Shale			10,558'	-7,069'	375'			
SBSG Sand			10,933'	-7,444'	467'			
TBSG Carb			11,400'	-7,911'				
Target Top at 0'VS			9,387'	-5,898'	200'			
Target Base at 0' VS			9,587'	-6,098'				
HZ TARGET AT 0' VS			9,537'	-6,048'				
TARGET: KBTVD = 9537' at 0' VS, INC = 90.0 deg Target Window +10/-10'								
COMMENT:								


GEOLOGIC PROG

OFFSET TYPE WELLS							
	DRILLING WELL		Sheba Federal Com 106H		7/22/2022		
	HZ TARGET		Avalon		AREA	Solomon	
	SECONDARY TYPE LOG				PRIMARY TYPE LOG		
	Buff '22' 1				Sheba Fed Com 506H		
	30-025-28235				30-025-49122		
	LOCATION				24S/34E/27		
	DISTANCE				380' E of Projected FTP		
	DIRECTION SURVEY				Y		
	KB ELEV				3,486'		
FORMATION	TVD	SSTVD	DELTA		TVD	SSTVD	DELTA
Lamar	5,440'	-1,889'			5,467'	-1,981'	
Bell Canyon	5,466'	-1,915'	928'		5,513'	-2,027'	908'
Cherry Canyon	6,394'	-2,843'	221'		6,421'	-2,935'	185'
Manzanita Lime	6,615'	-3,064'	1,208'		6,606'	-3,120'	1,421'
Brushy Canyon	7,823'	-4,272'	1,451'		8,027'	-4,541'	1,314'
Bone Spring Lime	9,274'	-5,723'	34'		9,341'	-5,855'	25'
Avalon	9,308'	-5,757'	1,033'		9,366'	-5,880'	1,021'
FBSG Sand	10,341'	-6,790'	229'		10,387'	-6,901'	205'
SBSG Shale	10,570'	-7,019'	359'		10,592'	-7,106'	370'
SBSG Sand	10,929'	-7,378'	442'		10,962'	-7,476'	
TBSG Carb	11,371'	-7,820'	935'				
WFMP	12,306'	-8,755'	102'				
WFMP A	12,408'	-8,857'					
Reservoir Top					9,386'	-5,900'	200'
Reservoir Base					9,586'	-6,100'	
Comments							

GEOLOGIC PROG




GEOLOGIC PROG



GEOLOGIC PROG

GEOPHYSICAL DATA
POTENTIAL GEOHAZARDS
SEISMIC DISPLAYS

GEOLOGIC PROG


				
WELL NAME		Sheba Federal Com 106H		7/22/2022
AREA		Solomon	API	
HZ TARGET		Avalon	WI %	
LAT LENGTH		7700	AFE#	
TRRC PERMIT			COUNTY	Lea
GEOLOGIST	Ali Sloan	Ali.Sloan@cdevinc.com		(832) 269-9694
Mud Logging Company				
TBD				
Contact 1	email		phone	
Contact 2	email		phone	
Contact 3	email		phone	
Daily distribution data requirements and protocol				
geodata@cdevinc.com; joe.woodske@cdevinc.com; drilling@cdevinc.com; dawn.billesbach@cdevinc.com, Andrew.welshhans@cdevinc.com; nick.daniele@cdevinc.com; Isabel.Harper@cdevinc.com; Liam.Kaltenback@cdevinc.com; Jason.Fitzgerald@cdevinc.com; Ali.Sloan@cdevinc.com; Ronny.Hise@cdevinc.com				
Daily email distribution list				
Final distribution data requirements				
Final distribution list				
Contact Information	Reports	Hard Copies	Digital data	Cuttings
Centennial Resource Development, c/o Joe Woodske, 1001 17th street, Suite 1800,	email final set	2 copies of 5" MD Vertical, 2 copies of 5" Horizontal and	email final set	
				No Dried Samples to be Collected
MWD Only: Centennial Resource Development, c/o Sarah Ferreyros, 1001 17th street, Suite	email final set	2 copies of the 5" MD vertical logs 2 copies of the 5"	email final set	
Project Geologist:	Ali Sloan	Production:	Brandon Morin	
Operations Geologist:	Liam Kaltenback	Surface Land:	Bailey Joplim	
Drilling:	Ronny Hise	Mineral Land:	Gavin Smith	

GEOLOGIC PROG

SWD DATA

POTENTIAL SWD HAZARDS

Location is outside the Capitan Reef. Active MADERA SWD (where labled in B3) is over 9000' NE of Surface and vertical tangent section and has injected over 40,000,000 Bbl of liquid into deep Devonian formations. Toe section of our laterals will drill directly toward the SWD locations.




Sheba Federal Com 106H

Centennial Drilling Plan for 3-Casing String Bone Springs Formation

13-3/8" x 9-5/8" x 5-1/2" Casing Design

1. Drill 17-1/2" surface hole to Total Depth with Rig and perform wellbore cleanup cycles.
2. Run and land 13-3/8" casing to Depth.
3. Cement 13-3/8" casing – cement to surface.
4. Cut / Dress Conductor and 13-3/8" casing as needed, weld on Multi-bowl system with baseplate supported by 20" conductor.
5. Test Weld to 70% of 13-3/8" casing collapse. Place nightcap with Pressure Gauge on wellhead and test seals to 70% of Casing Collapse.
6. Bleed Pressure if necessary and remove nightcap. Nipple up and test BOPE with test plug per Onshore Order 2.
7. Test casing per COA WOC timing (.22 psi/ft or 1500 psi whichever is greater) - not to exceed 70% casing burst. Cement must have achieved 500psi compressive strength prior to test.
8. Install wear bushing then drill out 13-3/8" shoe-track plus 20' and conduct FIT to minimum of the MW equivalent anticipated to control the formation pressure to the next casing point.
9. Drill 12-1/4" Intermediate hole to 9-5/8" casing point. (Base Capitan Reef).
10. Remove wear bushing then run and land 9-5/8" Intermediate Casing with mandrel hanger in wellhead.
11. Cement 9-5/8 casing – cement to surface.
12. Washout stack then run wash tool in wellhead and wash hanger and pack-off setting area.
13. Install pack-off and test to 5000 psi for 15 minutes.
 - a. Test casing per COA WOC timing (.22 psi/ft or 1500 psi whichever is greater) - not to exceed 70% casing burst. Cement must have achieved 500psi compressive strength prior to test.
14. Install wear bushing then drill out 9-5/8" shoe-track plus 20' and conduct FIT to minimum MW equivalent to control the formation pressure to TD of well.
15. Drill 8-3/4" Vertical hole to KOP – Trip out for Curve BHA.
16. Drill 8-3/4" Curve, landing in production interval – Trip for Lateral BHA.
17. Drill 7-7/8" Lateral to Permitted BHL, perform cleanup cycles and trip out to run 5-1/2" Production Casing.
18. Remove wear bushing then run 5-1/2" production casing to TD landing casing mandrel in wellhead.
19. Cement 5-1/2" Production string to surface.
20. Run in with wash tool and wash wellhead area – install pack-off and test to 5000psi for 15 minutes.
21. Install BPV in 5-1/2" mandrel hanger – Nipple down BOPE and install nightcap.
22. Test nightcap void to 5000psi for 30 minutes.



INFORMATION CONTAINED HEREIN IS THE PROPERTY OF CACTUS WELLHEAD, LLC. REPRODUCTION, DISCLOSURE, OR USE THEREOF IS PERMISSIBLE ONLY AS PROVIDED BY CONTRACT OR AS EXPRESSLY AUTHORIZED BY CACTUS WELLHEAD, LLC.

ALL DIMENSIONS APPROXIMATE

CACTUS WELLHEAD LLC

CENTENNIAL RESOURCE DEVELOPMENT
LEE CO, NM

20" x 13-3/8" x 9-5/8" x 5-1/2" 10M MBU-3T-CFL-R-DBLO System
With 13-5/8" 10M x 7-1/16" 15M CTH-DBLHPS Tubing Head,
20" Landing Ring & Pin Down Mandrel Casing Hangers

DRAWN	DLE	10JUN20
APPRV		
DRAWING NO.	HBE0000338	

Centennial Resource Development - Well Control Plan

A. Component and Preventer Compatibility Table

Component	OD (inches)	Preventer	RWP
Drillpipe	5	Upper VBR: 3.5 – 5.5 Lower VBR: 3.5 – 5.5	10M
Heavyweight Drillpipe	5	Upper VBR: 3.5 – 5.5 Lower VBR: 3.5 – 5.5	10M
Drill collars and MWD tools	6 ¾	Annular	5M
Mud Motor	6 ¾	Annular	5M
Production Casing	5-1/2	Upper VBR: 3.5 – 5.5 Lower VBR: 3.5 – 5.5	10M
All	0 – 13 5/8	Annular	5M
Open-hole	-	Blind rams	10M

VBR = Variable Bore Rams

RWP = Rated Working Pressure

MWD = Measurement While Drilling (directional tools)

B. Well Control Procedures

I. General Procedures While Drilling:

1. Sound alarm (alert crew).
2. Space out drill-string.
3. Shut down pumps and stop rotary.
4. Open HCR
5. Shut-in well – utilizing upper VBRs.
6. Close choke
7. Confirm shut-in.
8. Notify rig manager and Centennial company representative.
9. Call Centennial drilling engineer
10. Read and record
 - I. Shut-in drillpipe pressure (SIDPP) and shut-in casing pressure (SCIP).
 - II. Pit gain
 - III. Time
11. Regroup, identify forward plan

II. General Procedure While Tripping

1. Sound alarm (alert crew).
2. Stab full opening safety valve and close
3. Space out drillstring.
4. Open HCR
5. Shut-in well – utilizing upper VBRs
6. Close choke
7. Confirm shut-in.
8. Notify rig manager and Centennial company representative.
9. Call Centennial drilling engineer
10. Read and record:
 - I. SIDPP AND SICP
 - II. Pit gain
 - III. Time
11. Regroup and identify forward plan.

III. General Procedure While Running Casing

1. Sound alarm (alert crew)
2. Stab full opening safety valve and close
3. Space out string.
4. Open HCR
5. Shut-in well – utilizing upper VBRs.
6. Close choke
7. Confirm shut-in.
8. Notify rig manager and Centennial company representative.
9. Call Centennial drilling engineer
10. Read and record:
 - I. SIDPP AND SICP
 - II. Pit gain
 - III. Time
11. Regroup and identify forward plan.

IV. General Procedure With No Pipe In Hole (Open Hole)

1. Sound alarm (alert crew)
2. Open HCR
3. Shut-in with blind rams
4. Close choke
5. Confirm shut-in
6. Notify rig manager and Centennial company representative.
7. Call Centennial drilling engineer
8. Read and record:
 - I. SIDPP AND SICP
 - II. Pit gain
 - III. Time
9. Regroup and identify forward plan.

V. General Procedures While Pulling BHA Thru BOP Stack**1. Prior to pulling last joint of drillpipe thru stack:**

- I. Perform flow check, if flowing
 - a. Sound alarm, alert crew
 - b. Stab full opening safety valve and close
 - c. Space out drillstring with tool joint just beneath the upper pipe ram.
 - d. Open HCR
 - e. Shut-in utilizing upper VBRs
 - f. Close choke
 - g. Confirm shut-in
 - h. Notify rig manager and Centennial company representative.
 - i. Call Centennial drilling engineer
 - j. Read and record:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
- II. Regroup and identify forward plan

2. With BHA in the BOP stack and compatible ram preventer and pipe combo immediately available:

- a. Sound alarm, alert crew
- b. Stab full opening safety valve and close
- c. Space out drillstring with tool joint just beneath the upper pipe ram.
- d. Open HCR
- e. Shut-in utilizing upper VBRs
- f. Close choke
- g. Confirm shut-in
- h. Notify rig manager and Centennial company representative.
- i. Call Centennial drilling engineer
- j. Read and record:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
- II. Regroup and identify forward plan

3. With BHA in the BOP stack and no compatible ram preventer and pipe combo immediately available:

- I. Sound alarm, alert crew.
- II. If possible to pick up high enough, pull string clear of the stack and follow Open Hole (III) scenario.
- III. If impossible to pick up high enough to pull the string clear of the stack:
 - a. Stab crossover, make up one joint/stand of drill pipe and full opening safety valve and close.
 - b. Space out drillstring with tool joint just beneath the upper pipe ram.
 - c. Open HCR
 - d. Shut-in utilizing upper VBRs.
 - e. Close choke
 - f. Confirm shut-in
 - g. Notify rig manager and Centennial company representative.
 - h. Call Centennial drilling engineer
 - i. Read and record:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
- IV. Regroup and identify forward plan.

**** If annular is used to shut-in well and pressure builds to OR is expected to get to 50% of RWP, confirm space-out and swap to upper VBRs for shut-in.**

Centennial Resource Production, LLC hereby requests to use a flex hose on H&P choke manifold for the Sheba Federal Com 106H well. The Flex Hose specifications are listed on the following pages.

Sheba Federal Com 106H


Centennial Offline Cementing Procedure

13-3/8" & 9-5/8" Casing

1. Drill hole to Total Depth with Rig and perform wellbore cleanup cycles.
2. Run and casing to Depth.
3. Land casing with mandrel.
4. Circulate 1.5 csg capacity.
5. Flow test – Confirm well is static and floats are holding.
6. Set Annular packoff and pressure test. Test to 5k.
7. Nipple down BOP and install cap flange.
8. Skid rig to next well on pad
9. Remove cap flange (confirm well is static before removal)
 - a. If well is not static use the casing outlet valves to kill well
 - b. Drillers method will be used in well control event
 - c. High pressure return line will be rigged up to lower casing valve and run to choke manifold to control annular pressure
 - d. Kill mud will be circulated once influx is circulated out of hole
 - e. Confirm well is static and remove cap flange to start offline cement operations
10. Install offline cement tool.
11. Rig up cementers.
12. Circulate bottoms up with cement truck
13. Commence planned cement job, take returns through the annulus wellhead valve
14. After plug is bumped confirm floats hold and well is static
15. Rig down cementers and equipment
16. Install night cap with pressure gauge to monitor.
17. Will only offline surface and intermediate casing.


13 3/8" Surface job

CFL Off-Line Cementing Tool







9 5/8" Intermediate Job



Run 9-5/8" Casing
Land Casing on 9-5/8" Mandrel Hanger
Cement 9-5/8" Casing
Retrieve Running Tool



Run 13-5/8" Packoff
Test Upper and Lower Seals
Engage Lockring
Retrieve Running Tool





U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

PWD Data Report

05/13/2025

APD ID: 10400087540

Submission Date: 09/30/2022

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC

Well Name: SHEBA FEDERAL COM

Well Number: 106H

Well Type: OIL WELL

Well Work Type: Drill

Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined

Would you like to utilize Lined Pit PWD options? N

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Other PWD Surface Owner Description:

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit

Pit liner description:

Pit liner manufacturers

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule

Lined pit reclamation description:

Lined pit reclamation

Leak detection system description:

Leak detection system

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC

Well Name: SHEBA FEDERAL COM

Well Number: 106H

Lined pit Monitor description:

Lined pit Monitor

Lined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Lined pit bond amount:

Additional bond information

Section 3 - Unlined

Would you like to utilize Unlined Pit PWD options? N

Produced Water Disposal (PWD) Location:

PWD disturbance (acres):

PWD surface owner:

Other PWD Surface Owner Description:

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule

Unlined pit reclamation description:

Unlined pit reclamation

Unlined pit Monitor description:

Unlined pit Monitor

Do you propose to put the produced water to beneficial use?

Beneficial use user

Estimated depth of the shallowest aquifer (feet):

Precipitated Solids Permit

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC**Well Name:** SHEBA FEDERAL COM**Well Number:** 106H**State****Unlined Produced Water Pit Estimated****Unlined pit: do you have a reclamation bond for the pit?****Is the reclamation bond a rider under the BLM bond?****Unlined pit bond number:****Unlined pit bond amount:****Additional bond information****Section 4 -****Would you like to utilize Injection PWD options?** N**Produced Water Disposal (PWD) Location:****PWD surface owner:****PWD disturbance (acres):****Other PWD Surface Owner Description:****Injection PWD discharge volume (bbl/day):****Injection well mineral owner:****Injection well type:****Injection well number:****Injection well name:****Assigned injection well API number?****Injection well API number:****Injection well new surface disturbance (acres):****Minerals protection information:****Mineral protection****Underground Injection Control (UIC) Permit?****UIC Permit****Section 5 - Surface****Would you like to utilize Surface Discharge PWD options?** N**Produced Water Disposal (PWD) Location:****PWD surface owner:****PWD disturbance (acres):****Other PWD Surface Owner Description :****Surface discharge PWD discharge volume (bbl/day):****Surface Discharge NPDES Permit?****Surface Discharge NPDES Permit attachment:****Surface Discharge site facilities information:****Surface discharge site facilities map:**

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC

Well Name: SHEBA FEDERAL COMWell Number: 106H

Section 6 -

Would you like to utilize Other PWD options? N

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

PWD Surface Owner Description:

Other PWD discharge volume (bbl/day):

Other PWD type description:

Other PWD type

Have other regulatory requirements been met?

Other regulatory requirements



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Bond Info Data

05/13/2025

APD ID: 10400087540

Submission Date: 09/30/2022

Highlighted data
reflects the most
recent changes
[Show Final Text](#)

Operator Name: CENTENNIAL RESOURCE PRODUCTION LLC

Well Name: SHEBA FEDERAL COM

Well Number: 106H

Well Type: OIL WELL

Well Work Type: Drill

Bond

Federal/Indian APD: FED

BLM Bond number:

BIA Bond number:

Do you have a reclamation bond? NO

Is the reclamation bond a rider under the BLM bond?

Is the reclamation bond BLM or Forest Service?

BLM reclamation bond number:

Forest Service reclamation bond number:

Forest Service reclamation bond attachment:

Reclamation bond amount:

Reclamation bond rider amount:

Additional reclamation bond information attachment:

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 495863

ACKNOWLEDGMENTS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 495863
	Action Type: [C-101] BLM - Federal/Indian Land Lease (Form 3160-3)

ACKNOWLEDGMENTS

<input type="checkbox"/>	I hereby certify that no additives containing PFAS chemicals will be added to the completion or recompletion of this well.
--------------------------	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 495863

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 495863
	Action Type: [C-101] BLM - Federal/Indian Land Lease (Form 3160-3)

CONDITIONS

Created By	Condition	Condition Date
clevans	Cement is required to circulate on both surface and intermediate1 strings of casing.	8/14/2025
clevans	If cement does not circulate on any string, a Cement Bond Log (CBL) is required for that string of casing.	8/14/2025
ward.rikala	Notify the OCD 24 hours prior to casing & cement.	9/22/2025
ward.rikala	File As Drilled C-102 and a directional Survey with C-104 completion packet.	9/22/2025
ward.rikala	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string.	9/22/2025
ward.rikala	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.	9/22/2025
ward.rikala	No additives containing PFAS chemicals will be added to the drilling fluids or completion fluids used during drilling, completions, or recompletions operations.	9/22/2025
ward.rikala	Administrative order required for non-standard spacing unit prior to production.	9/22/2025