

Well Name: ED WOOD ASE FEDERAL	Well Location: T24S / R23E / SEC 12 / NWNW / 32.2378362 / -104.5601286	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM94581	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152013600X1	Operator: RAYBAW OPERATING LLC	

Subsequent Report

Sundry ID: 2868863

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/28/2025

Date Operation Actually Began: 07/22/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 10:02

**Actual Procedure:** MIRUPU. Break WH bolts loose. Dig out cellar. ND WH. NU BOP. Work pipe & attempt to release pkr. RU power swivel. Work pipe & pkr ~45 min. Rel pkr. POOH & stand back & tally 180 jts. Open well to flow pit. Finish POOH, stand back & tally 132 jts. LD pkr. RIH w/ tbg to 10,427'. RU pump. Pump 60 bbls BW down tbg. Mix & spot 25 sxs Class H cmt @ 10,427'. POOH & stand back 319 jts. RU WL. RIH w/ CIBP to 10,227'. Set CIBP @ 10,227'. POOH & RD WL. Open well to flow pit. RIH w/ tbg to 10,227' - tag CIBP. RU pump. Circulate well w/ 230 bbls + 60 gals of plex gel. Pressure test csg to 500 psi. Held pressure for 30 min – good. Mix & spot 25 sxs Class H cmt f/ 10,227'-10,025'. POOH w/ tbg. Stand back 295 jts & LD 18 jts. Open well to flow pit. RU WL. RIH w/ CBL tools. Run CBL f/ 9950' to surface. TOC @ ~6030'. POOH & RD WL. RIH w/ 100 jts & rig broke down. Open well to flow pit. Finish RIH w/ tbg to 9648'. Mix & spot 37 sxs Class H cmt f/ 9648'-9446'. POOH w/ tbg LD 36 jts. Mix & spot 25 sxs Class H cmt f/ 7488'-7278'. POOH & LD 80 jts. EOT @ 4872'. RU WL. RIH & perf at 5250'. POOH w/ WL. RD WL. Pressure test perf: 1/4 bpm @ 1000 psi. Notify BLM (Keith) - BLM ok'd to spot. Mix & spot 25 sxs Class C cmt f/ 5300'-5048'. POOH laying down 30 jts. Open well to flow pit. POOH, stand back tbg & check pkr. RBIH w/ pkr to 3890'. RU WL. RIH & perf @ 4250'. POOH w/ WL. Set pkr. RU pump & test perf. Pump 20 bbls to break circulation. Mix & sqz 45 sxs Class C cmt f/ 4250'-4090' (BLM Req). WOC. RIH w/ WL. Tag TOC @ 4057'. Perf @ 2757'. POOH w/ WL. Set pkr. Test perf - circ. Mix & sqz 105 sxs Class C cmt f/ 2757'-2380'. POOH & LD 34 jts. BLM required extra perf & squeeze @ 4250'. Open well to flow pit. RIH & tag TOC @ 2373'. POOH LD tbg. EOT @ 1079'. RU WL. RIH & perf @ 2465'. Set pkr & test perf – circulation. Mix & sqz 40 sxs Class C cmt f/ 1465'-1300'. WOC. RIH w/ WL & tag cmt @ 1273'. Javier Esparza - BLM inspector on location. Perf @ 1130'. WO equip (tbg tongs). Mix & sqz 25 sxs Class C cmt f/ 1130'-1020'. POOH & stand back tbg. WOC - BLM required tag. RIH & tag TOC @ 987'. WO BLM witness the tag. POOH LD tbg. RU WL. RIH & perf @ 500'. Pump test perf. Circulate to surf. ND BOP. Install cap

Well Name: ED WOOD ASE FEDERAL		Well Location: T24S / R23E / SEC 12 / NWNW / 32.2378362 / -104.5601286	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL		Allottee or Tribe Name:
Lease Number: NMNM94581	Unit or CA Name:	Unit or CA Number:	
US Well Number: 300152013600X1	Operator: RAYBAW OPERATING LLC		

flange. Mix & sqz 130 sxs Class C - circ cmt up to surf. BLM witnessed surf plug. RD cmt pump. RDMOPU, clean loc. Cut & cap at later date. WB plugged. BLM Field Inspector on location to witness plugs. Well cut & capped on 8/16/2025.

SR Attachments

Actual Procedure

3160\_5\_Ed\_Wood\_ASE\_Federal\_1\_Post\_job\_sundry\_Submitted\_20250828100113.pdf

SR Conditions of Approval

Specialist Review

3001520136\_20250905121010.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature:** RONDA WHITE

**Signed on:** AUG 28, 2025 10:00 AM

**Name:** RAYBAW OPERATING LLC

**Title:** Regulatory Analyst

**Street Address:** 2626 COLE AVE SUITE 300

**City:** DALLAS

**State:** TX

**Phone:** (432) 425-3494

**Email address:** RONDA@OAKNRG.COM

Field

**Representative Name:** Tim Houghtaling

**Street Address:** 2626 Cole Ave., Ste. 300

**City:** Dallas

**State:** TX

**Zip:** 75204

**Phone:** (432)425-3494

**Email address:** ronda@oaknrg.com

BLM Point of Contact

**BLM POC Name:** JAMES A AMOS

**BLM POC Title:** Acting Assistant Field Manager

**BLM POC Phone:** 5752345927

**BLM POC Email Address:** JAMOS@BLM.GOV

**Disposition:** Accepted

**Disposition Date:** 09/05/2025

**Signature:** James Amos

Received by OCD: 9/22/2025 6:52:14 AM

Page 3 of 6

Well Name: ED WOOD ASE FEDERAL		Well Location: T24S / R23E / SEC 12 / NWNW / 32.2378362 / -104.5601286	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL		Allottee or Tribe Name:
Lease Number: NMNM94581	Unit or CA Name:	Unit or CA Number:	
US Well Number: 300152013600X1	Operator: RAYBAW OPERATING LLC		

CONFIDENTIAL

Form 3160-5  
(April 2004)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OM B No. 1004-0137  
Expires: March 31, 2007**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an  
abandoned well Use Form 3160-3 (APD) for such proposals*  
**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**


1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. <b>NMNM94581</b>
2. Name of Operator <b>RAYBAW OPERATING, LLC</b>		6. If Indian, Allottee or Tribe Name
3a. Address <b>2626 COLE AVE, STE 300 DALLAS, TX 75024</b>		7. If Unit of CA / Agreement, Name and/or No.
3b. Phone No. (include area code) <b>432-425-3494</b>		8. Well Name and No. <b>ED Wood ASE Federal #1</b>
4. Location of (Footage, Sec., T., R., or Survey Description) <b>D, SEC 12, T24S, R23E</b>		9. API Well No. <b>30-015-20136</b>
		10. Field and Pool, or Exploratory Area <b>Hess; Morrow, East</b>
		11. County or Parish, State <b>Eddy/NM</b>

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the bond No. on file with the BLM / BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

7/23/2025 **MIRU. NU BOP. Unset PKR & SB 180 jts**7/24/2025 **Finish POOH tbg. RIH Tbg to 10,427', pump 60bbl BW down tbg, Spot 25sx H cmt @ 10,427'. SB 319 jts. RU WL - Set 5½ CIBP @ 10,227'**7/25/2025 **RIH Tbg - Tag BP. Circ hole w/ 230bbl BW + 60gal Plexgel. Pressure test csg to 500# for 30 min, ok. Spot 25sx H cmt @ 10227'-10025'. SB 295 jts, LD 18**7/28/2025 **Run CBL @ 9950' to surf.**8/4/2025 **Spot 37sx H cmt @ 9648'-9446'. Spot 25sx H cmt @ 9446'-9244'. Spot 25sx H cmt @ 8645'-8463'. Spot 25sx H cmt @ 7488'-7278'. RU WL - Perf @ 5250' (1/4bbl @ 1000psi) call BLM, ok to spot - Spot 25sx cmt @ 5300'-5048'**8/5/2025 **Perf @ 4250' - Sqz 45sx cmt to 4090' - Tag @ 4057'. Perf @ 2757' - Sqz 105sx cmt to 2380'**8/6/2025 **Tag TOC @ 2373'. Perf @ 1465' - Sqz 40sx cmt to 1300'. Tag @ 1273'. Perf @ 1130' - Sqz 25sx cmt to 1020'**8/7/2025 **Tag TOC @ 987'. Perf @ 500' - Circ 130sx cmt to surf (Both tags witnessed by BLM) RDMO**8/16/2025 **Cut off wellhead & anchors. Install DH marker.**

14. I hereby certify that the following is true and correct	
Name <b>GREG BRYANT</b>	Title <b>P&amp;A SUPERVISOR</b>
Signature 	Date <b>8/15/25</b>

## THIS SPACE FOR FEDERAL OR STATE OFFICE USE


Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operatins thereon.	Office	

Title 18 U.S.C., Section 1001 and Title 43 U.S.C., Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Operator Name: \_\_\_\_\_ RAYBAW OPERATING LLC \_\_\_\_\_

Lease Name: \_\_\_\_\_ Ed Wood ASE Federal 01 \_\_\_\_\_

API #: \_\_\_\_\_ 30-015-20136 \_\_\_\_\_

**Well P&A'd - Post WBD**

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 507745

CONDITIONS

Operator: RAYBAW Operating, LLC 2626 Cole Avenue Dallas, TX 75204	OGRID: 330220
	Action Number: 507745
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/25/2025