

Well Name: PURE GOLD B FED	Well Location: T23S / R31E / SEC 20 / SWSE / 32.2881256 / -103.7976802	County or Parish/State: EDDY / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM38463	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001527290	Operator: OXY USA INCORPORATED	

Subsequent Report

Sundry ID: 2871643

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/04/2025 Time Sundry Submitted: 10:26

Date Operation Actually Began: 07/31/2025

Actual Procedure: THE FINAL WELLBORE AND PA PROCEDURE ARE ATTACHED. CUT AND CAP WAS COMPLETE ON 8/16/2025.

SR Attachments

Actual Procedure

PRGLDB_006_PA_SR_SUB_9.4.2025_20250904102624.pdf

Received by OCD: 9/24/2025 6:45:11 AM

Page 2 of 10

Well Name: PURE GOLD B FED	Well Location: T23S / R31E / SEC 20 / SWSE / 32.2881256 / -103.7976802	County or Parish/State: EDDY / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM38463	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001527290	Operator: OXY USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: STEPHEN JANACEK	Signed on: SEP 04, 2025 10:26 AM
Name: OXY USA INCORPORATED	
Title: Regulatory Engineer	
Street Address: 5 Greenway Plaza, Suite 110	
City: Houston	State: TX
Phone: (713) 497-2417	
Email address: stephen_janacek@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: JAMOS@BLM.GOV
Disposition: Accepted	Disposition Date: 09/09/2025
Signature: James A Amos	

Form 3160-5
(October 2024)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

3a. Address

3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

9. API Well No.

10. Field and Pool or Exploratory Area

11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Title

Signature

Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSE / 0 / 0 / TWSP: 23S / RANGE: 31E / SECTION: 20 / LAT: 32.2881256 / LONG: -103.7976802 (TVD: 0 feet, MD: 0 feet)

BHL: SWSE / 0 / 0 / TWSP: 23S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

PURE GOLD B FEDERAL 006
FINAL WELLBORE

30-015-27290-0000

Eddy

String1
 OD 13.375 in, 48# H-40 ST&C
 TD 727 ft
 TOC 0 ft

Anhydrite 390'
 Salt 760'

String2
 OD 8.625 in, 24# & 32# J-55 ST&C
 TD 4070 ft
 TOC 0 ft


Salt 3850'
 Bell Canyon 4075'
 Delaware 4104'
 Cherry Canyon 5010'

SQZ 100 SX CMT 6379'-6100'. TAG AT 5989'

Brushy Canyon 6866'
 Prod Zone 6910' - 6880'
 Prod Zone 7670' - 7450'

String3
 OD 5.5 in, 17# K-55 LT&C
 TD 8100 ft
 TOC 2750 ft
 PBD 8029 ft

Bone Springs 7930'



DV Tool
 Top 6193 ft

SET CIBP AT 6860'. PRESSURE TEST AND FOUND
CASING LEAK 6323'-6384'. SPOT 60 SX CMT
 6860'-6250'. TAG AT 6379' (LOW).

PURE GOLD B FEDERAL #006**30-015-27290****PA JOB NOTES**

Start Date	Remarks
7/31/2025	Held jsa safety meeting with crew over moving and rigging up equipment
7/31/2025	Moved Key-6081 and cement equipment from Federal 29-011 to Pure Gold B Federal 006
7/31/2025	Spotted in and rigged up Key-6081 and cement equipment
7/31/2025	Sion
7/31/2025	Crew drove home
8/1/2025	Crew drove to location
8/1/2025	Held jsa safety meeting with crew over laying down rods
8/1/2025	Rig inspection/ Installed COFO
8/1/2025	200 psi on csg, 100 psi on tbg, Bled off
8/1/2025	Pressure tested tubing to 1000 psi and held
8/1/2025	Removed stuffing box, Layed down polished rod
8/1/2025	Unseat pump, Rigged up workfloor and rod tongs
8/1/2025	Pooh laying down 122 1-1/4" fiberglass rods, and 65 1" steel rods
8/1/2025	Lunch
8/1/2025	Cont pooh laying down 21 7/8" steel rods, 36 7/8" steel rods w/ guides, 6 1-1/2" k-bars and rod pump, Changed out rod equipment to tubing equipment
8/1/2025	Sion
8/1/2025	Crew drove home
8/4/2025	Crew drove to location
8/4/2025	Held jsa safety meeting with crew over laying down rods
8/4/2025	Rig inspection/ Installed COFO
8/4/2025	0 psi on csg, 0 psi on tbg
8/4/2025	Pumped 55 bbls of 10# bw down csg and 20 bbls down tbg
8/4/2025	Function tested bop, (Good)
8/4/2025	Nippled down wellhead
8/4/2025	Nippled up BOP, Rigged up workfloor
8/4/2025	Released TAC
8/4/2025	Pooh tallying 120 2-7/8" tbg
8/4/2025	Lunch, (Re-focused, Spoke about hot weather and to keep hydrated)
8/4/2025	Cont, Pooh tallying 124 2-7/8" tbg, 5-1/2" TAC, 35 2-7/8" tbg, 2-7/8" seat nipple, 2-7/8" perf sub, 3-1/2" mud anchors
8/4/2025	Rih w 5-1/2" CIBP, 4'x2-7/8" perf sub, and 226 2-7/8" tbg
8/4/2025	Set 5-1/2" CIBP @6860'
8/4/2025	Sion
8/4/2025	Crew drove home
8/5/2025	Crew drove to location
8/5/2025	Held jsa safety meeting with crew over pulling tubing
8/5/2025	Rig inspection/ Installed COFO

8/5/2025	0 psi on csg, 0 psi on tbg
8/5/2025	Circulated well w 155 bbls of 10# brine water
8/5/2025	Pressure tested csg to 500 psi but leaked, Pumped 2 bbls a min w 200 psi
8/5/2025	Pooh w 225 2-7/8" tbg and 5-1/2" setting tool
8/5/2025	Lunch, (Refocused on job at task, Spoke about hot weather)
8/5/2025	Rih w 5-1/2" AD-1 packer and 225 2-7/8" tbg
8/5/2025	Set packer @6854', Pressure tested CIBP @6860' to 1000 psi and held, Isolated and found casing leak from 6323' to 6384', (Notified Mr. Keith Immatty w/ BLM and approved to spot 60 sxs class c cmt from CIBP @6860' to 6250', WOC & Tag)
8/5/2025	Rih picking up 8 2-7/8" tbg
8/5/2025	EOT @6860', Mixed and pumped 60 sxs class c cmt (14.8# 1.32 yield) and displaced w 36 bbls of gelled bw, TOC @6250'
8/5/2025	Pooh w 50 2-7/8" tbg, Layed down 18 2-7/8" tbg
8/5/2025	Crew drove home
8/6/2025	Crew drove to location
8/6/2025	Held jsa safety meeting with crew over running tubing
8/6/2025	Rig inspection/ Installed COFO
8/6/2025	0 psi on csg, 0 psi on tbg
8/6/2025	Rih w 55 2-7/8" tbg, Tagged TOC @6379' (Low tag)
8/6/2025	Loaded csg w 65 bbls of bw, Established injection rate in leak in csg @ 2 bbls a min w 400 psi
8/6/2025	Pooh w/ 22 2-7/8" tbg
8/6/2025	Set 5-1/2" AD-1 @5715', Pressure tested csg above and held
8/6/2025	Established injection rate @ 2 bbls a min w 400 psi, Pumped 30 bbls, (Notified BLM Keith Immatty and approved to squeeze 100 sxs class c cmt and displace TOC to 6100')
8/6/2025	Mixed and pumped 100 sxs class c cmt (14.8# 1.32 yield) and displaced w 38 bbls of bw, TOC @6100', SIP-0 psi
8/6/2025	WOC
8/6/2025	Released packer, Rih picking up 10 2-7/8" tbg, Tagged TOC @5989', (Good tag)
8/6/2025	Circulated well w 155 bbls of 10# gelled plug mud
8/6/2025	Pressure tested csg to 500 psi and held
8/6/2025	Pooh w 114 2-7/8" tbg, Layed down 33 2-7/8" tbg
8/6/2025	Sion
8/6/2025	Crew drove home
8/7/2025	Crew drove to location
8/7/2025	Held jsa safety meeting with crew over pulling tubing
8/7/2025	Rig inspection/ Installed COFO
8/7/2025	0 psi on csg, 0 psi on tbg
8/7/2025	Pooh w 46 2-7/8" tbg and 5-1/2" AD-1 packer
8/7/2025	Rigged up Mojave Wireline, Rih and logged 5-1/2" csg from 5989' to surface, Pooh and rdwl, (Sent CBL to BLM, Approved to spot cement from 5060' to 2600' and perf @2550')
8/7/2025	Rih w 166 2-7/8" tbg

8/7/2025	EOT @5064', Mixed and pumped 245 sxs class c cmt (14.8# 1.32 yield) and displaced w 15 bbls of gelled bw, TOC @2582'
8/7/2025	Pooh laying down 85 2-7/8" tbg, Pooh w 50 2-7/8" tbg to derrick
8/7/2025	Sion
8/7/2025	Crew drove home
8/8/2025	Crew drove to location
8/8/2025	Held jsa safety meeting with crew over running tubing
8/8/2025	Rig inspection/ Installed COFO
8/8/2025	0 psi on csg, 0 psi on tbg
8/8/2025	Rih w 50 2-7/8" tbg, Tagged TOC @2598', (Good Tag)
8/8/2025	Layed down 10 2-7/8" tbg, EOT @2347'
8/8/2025	Rigged up Key Wireline, Rih w/ 1-9/16" DP perf guns but tagged inside tbg @2345', Pooh and rdwl
8/8/2025	Pooh laying down 76 2-7/8" tbg and 4'x2-7/8" perf sub, (had cement plug), Picked up 1 2-7/8" tbg and sub
8/8/2025	Rigged up Key Wireline, Rih w/ 1-9/16" DP perf guns and perforated 5-1/2" csg @2550', Pooh and rdwl
8/8/2025	Established circulation down 5-1/2" and up 8-5/8" surface casing
8/8/2025	Rd workfloor, Nd bop
8/8/2025	Nippled up capflange
8/8/2025	Mixed and pumped 625 sxs class c cmt from 2550' to surface, All casings full of cement
8/8/2025	Rigged down pulling unit, Cleaned location
8/8/2025	Sion
8/8/2025	Crew drove home
8/16/2025	CUT AND CAP WHD

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 508733

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 508733
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/26/2025