Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: WARREN UNIT Well Location: T20S / R38E / SEC 27 /

SWNE / 32.5458533 / -103.1342748

County or Parish/State: LEA /

NM

Well Number: 40 Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC031695B Unit or CA Name: BLINEBRY-TUBB-

DRINKARD WATERFL

Unit or CA Number:

NMNM71052H

COMPANY

Notice of Intent

Sundry ID: 2874880

Type of Submission: Notice of Intent

Type of Action: Workover Operations

Date Sundry Submitted: 09/22/2025 Time Sundry Submitted: 03:01

Date proposed operation will begin: 09/25/2025

Procedure Description: Please see attached document. Previous submission was corrupted.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

WARREN_UN_40W___NOI_SUNDRY___AS_FILED_8_14_2025_20250922150137.pdf

Page 1 of 2

eived by OCD: 9/25/2025 10:30:37 AM Well Name: WARREN UNIT

Well Location: T20S / R38E / SEC 27 /

SWNE / 32.5458533 / -103.1342748

County or Parish/State: LEA/

Zip:

Well Number: 40

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC031695B

Unit or CA Name: BLINEBRY-TUBB-

DRINKARD WATERFL

Unit or CA Number: NMNM71052H

US Well Number: 300252520400S1

Operator: HILCORP ENERGY

COMPANY

Conditions of Approval

Specialist Review

Workover or Vertical Deepen COA 20250924195916.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ANGELA KOLIBA Signed on: SEP 22, 2025 03:01 PM

Name: HILCORP ENERGY COMPANY

Title: Regulatory/Operations Tech

Street Address: 1111 TRAVIS STREET

City: HOUSTON State: TX

Phone: (713) 591-1244

Email address: ANGELA.KOLIBA@HILCORP.COM

State:

Field

Representative Name:

Street Address:

City:

Phone:

Email address:

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Approved Disposition Date: 09/24/2025

Page 2 of 2

Form 3160-5 (October 2024)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

_			
5.	Lease	Serial	No.

DUKE	AO OF LAND MANAGEMENT				
Do not use this fo	OTICES AND REPORTS ON Warm for proposals to drill or to se Form 3160-3 (APD) for suc	6. If Indian, Allottee or Tribe	Name		
	• • • • • • • • • • • • • • • • • • • •		7. If Unit of CA/Agreement, N	Nama and/or No	
	RIPLICATE - Other instructions on page	e 2	7. If Offit of CA/Agreement, 1	value and/or two.	
1. Type of Well Oil Well Gas We	ll Other		8. Well Name and No.		
2. Name of Operator			9. API Well No.		
•			10 5:11 15 1 5 1		
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or Explorat	tory Area	
4. Location of Well (Footage, Sec., T.,R.,,	M., or Survey Description)		11. Country or Parish, State		
12. CHECI	X THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE (OF NOTICE, REPORT OR OTH	HER DATA	
TYPE OF SUBMISSION		TYPE	E OF ACTION		
Notice of Intent	Acidize Deep	en [Production (Start/Resume)	Water Shut-Off	
Notice of filest	Alter Casing Hydr	aulic Fracturing [Reclamation	Well Integrity	
Subsequent Report	Casing Repair New	Construction [Recomplete	Other	
	$=$ \cdot $=$ \cdot	and Abandon	Temporarily Abandon		
Final Abandonment Notice	Convert to Injection Plug	Back	Water Disposal		
	s. If the operation results in a multiple comes must be filed only after all requirements				
14. I hereby certify that the foregoing is tr	ue and correct. Name (Printed/Typed)	Title			
		11110			
Signature		Date			
	THE SPACE FOR FEDI	ERAL OR STA	TE OFICE USE		
Approved by					
		Title	lı	Date	
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conduction	t or		Duit		
	U.S.C Section 1212, make it a crime for arts or representations as to any matter within		and willfully to make to any de	epartment or agency of the United States	

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ SWNE \ / \ 1980 \ FNL \ / \ 1980 \ FEL \ / \ TWSP: \ 20S \ / \ RANGE: \ 38E \ / \ SECTION: \ 27 \ / \ LAT: \ 32.5458533 \ / \ LONG: \ -103.1342748 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $BHL: \ SWNE \ / \ 1980 \ FNL \ / \ 1980 \ FEL \ / \ TWSP: \ 20S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: January 31, 202

5. Lease	Serial	N
----------	--------	---

BUREAU OF LAND MANAGEMENT	5	i. Lease Serial No. N	MLC031695B
SUNDRY NOTICES AND REPORTS ON W Do not use this form for proposals to drill or to abandoned well. Use Form 3160-3 (APD) for suc	re-enter an	5. If Indian, Allottee o	or Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on pag	e 2		ement, Name and/or No.
1. Type of Well		333114	
☐ Oil Well ☐ Gas Well ✔ Other			WARREN UN BL-TU WF #040W
2. Name of Operator HILCORP ENERGY COMPANY	9	O. API Well No. 30-02	25-25204
3a. Address 1111 TRAVIS STREET 3b. Phone No. (713) 591-12		0. Field and Pool or I WARREN; BLI-TU	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 1980 FNL, 1980 FEL, G, 27, 20S, 38E	1	11. Country or Parish, LEA, NM	State
12. CHECK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF NOTIC	E, REPORT OR OTH	HER DATA
TYPE OF SUBMISSION	TYPE OF ACTI	ION	
✓ Notice of Intent ☐ Acidize ☐ Deep ☐ Alter Casing ☐ Hydr	en Production Reclar	ction (Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Construction Recon	-	✓ Other
	= -	orarily Abandon Disposal	
completed. Final Abandonment Notices must be filed only after all requirement is ready for final inspection.) HILCORP IS REQUESTING PERMISSION TO RIG UP ON THIS INJE MIT TEST. WE ARE NOW ON THE CLOCK TO REPAIR OR P&A. H CURRENT WBD, AND PROPOSED WBD ARE ATTACHED.	CTION WELL TO REPAIR	THE WELLBORE.	THIS WELL FAILED IT'S 2025 UIC
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) ANGELA KOLIBA	REGULATORY / OP!	ERATIONS TECH -	SR.
Signature Angela Koliba	Date	08/14/2	025
THE SPACE FOR FED	ERAL OR STATE OF	CE USE	
Approved by	Title	1	Date
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.	t or		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for an	ny person knowingly and willfu	ally to make to any de	epartment or agency of the United States

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



PROPOSED PROCEDURE TO REPAIR

WARREN UNIT BLINEBRY TUBB WF #040W

- 1. MIRU
- 2. ND WELLHEAD. NU BOPD. TEST BOP.
- 3. RELEASE PACKER.
- 4. PULL TUBING OUT OF THE HOLE WHILE SCANNING. ENSURE THAT THE SCANNER IS CALIBRATED FOR LINED TUBING. LAY DOWN ALL RED BAND AND GREEN BAND JOINTS.
- 5. PICK UP AND RUN IN THE HOLE WITH A PACKER AND RBP. SET RBP AT LEAST 100' ABOVE TOP PERFS. SET PACKER. LOAD AND TEST CASING TO 550 PSI. POOH.
- 6. RUN BACK IN THE HOLE WITH A BIT AND BAILER. CLEAN OUT THE WELLBORE TO THE PBTD. POOH AND LAY DOWN ALL TOOLS.
- 7. PICK UP WORK STRING AND RUN IN HOLE WITH AN INJECTION PACKER WITH PUMP OUT PLUG. SET PACKER WITHIN 100' OF TOP PERFORATIONS.
- 8. LOAD AND TEST CASING TO 550 PSI FOR 30 MINUTES. PULL OUT OF THE HOLE AND LAY DOWN WORK STRING.
- HYDROTEST INJECTION TUBING WHILE RUNNING IN THE HOLE.
 CIRCULATE PACKER FLUID. LATCH ONTO PACKER. PUMP OUT PLUG.
- 10. CONTACT NMOCD WITH AT LEAST 24 HOURS NOTICE, TO SCHEDULE MIT TEST. RUN MIT AT 550 PSI FOR 30 MINUTES AND SUBMIT PASSING TEST AS SOON AS POSSIBLE.
- 11. RDMO




Current Schematic

Well Name: WARREN UNIT 040

Released to Imaging: 9/26/2025 9:55:44 AM

API / UWI	Surface Legal Location	Field Name		State/Province	Well Configuration Type
3002525204	SEC. 27, T20S, R38E, UL "G"	Warren		NEW MEXICO	Vertical
Ground Elevation (ft) 3,540.00	Original KB/RT Elevation (ft) 3,564.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 24.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)




Released to Imaging: 9/26/2025 9:55:44 AM



Proposed Schematic

Well Name: WARREN UNIT 040

	Surface Legal Location SEC. 27, T20S, R38E, UL "G"			State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 3,540.00	Original KB/RT Elevation (ft) 3,564.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 24.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Workover/Deepening of a Well

- 1. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
- 2. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
- 3. Cement: Notify BLM if cement fails to circulate.
- 4. <u>Subsequent Reporting:</u> Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. <u>Show date work was completed</u>. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
- 5. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- 6. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1st through June 15th annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 509369

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	509369
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
anthony.harris	Perform post workover MIT with OCD witness. Submit post workover C-103 Subsequent Report with updated wellbore diagram	9/26/2025