

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

WELL API NO.	30-015-01298
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	E-9510
7. Lease Name or Unit Agreement Name	EAST RED LAKE UT.
8. Well Number	#001
9. OGRID Number	3175595
10. Pool name or Wildcat	RED LAKE;QN-GRAY, EAST

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
 [REDACTED] SELLERS & FULTON OIL, LLC

3. Address of Operator
 303 Veterans Airpark Lane, Ste. 3000, Midland, Tx 79705

4. Well Location
 Unit Letter E : 1650 feet from the N line and 330 feet from the W line
 Section 1 Township 17S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
 3598' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 08/22/25 RU P&A equipment.
- 08/24/25 Set 5 1/2 CIBP @ 1600.
- 08/25/25 Spot 30 sx C cmt from 1600 to 1318 WOC. Tag @ 1254.
- 08/26/25 Perf @ 850 sqz 120 sx C cmt from 850 to 550 WOC. tag @ 546.
- 08/27/25 Perf @ 400 PSI circ 200 sx C cmt from 400 up 5 1/2 and 8 5/8 surf csg. RD P&A equipment. P&A complete.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Agent DATE 08/29/25

Type or print name Jimmy Bagley E-mail address: sunsetwellservice@yahoo.com PHONE: 432-561-8600

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

AUTHORIZED BY: Donna Thompson, Apache P&A Tech II

DATE: 11/20/2025

**Apache Corporation
EAST RED LAKE UNIT #001
30-015-01298**

08/22/2025 MIRU

08/24/2025 Plug (#1) RIH with W/L and set CIBP at 1600'. RIH with W/L and run CBL from 1600' to surface, TOC at 1192'. Submitted results to NMOCD.

08/25/2025 Spot (30 sxs) Class "C" cement from 1600'-1318', tag TOC at 1254'.

08/26/2025 Plug (#2) Perforated at 850'. Squeezed (120 sxs) Class "C" cement from 850– 550, tag TOC at 546'.

08/27/2025 Plug (#3) Perforated at 400'. Squeezed/Circulated (200 sxs) Class "C" cement from 400'-surface, inside and outside of 5 1/2" and 8 5/8" casing. RDMO.

10/22/2025 RU wellhead cutoff crew. Cutoff wellhead and anchors. Install dry hole marker.

11/20/2025 Submit paperwork to SLO and NMOCD.



LEASE NAME	EAST RED LAKE UT.
WELL #	#001
API #	30-015-01298
COUNTY	EDDY, NM

FORM TOPS

FINAL P&A WBD

11" HOLE
8 5/8" 24# @ 350
W/ 50 SX CIRC TO SURF

BASE OF SALT
@ 350'

TOP OF YATES
@ 600'

TOP OF 7RVRs
@ 800'

TOC @ 1192' BY CBL

TOP OF QUEEN
@ 1368'

8" HOLE
5 1/2" 14# @ 1712'
W/ 100 SX CIRC TO SURF

PBTD @ 1712'
TD @ 2263'

PERFS @
1618'-1630'

PLUG #3

8/27/2025 PUH & PERF'D @ 400', SQZ'D/CIRC'D 200 SX CLASS "C"
CMT FROM 400' TO SURF INSIDE & OUTSIDE OF 5 1/2" CSG. RDMO
P&A RIG.
10/22/2025 CUT OFF WELL HEAD AND ANCHORS, INSTALL DRY
HOLE MARKER, TURN OVER TO RECLAMATION TEAM.

PLUG #2

8/26/2025 PUH TO 850', PERF'D & SQZ'D 120 SX CLASS "C" CMT
FROM 850' TO 550', WOC/TAG. TAGGED TOC @ 546'

PLUG #1

8/22/2025 MIRU P&A RIG. POOH & LD PROD EQUIP.
8/24/2025 RIH W/ WL AND SET CIBP @ 1600'. RIH W/ WL AND
RUN CBL FROM 1600' TO SURF. TOC @ 1192' SUBMITTED
RESULTS TO NMOC.
8/25/2025 RIH W/ TBG, CIRC'D W/ MLF & SPOTTED 30 SX CLASS
"C" CMT FROM 1600'-1318', WOC/TAG. TAGGED TOC @ 1254'.





Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 528530

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 528530
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	11/21/2025