

Well Name: WINIFRED COM	Well Location: T30N / R14W / SEC 25 / NNSW / 36.782522 / -108.266029	County or Parish/State: SAN JUAN / NM
Well Number: 90S	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0206994	Unit or CA Name: PICTURED CLIFFS	Unit or CA Number: NMNM117802
US Well Number: 300453368600C1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2885034

Type of Submission: Subsequent Report

Date Sundry Submitted: 12/03/2025

Date Operation Actually Began: 10/24/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 11:00

Actual Procedure: Dugan Production plugged and abandoned the well from 10/24/2025 - 10/27/2025 per the attached procedure.

SR Attachments

Actual Procedure

Winifred_Com_90S_SR_PA_BLM_OCD_CBL_and_plug_correspondence_20251203103627.pdf
Winifred_Com_90S_gps_marker_20251203103154.pdf
Winifred_Com_90S_SR_PA_formation_tops_20251203102722.pdf
Winifred_Com_90S_SR_PA_completed_wellbore_schematic_20251203102716.pdf
Winifred_Com_90S_SR_PA_completed_work_20251203102709.pdf

Well Name: WINIFRED COM

Well Location: T30N / R14W / SEC 25 /
NWSW / 36.782522 / -108.266029County or Parish/State: SAN
JUAN / NM

Well Number: 90S

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMNM0206994

Unit or CA Name: PICTURED CLIFFS

Unit or CA Number:
NMNM117802

US Well Number: 300453368600C1

Operator: DUGAN PRODUCTION
CORPORATION**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: DEC 03, 2025 10:58 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 12/05/2025

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Winifred Com 90S from **10/24/2025 to 10/27/2025** per the following procedure:

MI & RU Aztec Well Service Rig 450. Spot in and RU cement equipment.

- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Pull and LD rods, and production tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1097'.
- RIH & set 5½" cement retainer to 1034'. Fruitland-PC perforations @ 1080'-1214'.
- Load and circulate hole clean with 25 bbls of water.
- Establish injection rate: 1.5 bbls/min at 100 psi.

Pressure test casing to 600 psi for 30 minutes, good test.

- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Run CBL from 1030' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Sting in retainer, attempt to establish injection rate, pressured up to 1000 psi, no injection rate.

Plug I, Pictured Cliffs-Fruitland-Kirtland-Surface: Spot inside 5½" casing above cement retainer @ 1030' w/132 sks (151.8 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland tops & surface casing shoe to surface (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). No displacement. WOC 4 hrs. RU welder. Cut wellhead off. Tagged TOC 0' inside and 16' annulus. Good tag. **Plug I, Inside 5½" casing, cement retainer at 1030', 132 sks, 151.8 cu ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing shoe, 0'-1030'.**

- Fill cellar and install dry hole marker with 22 sks, 25.3 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Monty Gomez with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- Well P&A'd on 10/27/2025.**

Completed P & A Wellbore Schematic

Winifred Com #90S


30-045-33686

Basin Fruitland Coal-Fruitland Sand PC

1670' FSL & 1020' FWL

L-S25-T30N-R14W

San Juan County, NM



8-5/8" 24# J-55 casing @ 131' Hole size 12-1/4"

Cemented w/ 100 sks, 134 Cu.ft Type V

Circ 3 bbls cement to surface

5 1/2" 15.5# J-55 casing @ 1415', Hole size 7"

Cemented w/ 135 sks Type 5 Class B

(Total 242 Cu.ft). Circ 10 bbls cement

Plug I, Inside 5 1/2" casing, Cement Retainer at 1030', 132 sks, 151.8 Cu.ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing shoe, 0'-1030'.

Fruitland - PC Perforated @ 1080' – 1214'

PBTD at 1374', TD at 1430'

Winifred Com #90S
30-045-33686
Basin Fruitland Coal-Fruitland Sand PC
1670' FSL & 1020' FWL
L-S25-T30N-R14W
San Juan County, NM

Formation Tops (Referenced for the P & A)

- Kirtland - Surface
- Surface Casing - 131'
- Fruitland - 840'
- Perforations - 1080'-1214'
- Pictured Cliffs - 1210'

Tyra Feil

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Monday, October 27, 2025 9:03 AM
To: Diede, Loren, EMNRD; Vermersch, Thomas, EMNRD; Durham, John, EMNRD; Smith, Clarence, EMNRD; Aliph Reena; vlucero@blm.gov; Gomez, Monty J; krennick@blm.gov
Cc: Tyra Feil; Indalecio Roldan; Alex Robles
Subject: Dugan Winifred Com #90S CBL
Attachments: dugan_winifred_com_90s_cbl.pdf

Revised proposal post CBL
Dugan Production Corp.
Winifred Com #90S
API: 30-045-33686

Please see CBL attached

It appears from looking at the CBL TOC is at around 20'... We request to follow original procedure and fill up with 1" poly line after cutoff.

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell: 505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 532801

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 532801
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	12/9/2025