

Well Name: RED HILLS FEDERAL	Well Location: T25S / R33E / SEC 31 / NENE / 32.0936334 / -103.6064613	County or Parish/State: LEA / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122620	Unit or CA Name:	Unit or CA Number: NMNM105785709
US Well Number: 300254718200S1	Operator: KAISER FRANCIS OIL COMPANY	

Subsequent Report

Sundry ID: 2880903

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 10/30/2025	Time Sundry Submitted: 12:52
Date Operation Actually Began: 08/06/2020	

Actual Procedure: NMOCD requesting additional information on drilling sundry. The approved BLM sundry is attached. (8/6-7/2020) Mud & Drilling: WBM, MW- 9.3, Visc- 29; 17-1/2" HDto 950' (8/7-8/2020) Casing & Cement: 13-3/8", 54.5#, J55, BTC, set @ 920'; Lead- ExtendaCem, 375 sks, 13.5#, yield 1.75 & Tail- HalCem, 250 sks, 14.8#, 1.35 yield; Circ. 75 bbls to surface. Test casing to 1500# for 30 minutes. Good test. (8/8-10/2020) Mud & Drilling: Brine, MW- 10.5, Visc- 28; 12-1/4" HDto 4860' (8/10/2020) Casing & Cement: 9-5/8", 40#, P-110HC, BTC @ 4830'; Lead- EconoCem, 780 sks, 11.9#, yield 2.5 & Tail- HalCem, 365 sks, 14.8#, yield 1.34; Circ. 80 bbls to surface. Test casing to 1500# for 30 minutes. Good test. (8/10-16/2020) Mud & Drilling: WBM, MW- 8.9, Visc- 32; 8-3/4" HD to 13799' (8/16-20/2020) Mud & Drilling: WBM, MW- 8.9, Visc- 32; 8-1/2" HD to TD 21130' (8/20/2020) (2/22/2020) Casing & Cement: 5-1/2", 20#, P-110, Eagle SFH @ 21090'; Lead- NeoCem, 820 sks, 10.5#, 3.52 yield & Tail- VersaCem, 3020 sks, 14.5#, 1.22 yield; Circ. 148 bbls to surface. Test casing to 1500# for 30 minutes. Good test.

SR Attachments

PAActual Procedure

Accepted_BLM_3160_5_Drilling_Operations_RH_206H_20251030125235.pdf

Received by OCD: 11/6/2025 9:52:37 AM

Page 2 of 8

Well Name: RED HILLS FEDERAL	Well Location: T25S / R33E / SEC 31 / NENE / 32.0936334 / -103.6064613	County or Parish/State: LEA / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122620	Unit or CA Name:	Unit or CA Number: NMNM105785709
US Well Number: 300254718200S1	Operator: KAISER FRANCIS OIL COMPANY	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTINA OPFER	Signed on: OCT 30, 2025 12:52 PM
Name: KAISER FRANCIS OIL COMPANY	
Title: Regulatory Manager	
Street Address: 6733 S YALE AVENUE	
City: TULSA	State: OK
Phone: (918) 491-4468	
Email address: CHRISTINAO@KFOC.NET	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 11/04/2025
Signature: Jonathon Shepard	

Form 3160-5
(October 2024)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

5. Lease Serial No.
NMNM122620

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
KAISER FRANCIS OIL COMPANY

3a. Address 6733 S. Yale Ave., Tulsa, OK 74121 3b. Phone No. (include area code)
(918) 491-0000

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)
SEC 31/T25S/R33E/NMP

7. If Unit of CA/Agreement, Name and/or No.
NMNM105785709

8. Well Name and No.
RED HILLS FEDERAL/206H

9. API Well No. 3002547182

10. Field and Pool or Exploratory Area

11. Country or Parish, State
LEA/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

NMOCD requesting additional information on drilling sundry. The approved BLM sundry is attached.

(8/6-7/2020)

Mud & Drilling: WBM, MW- 9.3, Visc- 29; 17-1/2 HDto 950

(8/7-8/2020)

Casing & Cement: 13-3/8", 54.5#, J55, BTC, set @ 920'; Lead- ExtendaCem, 375 sks, 13.5#, yield 1.75 & Tail- HalCem, 250 sks, 14.8#, 1.35 yield; Circ. 75 bbls to surface. Test casing to 1500# for 30 minutes. Good test.

(8/8-10/2020)

Mud & Drilling: Brine, MW- 10.5, Visc- 28; 12-1/4 HDto 4860

(8/10/2020)

Casing & Cement: 9-5/8", 40#, P-110HC, BTC @ 4830; Lead- EconoCem, 780 sks, 11.9#, yield 2.5 & Tail- HalCem, 365 sks, 14.8#, yield 1.34; Circ. 80 bbls to surface. Test casing to 1500# for 30 minutes. Good test.

(8/10-16/2020)

Continued on page 3 additional information

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
CHRISTINA OPFER / Ph: (918) 491-4468

(Electronic Submission)
Signature

Title
Regulatory Manager

Date
10/30/2025

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by
JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title
Petroleum Engineer

Office
CARLSBAD

Date
11/05/2025

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

Mud & Drilling: WBM, MW- 8.9, Visc- 32; 8-3/4 HD to 13799

(8/16-20/2020)

Mud & Drilling: WBM, MW- 8.9, Visc- 32; 8-1/2 HD to TD 21130 (8/20/2020)

(2/22/2020)

Casing & Cement: 5-1/2", 20#, P-110, Eagle SFH @ 21090; Lead- NeoCem, 820 sks, 10.5#, 3.52 yield & Tail- VersaCem, 3020 sks, 14.5#, 1.22

yield; Circ. 148 bbls to surface. Test casing to 1500# for 30 minutes. Good test.

Location of Well

0. SHL: NENE / 250 FNL / 1117 FEL / TWSP: 25S / RANGE: 33E / SECTION: 31 / LAT: 32.0936334 / LONG: -103.6064613 (TVD: 0 feet, MD: 0 feet)

PPP: NENE / 574 FNL / 465 FEL / TWSP: 25S / RANGE: 33E / SECTION: 31 / LAT: 32.0927443 / LONG: -103.6043579 (TVD: 10857 feet, MD: 11149 feet)

BHL: SESE / 82 FSL / 423 FEL / TWSP: 26S / RANGE: 33E / SECTION: 6 / LAT: 32.065522 / LONG: -103.6042152 (TVD: 10911 feet, MD: 21116 feet)

CONFIDENTIAL

Well Name: RED HILLS FEDERAL	Well Location: T25S / R33E / SEC 31 / NENE / 32.093495 / -103.6063905	County or Parish/State: LEA / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122620	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547182	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Subsequent Report

Sundry ID: 2158513

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 04/26/2021	Time Sundry Submitted: 11:07
Date Operation Actually Began: 08/07/2020	

Actual Procedure: 08/07/20 13-3/8", 54.5#, J-55 @ 920' & cmt'd w/625 sxs. TOC @ Surface. Pressure tested to 1500# for 30 minutes - good test. 08/10/20 9-5/8", 40#, HCP-110 @ 4,830' & cmt'd w/1,145 sxs. TOC @ Surface. Pressure tested to 1500# for 30 minutes - good test. 08/22/20 5-1/2", 20#, HCP-110 @ 21,095' & cmt'd w/3,840 sxs. TOC @ Surface. Pressure tested to 9900# for 30 minutes - good test.

SR Attachments

PActual Procedure

Red_Hills_206H_WBD_20210426110450.pdf

Received by OCD: 11/6/2025 9:52:37 AM

Page 7 of 8

Well Name: RED HILLS FEDERAL	Well Location: T25S / R33E / SEC 31 / NENE / 32.093495 / -103.6063905	County or Parish/State: LEA / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122620	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547182	Well Status: Producing Oil Well	Operator: KAISER FRANCIS OIL COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ERICA MILES	Signed on: APR 26, 2021 11:04 AM
Name: KAISER FRANCIS OIL COMPANY	
Title: Geosciences Technician	
Street Address: 6733 S YALE AVE	
City: TULSA	State: OK
Phone: (918) 491-4548	
Email address: ERICAM@KFOC.NET	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/11/2021
Signature: Jonathon Shepard	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 523805

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 523805
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/14/2026