

Submit a Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-005-29051	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name CATO SAN ANDRES	
8. Well Number #557Y	
9. OGRID Number 248802	
10. Pool name or Wildcat CATO;SAN ANDRES	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator CANO PETRO OF NEW MEXICO, INC.	
3. Address of Operator 801 Cherry St Unit 25 Suite 3200, Fort Worth, TX 76102	
4. Well Location Unit Letter O: 164 feet from the S line and 1416 feet from the E line Section 10 Township 08S Range 30E NMPM Chaves	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

NMOCD x Drake has plugged this well in accordance with the attached documents and uploaded reports.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: Ethan Wakefield

TITLE: Authorized Representative

DATE 1/7/26

Type or print name: Ethan Wakefield

E-mail address: e.wakefield@dwsrigs.com

PHONE: 405-343-7736

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):



## Completed Wellbore Diagram

CANO PETRO OF NEW MEXICO, INC.  
CATO SAN ANDRES UNIT #557Y  
API: 30-005-29051  
Chaves County, New Mexico

**Plug 5**  
Balanced Inside  
1850' to 1460'  
390 foot plug  
39 sacks Type III Cement

**Plug 4**  
Balanced Inside  
2420' to 2142'  
278 foot plug  
28 sacks Type III Cement

**Plug 3**  
Balanced Inside  
2757' to 2607'  
150 foot plug  
15 sacks Type III Cement

**Plug 2**  
Above CR  
3350' to 3250'  
100 foot plug  
10 sacks Type III Cement

**Plug 1**  
SQ Under CR  
Top 3350'  
23 sacks Type III Cement

**Surface Casing**  
8-5/8" 24# @ 1240'  
OH: 12-1/4"

**Formation**  
T Salt - 1224'  
B Salt - 1560'  
Yates - 1654'  
7 Rvr - 1800'  
Queen - 2242'  
Grayburg - 2370'  
San Andres - 2707'


**Production Casing**  
5-1/2" 15.5# @ 4022'  
OH: 7-7/8"  
CBL TOC: Surface

**Perforations**  
3400' to 3572'

**Plug 7**  
SQ from Surface  
150 foot plug  
19 Sacks of Type III Cement  
Additional 19 sacks for Top Off

**Plug 6**  
Balanced Inside  
1290' to 1124'  
166 foot plug  
17 sacks Type III Cement

CR @ 3350'



Plug Summary									
Plug #	Plug Type	Perfs	CR/CIBP Depth	Outside SQ Sxs	Inside Sxs	Class/ Type	Bottom	Top	Tag Depth
1	SQ under CR	3400	3350		23	III		3350	3350
2	Above CR		3350		10	III	3350	3250	
3	Balanced Inside				15	III	2757	2607	
4	Balanced Inside				28	III	2420	2142	
5	Balanced Inside				39	III	1850	1460	
6	Balanced Inside				17	III	1290	1124	
7	Balanced Inside				19	III	150	Surface	15
	Top off				19	III	15		Surface



Figure 1: Top Off




Figure 2: GPS





Figure 3: Marker

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

DEFINITIONS

Action 541229

DEFINITIONS

Operator: J.A. Drake Well Service Inc. (OPG Vendor) 607 W. Pinon St Farmington, NM 87401	OGRID: 333581
	Action Number: 541229
	Action Type: [UF-OMA] Sub. Plugging (UF-OMA-C-103P)

DEFINITIONS

The OCD Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted evaluation, plugging, decommissioning, remediation, salvage and reclamation activities. Specifically, these forms are typically used where the OCD has acquired a hearing order allowing the OCD to perform mitigation activities on wells and associated facilities that no longer have an authorized or viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS

Action 541229

QUESTIONS

Operator: J.A. Drake Well Service Inc. (OPG Vendor) 607 W. Pinon St Farmington, NM 87401	OGRID: 333581
	Action Number: 541229
	Action Type: [UF-OMA] Sub. Plugging (UF-OMA-C-103P)

QUESTIONS

Prerequisites	
[OGRID] Well Operator	[248802] CANO PETRO OF NEW MEXICO, INC.
[API] Well Name and Number	[30-005-29051] CATO SAN ANDRES UNIT #557Y
Well Status	Plugged (not released)



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 541229

CONDITIONS

Operator: J.A. Drake Well Service Inc. (OPG Vendor) 607 W. Pinon St Farmington, NM 87401	OGRID: 333581
	Action Number: 541229
	Action Type: [UF-OMA] Sub. Plugging (UF-OMA-C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/15/2026