

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK  PLUG AND ABANDON   
TEMPORARILY ABANDON  CHANGE PLANS   
PULL OR ALTER CASING  MULTIPLE COMPL   
DOWNHOLE COMMINGLE   
CLOSED-LOOP SYSTEM   
OTHER:

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK  ALTERING CASING   
COMMENCE DRILLING OPNS.  P AND A   
CASING/CEMENT JOB

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SOW: Plan to begin 1/14/2026

- Kill well
- Pull tubing/packer
- PU workstring and clean out to bottom
- WL set packer
- Run new 2-7/8 injection tubing
- Install new tree with dual masters, replace both 2-1/16 casing valves (leaking and bad)
- Perform MIT, notify state and BLM 48 hours in advance
- OCD: Ron Heuer 505-549-8160, BLM on call: 575-361-2822 or 575-200-8734

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

**SIGNATURE**


TITLE Reg. Compliance

DATE 17/02/2026

Type or print name David Cheek  
**For State Use Only**

E-mail address: [dcheek@selectwater.com](mailto:dcheek@selectwater.com) PHONE: 405-482-7508

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_

Eddy County, NM  
API# 30-015-28142

**13-3/8" 48# H-40 @ 640'**  
 CMT W/ 270 SX C W/ 1/4# CF,  
 TAILED W/ 350 SX C W/ 2% CACL  
 CIRC 250 SX TO SURF

**8-5/8" 32# J-55 CSG @ 4,524'**  
 CMT W/ 1775 SX 65/35/6 C POZ 5%  
 SALT, 1/4# CF  
 CMT W/ 200 SX C NT  
 CIRC. 325 SX

**TUBING DETAIL (5/20/2019)**

**14' KB**  
 258 JTS 2-7/8" 8.7# L-80 TUBING IPC  
 ON/OFF TOOL L-80 NIC COATED @ 8,270.4'  
 RE. PROD. PACKER 4-5/8" X 7" @ 8,278.6'  
 CROSS OVER UP  
 NI. COAT TBG SUB  
 WIRELIN RE-ENTRY GUIDE

**5 1/2 " 17# N-80, S-95 CSG @ 11,821'**  
 STAGE 1: CMT W/ 50 SX 65/35/6, 5#  
 SALT, TAIL W/ 250 SX 50/50/2 H POZ,  
 CIRC 6 HRS  
 STAGE 2: CMT W/ 575 SX 65/35/6  
 POZ, 575 SX 50/50/2 H POZ, TAIL  
 100 SX H  
 TOC @ 3900'

**WOLFCAMP PERFS (8325' - 9480")**

7/26/2008: PERFS, 4 SPF, 8325-8405, 8495-8600 'ACIDIZE  
 W 9000 GAL 15% ACID  
 9/2/2009: PERFS 9465-9480' ACIDIZE W/ 2000 GAL 15%  
 ACID, PERFS 8890-8910', 9020-9030' ACIDIZE W/ 3000 GAL  
 15% ACID, PERFS 9220-9250', 9340-9370' ACIDIZE W/  
 10,070 GAL ACID, ALL 4 SPF

CIBD @ 9520' w/ 20' CMT

DV TOOL @ 10,800'

**MORROW PERFS (11,544-11,642')**

12/11/1994: PERF 11,628-42', 4 SPF, ACIDIZE W/ 1,000  
 GAL 10% HCL, REACIDIZE W/ 4000 GAL 10% HCL AND BALL  
 SEALER  
 1/17/95: PERF 11,544-51', 2 SPF, ACIDIZE W/ 1000 GAL  
 7 1/2% HCL, REACIDIZE W/ 2000 GAL 10% HCL AND N2

CIBD @ 11,350' w/ 35' CMT CAP

TD @ 11,750'  
 PBTD @ 9600

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 541861

**CONDITIONS**

Operator:  SELECT WATER SOLUTIONS, LLC 1820 N I-35 Gainesville, TX 76240	OGRID: 289068
	Action Number: 541861
	Action Type: [C-103] NOI Workover (C-103G)

**CONDITIONS**

Created By	Condition	Condition Date
stacy.sandoval	Post workover MIT required with OCD witness	1/15/2026
stacy.sandoval	No tubing upsize permitted. Tubing must be plastic-lined or equivalent.	1/15/2026
stacy.sandoval	Packer to be set within 100 feet of the top of the injection interval	1/15/2026
stacy.sandoval	Submit post workover C-103 Subsequent Report summarizing the work performed, and attach an updated wellbore diagram showing packer depth, tubing size and perforation details	1/15/2026