

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-36640
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Rear View State Com
8. Well Number 1
9. OGRID Number 229137
10. Pool name or Wildcat Dos Hermanos; Morrow, NE (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator COG Operating, LLC	
3. Address of Operator 600 W. Illinois Ave, Midland TX 79701	
4. Well Location Unit Letter G : 2310 feet from the North line and 1980 feet from the East line Section 2 Township 20S Range 30E NMPM County Eddy	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3235' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

08/26/25—OCD approved to Set cement retainer a 9,205', pumped 250 sxs class H cement, pressure up, couldn't reverse circulate
 08/27-9/20/25 Drilled out cement inside 2-3/8 from 750' to 6,422', cut tubing and POOH. OCD approved
 09/21/25 Ran CBL from, 6,410' to surface
 11/03/25—MIRU P&A Rig
 11/05/25—Tag TOC @ 6412'.
 11/06/25—Spot 20 sxs @ 6412' TOC @ 6250', spot 25 sxs @ 5423' TOC @ 5170'.
 11/07/25—Spot 26 sxs @ 3783' TOC @ 3520' perf @ 2312' pressure up.
 11/10/25—OK'd to re-perf @ 2270' sqz 87 sxs TOC @ 1980'.
 11/11/25—Tag @ 1996' perf @ 1900' sqz 193 sxs TOC @ 550' WOC Tag @ 1194'.
 11/12/25—OCD ok'd to perf @ 1190' sqz 193 sxs TOC @ 550' WOC Tag @ 528'.
 11/13/25—Perf @ 350' sqz 133 sxs to surface verified RDMO.
 12/19/25-Cut Well head off

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kayla Estrada TITLE Regulatory Coordinator DATE 1/8/26
 Type or print name Kayla Estrada E-mail address: kayla.l.estrada@conocophillips.com PHONE: 432-688-6837

For State Use Only


APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Author:	JJC	Well No.	1
Well Name	Rear View State	API #:	30-015-36640
Field/Pool	Dos Hermanos Morrow	Location:	Sec 22, T20S, R30E,
County	Eddy		2310'FNL & 1980'FEL
State	NM	GL:	3235'
Spud Date	1/29/2009		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surf Csg	13.325	J55	54.5	1,828	17 1/2	1,454	Surface
Interm Csg	9.625	J-55	36	3,626	12 1/4	2,137	Surface
Prod Csg	5.5	P 110	17	12,479	7 7/8	1,400	1,900

Formation	Top
Yates	1851
7 Rivers	2032
Delaw Sand	3,639
WLFC	9,874
Strawn	10,790'
Atoka	11,124
Morrow	11,778



Perf @ 350' sqz 133 sxs to surface

Perf @ 1190' sqz 193 sxs WOC Tag @ 528'
13.325 54.5 CSG @ 1,828

perf @ 1900' sqz 193 sxs WOC Tag @ 1194'.

perf @ 2270' sqz 87 sxs WOC tag at 1,996'

9.625 36 Csg @ 3,626
Spot 26 sxs @ 3783' TOC @ 3520'
DVT @ 3,738'

Spot 25 sxs @ 5423' TOC @ 5170'

Spot 20 sxs @ 6412' TOC @ 6250',
2 3/8" cement inside top at 6,410'

KOP @ 9,101'
Max x Incl 23°
Set cement retainer a 9,205', pumped 250 sxs class H cement

Perfs @ 12,027' to 12,186' (171 Holes Morrow)

5.5 17 CSG @ 12,479

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 541213

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 541213
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	1/15/2026
gcordero	Submit C-103Q within one year of plugging.	1/15/2026