

Well Name: ALMOST EDDY 30 FED	Well Location: T25S / R32E / SEC 30 / TR K / 32.0994953 / -103.7152727	County or Parish/State: LEA / NM
Well Number: 505H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM112935	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254901000S1	Operator: EOG RESOURCES INCORPORATED	

Subsequent Report

Sundry ID: 2822360**Type of Submission:** Subsequent Report**Type of Action:** Drilling Operations**Date Sundry Submitted:** 11/13/2024**Time Sundry Submitted:** 01:52**Date Operation Actually Began:** 05/12/2022

Actual Procedure: NMOCD reject revised for PSI INFO & CEMENT USED ON PRODUCTION CSG NOT APPROVED C103A NEEDED 5-12-2022 20" Conductor @ 133' 6-3-2022 16" HOLE 6-3-2022 Surface Hole @ 1,241' MD, 1,239' TVD Casing shoe @ 1,226' MD, 1,224' TVD Ran 13-3/8" 54.5# J-55 STC Cement w/ 580 sx Class C (1.75 yld, 13.5 ppg), followed by 175 sx Class C (1.33 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min. good test, Circ (149 bbls) 478 sx cement to surface BOP EQUIPMENT-NIPPLE UP BOP AND INSTALL LONESTAR TESTING EQUIPMENT. PERFORM BREAK TEST AGAINST BLINDS, HCR, KILL LINE. 250 PSI LOW, 10000 PSI HIGH FOR 10 MIN EACH. RIG DOWN LONESTAR TESTING EQUIPMENT & PULL TEST PLUG 6-8-2022 12 1/4" hole 6-8-2022 Intermediate Hole @ 4,405' MD, 4,375' TVD Casing shoe @ 4,390' MD, 4,356' TVD Ran 9-5/8", 40#, J-55 LTC (0' - 3,887') Ran 9- 5/8", 40#, HCL-80 LTC (3,887' - 4,390') Cement w/ 955 sx Class C (2.01 yld, 12.9 ppg), followed by 275 sx Class H (1.33 yld, 14.8 ppg) Test casing to 1,850 psi for 30 min,good test, Circ (107 bbls) 299 sx of cement to surface 7-8-2022 8 3/4" hole 7-8-2022 Production Hole @ 17,822' MD, 10,271' TVD Casing Shoe @ 17,807' MD, 10,276' TVD Ran 5-1/2", 20#, ECP- 110, DWC/C IS MS (MJ @ 9,593' and 17,321') Cement w/ 270 sx Class C (3.86 yld, 10.5 ppg), followed by 500 sx Class C (2.63 yld, 11.5 ppg), followed by 1,420 sx Class C (1.46 yld, 13.2 ppg) No casing test TOC @ 4,154' - Calc Waiting on CBL, RR 7-9-2022 Production casing will be tested prior to fracing and reported on the completion sundry. If needed a C103 Sundries will be submitted on a different sundry.

Well Name: ALMOST EDDY 30 FED

Well Location: T25S / R32E / SEC 30 /
TR K / 32.0994953 / -103.7152727County or Parish/State: LEA
NM

Well Number: 505H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM112935

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254901000S1

Operator: EOG RESOURCES
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EMILY FOLLIS

Signed on: NOV 13, 2024 01:52 PM

Name: EOG RESOURCES INCORPORATED

Title: Sr. Regulatory Administrator

Street Address: 5509 Champions Drive

City: Midland State: TX

Phone: (432) 848-9163

Email address: emily_follis@eogresources.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 11/15/2024

Signature: Jonathon Shepard

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 404140

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 404140
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/16/2026