

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b>          (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p> <p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other</p> <p>2. Name of Operator <b>Mewbourne Oil Company</b></p> <p>3. Address of Operator <b>P.O. Box 5270</b> <b>Hobbs, NM 88241</b></p> <p>4. Well Location          Unit Letter <b>O</b> : <b>250</b> feet from the <b>South</b> line and <b>2640</b> feet from the <b>West</b> line          Section <b>29</b> Township <b>18S</b> Range <b>28E</b> NMPM <b>Eddy</b> County</p>		<p>WELL API NO. <b>30-015-02123</b></p> <p>5. Indicate Type of Lease          STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/></p> <p>6. State Oil &amp; Gas Lease No.</p> <p>7. Lease Name or Unit Agreement Name <b>Resler Yates State</b></p> <p>8. Well Number <b>#054</b></p> <p>9. OGRID Number <b>14744</b></p> <p>10. Pool name or Wildcat <b>(3230)</b> <b>Artesia; Queen-Grayburg-San Andres</b></p>
		11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	
CLOSED-LOOP SYSTEM <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CASING/CEMENT JOB <input type="checkbox"/>	

OTHER:


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**Please see attached procedure & wellbore schematics**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE 

TITLE **Regulatory Specialist**

DATE **1/16/26**

Type or print name **John Harrison**

[john.harrison@mewbourne.com](mailto:john.harrison@mewbourne.com)

E-mail address:

PHONE: **575-393-5905**

**For State Use Only**

APPROVED BY:  TITLE:  DATE:   
 Conditions of Approval (if any):



## MOC P&A Summary

**Well Name: RESLER YATES STATE 054 P&A (SANDLOTT**

**API#:3001502123**

**ENERGY) SLO**

Job Category: P&A

Start Date: 12/8/2025

Contact Name: Joel Aranda

Company: GSM Consulting

**12/8/2025**

Operations Summary

MIRU Axis P&A rig & equipment. Back dragged location & dug out WH. Unseated pump. POOH w/77 - 3/4" rods & pump. ND WH & NU BOP. POOH w/2 3/8" tbg & SN. SWI & SDFD. Notified NMOCD.

**12/9/2025**

Operations Summary

SICP 0#. MIRU WL. RIH w/gauge ring to 2010'. POOH w/gauge ring. RIH w/CIBP. Set CIBP @ 2000'. RIH & tagged CIBP. POOH w/WL. Loaded csg & tested to 500# for 30 mins, held OK. RIH w/WL & CBL. Logged to surface. RDMO WL. RIH w/tbg & tagged CIBP. Spotted 40 sks Class C cmt on top of CIBP. POOH w/tbg. WOC. SWI & SDFD. Notified NMOCD.

**12/10/2025**

Operations Summary

SICP 0#. RIH w/tbg & tagged TOC @ 1494'. POOH w/tbg to 987'. Spotted 35 sxs class C cmt & 1.7 BFW displacement. POOH w/tbg & WOC. RIH w/tbg & tagged TOC @ 507'. LD remaining 2 3/8" tbg. RIH w/WL & perfed csg @ 150'. POOH & RDMO WL. ND BOP & NU B1 flange. Circulated 30 sxs class C cmt to surface through 7" surface csg. WOC. SWI & SDFD. Notify NMOCD.

**12/11/2025**


Operations Summary

Top fill 10' class C cmt in 4 1/2" csg. RDMO P&A rig & equipment. Well P&A'd effective 12/11/2025.

# Resler Yates State #54 – As Plugged

250' FSL & 2640' FWL, Sec. 29 – T18S – R28E - Eddy Co, NM

API 30-015-02123





Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 543982

**CONDITIONS**

Operator:  MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID:  14744
	Action Number:  543982
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
loren.diede	None	1/20/2026