

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p> <p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other</p> <p>2. Name of Operator Mewbourne Oil Company</p> <p>3. Address of Operator P.O. Box 5270 Hobbs, NM 88241</p> <p>4. Well Location Unit Letter F : 1650 feet from the North line and 1650 feet from the West line Section 21 Township 18S Range 28E NMPM Eddy County</p>		<p>WELL API NO. 30-015-10254</p> <p>5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/></p> <p>6. State Oil & Gas Lease No.</p> <p>7. Lease Name or Unit Agreement Name Resler Yates State</p> <p>8. Well Number #317</p> <p>9. OGRID Number 14744</p> <p>10. Pool name or Wildcat (3230) Artesia; Queen-Grayburg-San Andres</p>
		11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK PLUG AND ABANDON
TEMPORARILY ABANDON CHANGE PLANS
PULL OR ALTER CASING MULTIPLE COMPL
DOWNHOLE COMMINGLE
CLOSED-LOOP SYSTEM
OTHER:

SUBSEQUENT REPORT OF:

REMEDIAL WORK ALTERING CASING
COMMENCE DRILLING OPNS. P AND A
CASING/CEMENT JOB
OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached procedure & wellbore schematics

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE 

TITLE **Regulatory Specialist**

DATE **1/16/26**

Type or print name **John Harrison**
For State Use Only

E-mail address: **john.harrison@mewbourne.com**

PHONE: **575-393-5905**

APPROVED BY: _____

TITLE _____

DATE _____

Conditions of Approval (if any):



MOC P&A Summary

Well Name: RESLER YATES STATE 317 P&A (SANDLOTT

API#:3001510254

ENERGY) SLO

Job Category: P&A

Start Date: 11/3/2025

Contact Name: Cody Trevino

Company: SDS Petroleum Consultants

Contact Name: Joel Aranda

Company: GSM Consulting

11/3/2025

Operations Summary

MIRU Axis P&A rig & equipment. Back drag location & dug out WH. SDFD. Notified NMOCD.

11/4/2025

Operations Summary

SITP 0#. SICP 0#. Attempt to load & test tbg, had communication w/csg. Unseated pump. POOH w/82 - 3/4" rods & pump. ND WH & NU BOP. POOH & LD 72 jts 2 3/8" tbgs & SN. MIRU WL. RIH w/gauge ring to 2060'. POOH w/gauge ring. RIH w/CIBP. Set CIBP @ 2050'. RIH & tagged CIBP. POOH w/WL. Loaded csg w/8 BFW & tested to 500# for 30 min, held OK. RIH w/WL & CBL. Logged to surface. RD WL. SWI & SDFD. Notified NMOCD.

11/5/2025

Operations Summary

SICP 0#. RIH w/tbg & tagged CIBP. Spotted 10 sacks Class C cmt on top of CIBP. POOH w/20 jts tbgs. WOC 4 hrs. RIH w/tbg & tagged TOC @ 1909'. POOH w/tbg. RIH w/4 1/2" pkr & set @ 332'. SWI & SDFD. Notify NMOCD.

11/6/2025

Operations Summary

SITP 0#. SICP 0#. RIH w/pkr & tbgs. Set pkr @ 1108'. Tested csg to 500#, held OK. MIRU WL. RIH & perf @ 1580'. POOH w/WL. Pump down tbgs to establish circulation through surface. Pumped 35 sacks Class C cement & 9.5 BFW displacement. WOC for 4 hrs. Released pkr. RIH w/tbg & tagged TOC @ 1408'. POOH w/tbg & pkr. MIRU WL & perforate @ 1118'. Circulated 460 sacks Class C cement to surface. SWI & SDFD. Notify NMOCD.

11/7/2025


Operations Summary

CP 0#. ND B1 flange. Top fill 4 1/2" csg w/class C cmt. RDMO P&A rig & equipment. WO crew to cut off WH & install dry hole marker. Well P&A'd effective 11/07/2025.

Resler Yates State #317 – As Plugged

1650' FNL & 1650' FWL, Sec. 21 – T18S – R28E - Eddy Co, NM

API 30-015-10254



API No. 50-015-10254
Sandlot Energy - Reeler - Yates St. #317
5701-5100

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 543996

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 543996
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/20/2026