

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <b>30-015-10630</b>
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator <b>Mewbourne Oil Company</b>		6. State Oil & Gas Lease No.
3. Address of Operator <b>P.O. Box 5270</b> <b>Hobbs, NM 88241</b>		7. Lease Name or Unit Agreement Name <b>Resler Yates State</b>
4. Well Location Unit Letter <u>N</u> : <u>990</u> feet from the <u>South</u> line and <u>1650</u> feet from the <u>West</u> line Section <u>29</u> Township <u>18S</u> Range <u>28E</u> NMPM <u>Eddy</u> County		8. Well Number <b>#341</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number <b>14744</b>
10. Pool name or Wildcat <b>(3230)</b> <b>Artesia; Queen-Grayburg-San Andres</b>		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**Please see attached procedure & wellbore schematics**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Specialist DATE 1/16/26

Type or print name John Harrison E-mail address: john.harrison@mewbourne.com PHONE: 575-393-5905

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

**MOC P&A Summary****Well Name: RESLER YATES STATE 341 P&A (SANDLOTT ENERGY) SLO****API#:3001510630****Job Category:** P&A**Start Date:** 12/11/2025**Contact Name:** Joel Aranda**Company:** GSM Consulting**Contact Name:** Cody Trevino**Company:** SDS Petroleum Consultants**12/11/2025**

## Operations Summary

MIRU Axis P&A rig & equipment. Back dragged location & dug out WH. Unseated pump. POOH w/70 - 3/4" rods & pump. ND WH & NU BOP. POOH w/60 jts 2 3/8" tbg & SN. SWI & SDFD. Notified NMOCD.

**12/12/2025**

## Operations Summary

SICP 0#. MIRU WL & RIH w/gauge ring. Tagged @ 1742'. Attempted to work past tight spot w/no success. POOH w/WL & gauge ring. RIH w/3 7/8" bit & tbg. Tagged @ 1740' & fell through to 1775'. Tagged & attempted to work past w/no success. RU power swivel & attempted to work past tight spot while pumping down csg w/no success. Discovered fish LIH (3 jts tbg & pkr). Pumped 20 bbls LCM followed by 25 sxs class C cmt. Displaced tbg w/5.5 BFW. POOH w/tbg & WOC. SWI & SDFD.

**12/15/2025**

## Operations Summary

SICP 0#. RIH w/tbg & tagged TOC @ 1078'. POOH w/tbg. RIH w/3 7/8" bit. Pumped 25 BFW down csg & 25 BFW down tbg but could not catch circulation. Drilled through 2' of cmt. POOH w/bit & tbg. RIH w/WL & CBL. Tagged TOC. CBL tools hung up. Attempted to work CBL tools free. Pulled WL out of rope socket. POOH w/WL (fish LIH: rope socket, & CBL tools). RIH w/OS w/1 7/16" grapple & tbg. Tagged & engaged fish. POOH w/tbg (recovered all of fish). SWI & SDFD.

**12/16/2025**

## Operations Summary

SICP 0#. RIH w/WL & CBL. Logged from 1040' to surface. RIH w/pkr to 900'. Set pkr & attempted to test csg. Began circulating through surface. Found bad csg from 700' to 845'. POOH w/pkr. RIH w/WL & perf csg @ 910'. RIH w/tbg to 976' & spotted 65 sxs class C cmt followed by 2.7 BFW displacement. POOH w/tbg & WOC. SWI & SDFD.

**12/17/2025**

## Operations Summary

SICP 0#. RIH w/tbg & tagged TOC @ 468'. LD remaining 2 3/8" tbg. RIH w/WL & perfed csg @ 460'. POOH & RD WL. ND BOP & NU B1 flange. Circulated 100 sxs class C cmt to surface through 7" surface csg. WOC. SWI & SDFD. Notify NMOCD.


**12/18/2025**

## Operations Summary

Cmt still on surface. RDMO P&A rig & equipment. Well P&A'd effective 12/18/2025.

# Resler Yates State #341 – As Plugged

990’ FSL & 1650’ FWL, Sec. 29 – T18S – R28E - Eddy Co, NM  
API 30-015-10630









Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 543994

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 543994
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/20/2026