

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. 30-025-48525 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> 6. State Oil & Gas Lease No.
2. Name of Operator Armstrong Energy Corporation		7. Lease Name or Unit Agreement Name Rock Steady State
3. Address of Operator P.O. Box 1973, Roswell, NM 88202-1973		8. Well Number 001
4. Well Location Unit Letter <u>L</u> : <u>2288</u> feet from the <u>South</u> line and <u>800</u> feet from the <u>West</u> line Section <u>24</u> Township <u>18S</u> Range <u>35E</u> NMPM County <u>Lea</u>		9. OGRID Number 1092
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		10. Pool name or Wildcat Reeves: Devonian

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input checked="" type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Pull ESP, cleanout wellbore to bottom and acid treat OH, assess artificial lift

See attached plan

Spud Date:

6/17/21

Rig Release Date:

7/14/21

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kyle Alpers TITLE VP Engineering DATE 7/29/25

Type or print name Kyle Alpers E-mail address: kalpers@aecnm.com PHONE: 575-625-2222

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):



Rock Steady #1 (API No. 30-025-48525)

Surface: 2288' FSL & 800' FWL of Section 24, L-18S-35E
Lea County, New Mexico 32.732024° -103.416783°
GL Elev 3,875.9' / KB Elev 3,893.9'

Tubing Inspection/OH Fill & Cleanout//Acidize/ESP Assessment Procedure

Spot pulling unit and rig up.

RU kill truck and kill well if necessary. NU BOP. NU Spooler. TOOH w/tubing and ESP. Visually inspect all. Send ESP equipment to Extract for teardown and inspection.


PU work string and 4 3/4" bit. TIH and tag bottom, note any fill or tight spots. OH interval is from 12,000' to 12,150'. Rotate down and circulate out any fill. Circulate until clean. OH perforations are at 12,123'-42', 12,022'-35', and 12,014'-18'.

Spot 2500gal 15% NEFE acid into well. OH interval volume should only be around 138 gallons. TOOH & LD 2,400' of tubing to get above acid spot, shut BOP and put acid away. Recover load by swabbing back through bit and work string.

Our plan is to run the ESP back into the well, but based on what we find with regards to tubing, fill, and ESP inspection this could change.

PU new Extract ESP and RIH w/IPC tubing. Test tubing going in the hole, kick out any bad joints and PU new to replace. Hang well on and return to production.

Tubing Detail
222- joints 2 7/8 J-55 IPC
5x1250HD Pumps
Intake gas separator
Seals
Motor



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 489670

CONDITIONS

Operator: ARMSTRONG ENERGY CORP P.O. Box 1973 Roswell, NM 88202	OGRID: 1092
	Action Number: 489670
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	1/23/2026