

Well Name: SAN JUAN 32-7 UNIT

Well Location: T31N / R7W / SEC 4 /
SWNE / 36.929262 / -107.572178

County or Parish/State: SAN
JUAN / NM

Well Number: 19A

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMSF078996

Unit or CA Name: SAN JUAN 32-7
UNIT--DK, SAN JUAN 32-7 UNIT--MV

Unit or CA Number:
NMNM78423B, NMNM78423C

US Well Number: 3004534475

Operator: HILCORP ENERGY
COMPANY

Notice of Intent

Sundry ID: 2892071

Type of Submission: Notice of Intent

Type of Action: Plug Back

Date Sundry Submitted: 01/21/2026

Time Sundry Submitted: 07:19

Date proposed operation will begin: 01/28/2026

Procedure Description: Hilcorp Energy Company requests permission to plug back the Dakota to restore economical production. An attempt to isolate water and salvage the upper portion of the Dakota from 8100' to 8170' was unsuccessful and the well has logged off again with a fluid sample recovered indicating Dakota formation water. Please see the attached procedure with a current and proposed wellbore diagram.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

San_Juan_32_7_Unit_19A_Dakota_Plugback_TA_NOI_2026_20260121071826.pdf

Well Name: SAN JUAN 32-7 UNIT

Well Location: T31N / R7W / SEC 4 /
SWNE / 36.929262 / -107.572178County or Parish/State: SAN
JUAN / NM

Well Number: 19A

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMSF078996

Unit or CA Name: SAN JUAN 32-7
UNIT--DK, SAN JUAN 32-7 UNIT--MVUnit or CA Number:
NMNM78423B, NMNM78423C

US Well Number: 3004534475

Operator: HILCORP ENERGY
COMPANY**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: PRISCILLA SHORTY

Signed on: JAN 21, 2026 07:18 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Technician

Street Address: 382 ROAD 3100

City: AZTEC

State: NM

Phone: (505) 324-5188

Email address: PSHORTY@HILCORP.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Approved

Disposition Date: 01/21/2026

Signature: Kenneth Rennick



HILCORP ENERGY COMPANY
San Juan 32-7 Unit 19A
SET CIBP SUNDRY
API: 3004534475

JOB PROCEDURES		
☒	NMOCD	Contact OCD and BLM (where applicable) 24 hrs prior to MIRU or running MITs. Record and document all casing pressures <u>daily</u>, including BH, IC (if present) and PC. Comply with all NMOCD, BLM (where applicable), and HEC safety and environmental regulations.
☒	BLM	
1. Hold pre-job safety meeting. MIRU service rig and associated equipment. NU and test BOP per HEC, State, and Federal guidelines. 2. TOOH with 2-3/8" tubing. 3. Set a 4-1/2" plug at 8,060'; 40' Top Dakota perforation to shut off water production. 4. Run and land production tubing at 6,040'. RDMO service rig and associated equipment. Return well to production.		



HILCORP ENERGY COMPANY **San Juan 32-7 Unit 19A** **SET CIBP SUNDRY**

San Juan 32-7 Unit 19A - CURRENT WELLBORE SCHEMATIC




Current Schematic - Version 3

Well Name: SAN JUAN 32-7 UNIT #19A

API / UWI 3004534475	Surface Legal Location 004-031N-007W-G	Field Name MV/DK COM	Route 0505	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,679.00	Original KB/RT Elevation (ft) 6,694.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 15.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)
Tubing Strings					
Run Date 9/30/2025 08:00	Set Depth (ftKB) 8,100.96	String Max Nominal OD (in) 2 3/8	String Min Nominal ID (in) 2.00	Weight/Length (lb/ft) 4.70	Original Spud Date 6/10/2008 14:00

Original Hole, SAN JUAN 32-7 UNIT #19A [Vertical]





HILCORP ENERGY COMPANY
San Juan 32-7 Unit 19A
SET CIBP SUNDRY


San Juan 32-7 Unit 19A - PROPOSED WELLBORE SCHEMATIC



Well Name: SAN JUAN 32-7 UNIT #19A

API / UWI 3004534475	Surface Legal Location 004-031N-007W-G	Field Name MV/DK COM	Route 0505	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,679.00	Original KB/RT Elevation (ft) 6,694.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 15.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)
Tubing Strings					
Run Date 9/30/2025 08:00	Set Depth (ftKB) 8,100.96	String Max Nominal OD (in) 2 3/8	String Min Nominal ID (in) 2.00	Weight/Length (lb/ft) 4.70	Original Spud Date 6/10/2008 14:00

Original Hole, SAN JUAN 32-7 UNIT #19A [Vertical]



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 545689

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 545689
	Action Type: [C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	Prior to further recompletion or well bore plugging, the temporary plugged formation shall be permanently plugged.	1/23/2026