

District 1
1625 N French Dr., Hobbs, NM 83240
Phone: (575) 393-6151 FAX: (575) 393-6720

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name <i>Scout Energy Management LLC.</i>	API Number <i>30-025-12238</i>
Property Name <i>West Dollardice Drinker Unit</i>	Well No. <i>#025</i>

BL. - Lot <i>5</i>	Section <i>29</i>	Township <i>24S</i>	Range <i>38E</i>	East from <i>1980</i>	N/S Line <i>S</i>	Feet From <i>1980</i>	E/W Line <i>E</i>	County <i>Lea</i>
-----------------------	----------------------	------------------------	---------------------	--------------------------	----------------------	--------------------------	----------------------	----------------------

Well Status

TA'D WELL YES	SHUT-IN NO	INJECTOR NO	SWD	OIL	PRODUCER GAS	DATE <i>3-12-25</i>
------------------	---------------	----------------	-----	-----	-----------------	------------------------

OBSERVED DATA

	(A)Surface	(B)Interim(1)	(C)Interim(2)	(D)Prod Casing	(E)Tubing
Pressure	<i>0</i>			<i>0</i>	<i>1250</i>
Flow Characteristics					
Puff	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>CO2</i>
Steady Flow	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>WFR</i>
Surges	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>GAS</i>
Down to nothing	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	Type of Fluid Injection for Waterflood Applications
Gas or Oil	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	
Water	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	<i>Y / N</i>	

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

BHT-OK

Signature <i>Lee Ellison</i>	OIL CONSERVATION DIVISION
Printed name <i>Lee Ellison</i>	Entered into RBDMS
Title <i>SR. Prod Foreman</i>	Re-test
E-mail Address <i>le Ellison@scoutep.com</i>	
Date <i>3-12-25</i>	Phone. <i>806-891-0020</i>
Witness <i>Bob</i>	

INSTRUCTIONS ON BACK OF THIS FORM

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify: All valves prior to testing

Gauges: Install on each casing string to record pressure.

Assure: That all valves are in good working condition and closed at least 24 hours prior to testing.

Open: Each valve (Bradenhead, intermediate and casing valves) is to be opened separately.

Check Gauges: Record pressure on each gauge and casing string on BHT form. Open valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

» Blow or Puff	Yes or No
» Bled down to Nothing	Yes or No
» Steady Flow	Yes or No
» Oil or Gas	Yes or No
» Water	Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

1. Record pressure reading on gauge.
2. Bleed and note time elapsed to bleed down.
3. Leave valve open for additional observation.
4. Note any fluids expelled.

In absence of Pressure:

1. Leave valve open for additional observation.
2. Note types of fluids expelled.
3. Note if fluids persist throughout test.

Note. Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 443821

CONDITIONS

Operator: SCOUT ENERGY MANAGEMENT LLC 13800 Montfort Road Dallas, TX 75240	OGRID: 330949
	Action Number: 443821
	Action Type: [UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By	Condition	Condition Date
robert.asher	None	1/26/2026