

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-0025-37551
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name DRY LAKE 28 STATE COM
8. Well Number #001
9. OGRID Number 16696
10. Pool name or Wildcat (77715) GRAMA RIDGE; WOLFCAMP, NORTH (GAS)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator OXY USA INC.	
3. Address of Operator 5 GREENWAY PLAZA, SUITE 110, HOUSTON TX	
4. Well Location Unit Letter C : 660 feet from the NORTH line and 1980 feet from the WEST line Section 28 Township 21S Range 35E NMPM County LEA	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3605' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well is plugged. Job start: 11/14/2025. Job complete: 12/1/2025. Well was cut and capped on 12/8/2025. See the attached job summary details and plugged wellbore diagram for reference.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY MANAGER DATE 1/7/2026

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

DRY LAKE 28 STATE COM #001

30-025-37551 PA SR JOB SUMMARY

11/14/25 MIRU. POOH WITH PUMP AND RODS.

11/17/25 CONT'D TO POOH WITH PUMP AND RODS. NDWH. NUBOP.

11/18-19/25 RELEASED TAC, POOH WITH TUBING.

11/20/25 RIH TO 11430' AND TAGGED EXISTING CIBP. DUMP BAILED 5SX CL H CMT IN 2 RUNS. WOC.

11/21/25 RIH @ TAGGED TOC @ 11360'. SET CIBP @ 11080'. PSI TESTED TO 500PSI F/ 30 MIN, GOOD TEST.

11/22/25 RAN CBL ON WIRELINE F/ 11050' TO SURFACE. TAGGED CIBP @ 11080'.

11/24/25 EST RATE. RIH, EOT @ 11080, PUMPED 125SX CL H CMT. WOC. RIH AN TAGGED TOC @ 10001'. PULLED UP, EOT @ 8065'. PUMPED 75SX CL H CMT. WOC.

11/25/25 RIH AND TAGGED TOC @ 7617'. PULLED UP, EOT @ 5865'. PUMPED 65SX CL C CMT. WOC. RIH AND TAGGED TOC @ 5449'.

11/26/25 RIH AND PERF'D @ 4200'. EST RATE. SQUEEZED 125SX CL C CMT. WOC. RIH AND TAGGED TOC @ 3672'. RIH AND PERF'D @ 1875'. EST RATE.

12/1/25 EST RATE AGAIN. SQUEEZED 565SX CL C CMT TO SURFACE. WOC. VERIFIED CEMENT TO SURFACE AND RDMO.

12/8/25 CUT AND CAPPED WELL.

PLUGGED WELLBORE

API#: 3002537551
 Well No: DRY LAKE 28 STATE COM 001
 Ground Elevation: 3605'
 Date Drilled: 12/3/2005



PERF'D @ 1875'. SQZD 565SX CL C CMT TO SURFACE. VERIFIED.

PERF'D @ 4200'. SQZD 125SX CL C CMT. WOC. TAGGED TOC @ 3672'.

EOT @ 5865'. PUMPED 65SX CL C CMT. WOC. TAGGED TOC @ 5449'.


EOT @ 8065'. PUMPED 75SX CL H CMT. WOC. TAGGED TOC @ 7617'.

SET CIBP @ 11080'. PSI TESTED. TAGGED. PUMPED 125SX CL H ON TOP. WOC. TAGGED TOC @ 10001'.

TAGGED EXISTING CIBP @ 11430'. DUMP BAILED 5SX CL H CMT. TAGGED TOC @ 11360'.

CIBP @ 11450' W/ 20' CMT CAP

CIBP @ 12100' W/ 20' CMT CAP



Rustler 1825'

Yates 3843'

Captian Reef 4143'

Delaware 5710'

Bone Spring 7962'

Wolfcamp 10642'

Surface Casing

13 3/8 "	48#	H-40 ST&C @	1296'
17 1/2 "	Hole	TOC @	Surface
			cmt'd w/ 1,090 sks

Intermediate Casing

9 5/8 "	36#	N-80 Ukn @	5753'
12 1/4 "	Hole	TOC @	Surface
			cmt'd w/ 3,125 sks

Production Casing

7 "	23# & 26#	N-80 Ukn @	10946'
8 3/4 "	Hole	TOC @	5131'
			cmt'd w/ 810 sks

Liner

4 1/2 "	13.5#	P-110 LT&C @	10543' - 12800'
6 1/8 "	Hole	TOC @	10220'
			cmt'd w/ 290 sks

Tubing

2 3/8 "		L-80 @	11306'
2 3/8" x 4 1/2"		Double Spring TAC @ 11236'	

Perforations (ft)

11130' - 11150'

11204' - 11218'

Strawn 11242'

Atoka 11707'

Morrow 11944'

12456' - 12470'

12590' - 12596'

TD @ 12800' MD
 TD @ 12800' TVD
 PBTD @ 12800' MD

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 546578

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 546578
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	1/27/2026
gcordero	Submit C-103Q within one year of plugging.	1/27/2026