

Well Name: SAN JUAN 30-6 UNIT SWD	Well Location: T30N / R7W / SEC 23 / NWNW / 36.80446 / -107.54646	County or Parish/State: RIO ARRIBA / NM
Well Number: 2	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMSF079382	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003924518	Operator: HILCORP ENERGY COMPANY	

Subsequent Report

Sundry ID: 2813566

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 09/24/2024

Time Sundry Submitted: 12:39

Date Operation Actually Began: 09/24/2024

Actual Procedure: 9/24/2024: Hilcorp Energy pumped 600 gallons of 2% KCL water with (Biocide/scale/corrosion inhibitor) down tubing. Beginning SITP 500, SICP 0. Total pump time 1 hour. Tubing pressure increased to 549 psi & csg pressure remained at 0 psi during pumping operations. SI well upon completion. 5 min SITP 534 psi, SICP 0. Monica Kuehling, NMOCD, was present for the injection and bradenhead test. See attached bradenhead test.

SR Attachments

Actual Procedure

SJ_30_6_SWD_2_BH_Test_9_23_24_20240924111800.pdf

Well Name: SAN JUAN 30-6 UNIT
SWD

Well Location: T30N / R7W / SEC 23 /
NNNW / 36.80446 / -107.54646

County or Parish/State: RIO
ARRIBA / NM

Well Number: 2

Type of Well: INJECTION - ENHANCED RECOVERY Allottee or Tribe Name:

Lease Number: NMSF079382

Unit or CA Name:

Unit or CA Number:

US Well Number: 3003924518

Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: PRISCILLA SHORTY

Signed on: SEP 24, 2024 12:38 PM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Technician

Street Address: 382 ROAD 3100

City: AZTEC State: NM

Phone: (505) 324-5188

Email address: PSHORTY@HILCORP.COM

Field

Representative Name:

Street Address:

City: State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 09/24/2024

Signature: Kenneth Rennick



NEW MEXICO ENVIRONMENTAL MONITORING
& NATURAL RESOURCES DEPARTMENT

ENVIRONMENTAL DIVISION

AZTEC DISTRICT OFFICE

1000 RIO BRAZOS ROAD

AZTEC NM 87410

(505) 334-6178 FAX: (505) 334-6170

<http://emnrd.state.nm.us/ocd/District III/3district.htm>

BRADENHEAD TEST REPORT

(submit 1 copy to above address)

Date of Test 9-24-24 Operator Hilcorp API #30-0 39 24518

Property Name SS 30-6 Unit SWD Well No. 2 Location: Unit Section 23 Township 30N Range 7W

Well Status(Shut-In or Producing) Initial PSI: Tubing 499 Intermediate 0 Casing 0 Bradenhead 0

OPEN BRADENHEAD AND INTERMEDIATE TO ATMOSPHERE INDIVIDUALLY FOR 15 MINUTES EACH

Testing	PRESSURE				
	BH	Bradenhead	INTERM	Int	Csg
TIME	BH	Int	Csg		
5 min	0	0			
10 min	0	0			
15 min	0	0			
20 min					
25 min					
30 min					

FLOW CHARACTERISTICS

BRADENHEAD INTERMEDIATE

Steady Flow	
Surges	
Down to Nothing	/
Nothing	
Gas	/
Gas & Water	
Water	

If bradenhead flowed water, check all of the descriptions that apply below:

CLEAR FRESH SALTY SULFUR BLACK

5 MINUTE SHUT-IN PRESSURE

BRADENHEAD 0INTERMEDIATE 0

REMARKS:

Vapor when opened. Stead at 15 minutes550 gallons.Lambert Dm-CredenceBy Tom DotSWD LEAD

(Position)

Witness

Monica Luehling

E-mail address _____



Current Schematic - Version 3


Well Name: SAN JUAN 30-6 UNIT #2 SWD

API/UWI 3003924518	Surface Legal Location 023-030N-007W-D	Field Name MORRISON BLUFF ENTRADA #3779	Route 1100	State/Province NEW MEXICO	Well Configuration Type
Ground Elevation (ft) 6,263.00	Original KB/RT Elevation (ft) 6,275.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)

Tubing Strings

Run Date 1/25/1999 00:00	Set Depth (ftKB) 7,847.10	String Max Nominal OD (in) 4 1/2	String Min Nominal ID (in)	Weight/Length (lb/ft) 10.50	Original Spud Date 10/21/1989 00:00
-----------------------------	------------------------------	-------------------------------------	----------------------------	--------------------------------	--

Original Hole



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 386372

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:
	372171
	Action Number:
	386372

Action Type:
[C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	Accepted for record.	1/30/2026