

Well Name: WEST EUMONT UNIT	Well Location: T20S / R36E / SEC 35 / SENW / 32.533178 / -103.32552	County or Parish/State: LEA / NM
Well Number: 524	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMNM0007966, NMNM07966	Unit or CA Name: WEST EUMONT UNIT	Unit or CA Number: NMNM137800X
US Well Number: 3002545481	Operator: FORTY ACRES ENERGY LLC	

Notice of Intent

Sundry ID: 2898082

Type of Submission: Notice of Intent

Type of Action: Acidize

Date Sundry Submitted: 02/27/2026

Time Sundry Submitted: 09:02

Date proposed operation will begin: 03/25/2026

Procedure Description: Updated tubing size from Sundry ID: 2883066 NMOCD Order(s): WFX-1036 OBJECTIVE: Add perfs & Acidize (new perfs are within the WFX-1036 approved injection interval) PROPOSED PROCEDURE: MIRU. Pressure test csg above pkr. Remediate if csg fails tets. Release Inj Pkr. POOH w/ same. TIH w/ 4-3/4 bit. Clean out to PBD @ 4104'. Circulate clean. POOH w/ bit. Add perfs 3875-4070' @ 1 SPF. PU & RIH w/ packer to acidize. Acidize perfs 3713-4070' w/ ~5000 gals 15% NEFE HCL acid w/ bio balls & flush w/ ~30 bbls 2% KCL wtr. Release & POOH w/ pkr. TIH w/ inj pkr on 3-1/2" J-55 ICP tbg. Set pkr @ 50' above top perf. MIT. Return to injection.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

WBD_30_025_45481_WEU_524_Current_Proposed_02272026_20260227090223.pdf

Well Name: WEST EUMONT UNIT

Well Location: T20S / R36E / SEC 35 /
SENW / 32.533178 / -103.32552

County or Parish/State: LEA /
NM

Well Number: 524

Type of Well: INJECTION - ENHANCED
RECOVERY

Allottee or Tribe Name:

Lease Number: NMNM0007966,
NMNM07966

Unit or CA Name: WEST EUMONT
UNIT

Unit or CA Number:
NMNM137800X

US Well Number: 3002545481

Operator: FORTY ACRES ENERGY
LLC

Conditions of Approval

Specialist Review

Workover_or_Vertical_Deepen_COA_20260304190723.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JESSICA LAMARRO

Signed on: FEB 27, 2026 09:02 AM

Name: FORTY ACRES ENERGY LLC

Title: Geologist

Street Address: 11757 KATY FREEWAY SUITE 725

City: HOUSTON

State: TX

Phone: (832) 706-0051

Email address: JESSICA@FAENERGYUS.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 03/04/2026

Signature: Jonathon Shepard

Well Name: WEST EUMONT UNIT #524 API: 30-025-45481 Lease Type: FEDERAL
 Location: 1350' FNL & 2495' FWL T-R-Sec-Spot-Lot: 20S-36E-35F Lease No: NMNM0007966
 Formation(s): [22800] EUMONT; YATES-7 RVRS-QUEEN (OIL) County/State: Lea, NM

Surface Csg

Size: 8-5/8"
 Wt.&Thrd: 24# ST&C
 Grade: JE 8rd
 Set @: 1396'
 Sxs cmt: 710 sxs
 Circ: 90 bbls
 TOC: Surface
 Hole Size: 12-1/4"

KB: 3572'
 DF: 3572'
 GL: 3565'
 Spud Date: 4/9/2019
 Compl. Date: 6/29/2019

Production Csg

Size: 5-1/2"
 Wt.&Thrd: 15.5#
 Grade: J55 8rd
 Set @: 4104'
 Sxs Cmt: 300 sxs
 Circ: _____
 TOC: _____
 Hole Size: 7-7/8"

History - Highlights
2019-04: Drill well, Drilling BHA stuck, unable to fish, top of fish @ 4102'
2019-06: Initial Completion - Perf QUEEN & start injection. Acidized w/ 3000 gals 15% NEFE acid & 300
2024-01: Clean out and acidize perms w/2982 gal Acidtol blend and displaced w/40 bbls water. Set packers.

RUSTLER (Top @ 1374')

TANSILL (Top @ 2756')

TT PKR 3643
 ASIX Pkr 3793


YATES (Top @ 2924')

SEVEN RIVERS (Top @ 3240')

QUEEN (Top @ 3692')

3713-3717 4 spf
 3720-3729 4 spf
 3731-3736 4 spf
 3739-3754 4 spf
 3776-3777 4 spf
 3781-3786 4 spf
 3788-3794 4 spf
 3813-3825 4 spf

GRAYBURG (Top @ 4082')



Notes	# of JTS	LENGTH	DEPTH	DESCRIPTION/GRADE
FISH: Drilling BHA stuck downhole; 7-7/8" bit, shock sub, reamer, DC, reamer, DCS	4	22	8	2 3/8" IPC TBG SUBS
	112	3634	3642	2 3/8" IPC TBG
	1	1	3643	5 1/2" AD-1 TANDEM PACKER
	7	54	3697	2 3/8" IPC FG WRAPPED SUBS
	3	95	3792	2 3/8" IPC & FG WRAP TBG
	1	1	3793	5 1/2" AS1-X PACKER

Well Name: WEST EUMONT UNIT #524 API: 30-025-45481 Lease Type: FEDERAL
 Location: 1350' FNL & 2495' FWL T-R-Sec-Spot-Lot: 20S-36E-35F Lease No: NMNM0007966
 Formation(s): [22800] EUMONT; YATES-7 RVRS-QUEEN (OIL) County/State: Lea, NM

PROPOSED

Surface Csg
 Size: 8-5/8"
 Wt.&Thrd: 24# ST&C
 Grade: JE 8rd
 Set @: 1396'
 Sxs cmt: 710 sxs
 Circ: 90 bbls
 TOC: Surface
 Hole Size: 12-1/4"

Production Csg
 Size: 5-1/2"
 Wt.&Thrd: 15.5#
 Grade: J55 8rd
 Set @: 4104'
 Sxs Cmt: 300 sxs
 Circ: _____
 TOC: _____
 Hole Size: 7-7/8"

KB: 3572'
 DF: 3572'
 GL: 3565'
 Spud Date: 4/9/2019
 Compl. Date: 6/29/2019

History - Highlights
2019-04: Drill well, Drilling BHA stuck, unable to fish, top of fish @ 4102'
2019-06: Initial Completion - Perf QUEEN & start injection. Acidized w/ 3000 gals 15% NEFE acid & 300
2024-01: Clean out and acidize perms w/2982 gal Acidtol blend and displaced w/40 bbls water. Set packers.

RUSTLER (Top @ 1374')

TANSILL (Top @ 2756')

TT PKR 3643
 ASIX Pkr 3793


YATES (Top @ 2924')

SEVEN RIVERS (Top @ 3240')

QUEEN (Top @ 3692')

3713-3717 4 spf
 3720-3729 4 spf
 3731-3736 4 spf
 3739-3754 4 spf
 3776-3777 4 spf
 3781-3786 4 spf
 3788-3794 4 spf
 3813-3825 4 spf
 3875-4070 1 spf

GRAYBURG (Top @ 4082')



Notes	# of JTS	LENGTH	DEPTH	DESCRIPTION/GRADE
Pressure test casing above packer. Remediate as needed. POH. Run bit to PBDT. Add perms from 3875-4070. Pump 5000 gal 15% HCl acid. FISH: Drilling BHA stuck downhole; 7-7/8" bit, shock sub, reamer, DC, reamer, DCS				3-1/2" IPC TBG SUBS
				3-1/2" IPC TBG
			3643	5 1/2" AD-1 TANDEM PACKER
				3-1/2" IPC FG WRAPPED SUBS
				3-1/2" IPC & FG WRAP TBG
			3793	5 1/2" AS1-X PACKER

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 560182

COMMENTS

Operator: FORTY ACRES ENERGY, LLC 11757 KATY FWY HOUSTON, TX 77079173	OGRID: 371416
	Action Number: 560182
	Action Type: [C-103] NOI Recompletion (C-103E)

COMMENTS

Created By	Comment	Comment Date
anthony.harris	Step Rate test will be performed on 30-025-45459 well with 3.5-inch tubing and the results will be applied to this well for a new IPI Order.	4/1/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 560182

CONDITIONS

Operator: FORTY ACRES ENERGY, LLC 11757 KATY FWY HOUSTON, TX 77079173	OGRID: 371416
	Action Number: 560182
	Action Type: [C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
anthony.harris	Perform post workover MIT with OCD witness	4/1/2026
anthony.harris	All perforations shall be within the Unitized interval approved in R-14616 [Yates, 7 Rivers and Queen]	4/1/2026
anthony.harris	With the approval of this Sundry, IPI-534 is no longer valid. A new IPI request will be required as outlined in the condition below.	4/1/2026
anthony.harris	Submit C-103Z Subsequent Report referencing the Step-Rate test results for 30-025-45459 and request a new IPI. Attach an updated wellbore diagram to the C-103Z showing casing and tubing size, packer setting depth(s) and perforation details.	4/1/2026