

Well Name: WEST EUMONT UNIT	Well Location: T20S / R36E / SEC 35 / SWNW / 32.529934 / -103.329431	County or Parish/State: LEA / NM
Well Number: 526	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMNM0007966, NMNM07966	Unit or CA Name: WEST EUMONT UNIT	Unit or CA Number: NMNM137800X
US Well Number: 3002545483	Operator: FORTY ACRES ENERGY LLC	

Notice of Intent

Sundry ID: 2898119

Type of Submission: Notice of Intent

Type of Action: Acidize

Date Sundry Submitted: 02/27/2026

Time Sundry Submitted: 09:38

Date proposed operation will begin: 04/01/2026

Procedure Description: Updated tubing size from Sundry ID: 2883076 NMOCD Order(s): WFX-1036 OBJECTIVE: Add perfs & Acidize (new perfs are within the WFX-1036 approved injection interval) PROPOSED PROCEDURE: MIRU. Pressure test csg above pkr. Remediate if csg fails tets. Release Inj Pkr. POOH w/ same. TIH w/ 4-3/4 bit. Clean out to PBDT @ 4405'. Circulate clean. POOH w/ bit. Add perfs 3982-4184' @ 1 SPF. PU & RIH w/ packer to acidize. Acidize perfs 3819-4184' w/ ~5000 gals 15% NEFE HCL acid w/ bio balls & flush w/ ~30 bbls 2% KCL wtr. Release & POOH w/ pkr. TIH w/ inj pkr on 3-1/2" J-55 ICP tbg. Set pkr @ 50' above top perf. MIT. Return to injection.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

WBD_30_025_45483_WEU_526_Current_Proposed_02272026_20260227093800.pdf

Well Name: WEST EUMONT UNIT

Well Location: T20S / R36E / SEC 35 / SWNW / 32.529934 / -103.329431

County or Parish/State: LEA / NM

Well Number: 526

Type of Well: INJECTION - ENHANCED RECOVERY

Allottee or Tribe Name:

Lease Number: NMNM0007966, NMNM07966

Unit or CA Name: WEST EUMONT UNIT

Unit or CA Number: NMNM137800X

US Well Number: 3002545483

Operator: FORTY ACRES ENERGY LLC

Conditions of Approval

Specialist Review

Workover_or_Vertical_Deepen_COA_20260304192122.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JESSICA LAMARRO

Signed on: FEB 27, 2026 09:38 AM

Name: FORTY ACRES ENERGY LLC

Title: Geologist

Street Address: 11757 KATY FREEWAY SUITE 725

City: HOUSTON

State: TX

Phone: (832) 706-0051

Email address: JESSICA@FAENERGYUS.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 03/04/2026

Signature: Jonathon Shepard

Well Name: WEST EUMONT UNIT #526 API: 30-025-45483 Lease Type: FEDERAL
 Location: 2350' FNL & 1290' FWL T-R-Sec-Spot-Lot: 20S-36E-35E Lease No: NMNM0007966
 Formation(s): [22800] EUMONT; YATES-7 RVRS-QUEEN (OIL) County/State: Lea, NM

CURRENT

Surface Csg
 Size: 8-5/8"
 Wt.&Thrd: 24# ST&C
 Grade: JE 8rd
 Set @: 1476'
 Sxs cmt: 710 sxs
 Circ: 76 bbls
 TOC: Surface
 Hole Size: 12-1/4"

KB: 3570'
 DF: 3569'
 GL: 3563'
 Spud Date: 3/15/2019
 Compl. Date: 6/21/2019

Production Csg
 Size: 5-1/2"
 Wt.&Thrd: 15.5#
 Grade: J55 8rd
 Set @: 4405'
 Sxs Cmt: 330 sxs
 Circ: _____
 TOC: _____
 Hole Size: 7-7/8"

History - Highlights
2019-03: Drill well
2019-06: Initial Completion - Perf QUEEN & start injection. Acidized w/ 3000 gals 15% NEFE acid

RUSTLER (Top @ 1450')

TANSILL (Top @ 2829')

TT PKR 3782
 ASIX Pkr 3919


YATES (Top @ 3008')

SEVEN RIVERS (Top @ 3365')

QUEEN (Top @ 3803')

3819-3822 4 spf
 3828-3830 4 spf
 3834-3843 4 spf
 3853-3858 4 spf
 3862-3867 4 spf
 3875-3877 4 spf
 3895-3900 4 spf
 3905-3908 4 spf
 3920-3929 4 spf

GRAYBURG (Top @ 4189')



Notes	# of JTS	LENGTH	DEPTH	DESCRIPTION/GRADE
		116+2	3781	3781
	1	1	3782	5 1/2" PACKER
	4	130	3912	2 3/8" IPC TBG
	1	1	3913	ON/OFF TOOL
	1	6	3919	5 1/2" PACKER

Well Name: WEST EUMONT UNIT #526 API: 30-025-45483 Lease Type: FEDERAL
 Location: 2350' FNL & 1290' FWL T-R-Sec-Spot-Lot: 20S-36E-35E Lease No: NMNM0007966
 Formation(s): [22800] EUMONT; YATES-7 RVRS-QUEEN (OIL) County/State: Lea, NM

PROPOSED

Surface Csg
 Size: 8-5/8"
 Wt.&Thrd: 24# ST&C
 Grade: JE 8rd
 Set @: 1476'
 Sxs cmt: 710 sxs
 Circ: 76 bbls
 TOC: Surface
 Hole Size: 12-1/4"

KB: 3570'
 DF: 3569'
 GL: 3563'
 Spud Date: 3/15/2019
 Compl. Date: 6/21/2019

Production Csg
 Size: 5-1/2"
 Wt.&Thrd: 15.5#
 Grade: J55 8rd
 Set @: 4405'
 Sxs Cmt: 330 sxs
 Circ: _____
 TOC: _____
 Hole Size: 7-7/8"

History - Highlights
2019-03: Drill well
2019-06: Initial Completion - Perf QUEEN & start injection. Acidized w/ 3000 gals 15% NEFE acid

RUSTLER (Top @ 1450')

TANSILL (Top @ 2829')

TT PKR 3782
 ASIX Pkr 3919


YATES (Top @ 3008')

SEVEN RIVERS (Top @ 3365')

QUEEN (Top @ 3803')

3819-3822 4 spf
 3828-3830 4 spf
 3834-3843 4 spf
 3853-3858 4 spf
 3862-3867 4 spf
 3875-3877 4 spf
 3895-3900 4 spf
 3905-3908 4 spf
 3920-3929 4 spf
 3982-4184 1 spf

GRAYBURG (Top @ 4189')



Notes	# of JTS	LENGTH	DEPTH	DESCRIPTION/GRADE
	Pressure test casing above packer. Remediate as needed. POH. Run bit to PBD. Add perfs from 3982-4184. Pump 5000 gal 15% HCl acid. Reset packers at same depths.			
			3782	5 1/2" PACKER
				3-1/2" IPC TBG
				ON/OFF TOOL
			3919	5 1/2" PACKER

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 560187

COMMENTS

Operator: FORTY ACRES ENERGY, LLC 11757 KATY FWY HOUSTON, TX 77079173	OGRID: 371416
	Action Number: 560187
	Action Type: [C-103] NOI Recompletion (C-103E)

COMMENTS

Created By	Comment	Comment Date
anthony.harris	Step Rate test will be performed on 30-025-45459 well with 3.5-inch tubing and the results will be applied to this well for a new IPI Order.	4/1/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 560187

CONDITIONS

Operator: FORTY ACRES ENERGY, LLC 11757 KATY FWY HOUSTON, TX 77079173	OGRID: 371416
	Action Number: 560187
	Action Type: [C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
anthony.harris	Perform post workover MIT with OCD witness	4/1/2026
anthony.harris	All perforations shall be within the Unitized interval approved in R-14616 [Yates, 7 Rivers and Queen]	4/1/2026
anthony.harris	With the approval of this Sundry, IPI-535 is no longer valid. A new IPI request will be required as outlined in the condition below.	4/1/2026
anthony.harris	Submit C-103Z Subsequent Report referencing the Step-Rate test results for 30-025-45459 and request a new IPI. Attach an updated wellbore diagram to the C-103Z showing casing and tubing size, packer setting depth(s) and perforation details.	4/1/2026