Submit To Appropriat State Lease - 6 copies			State of New Mexico					Form C-105				
Fee Lease - 5 copies District I	Ene	Energy, Minerals and Natural Resources				}	Revised June 10, 2003 WELL API NO.					
	N. French Dr., Hobbs, NM 88240						30-007-20528					
1301 W. Grand Aven	ue, Artesia, NM 8821	0						5. Indicate Type of Lease				
District III 1000 Rio Brazos Rd.,	, Aztec, NM 87410			20 South St. Fr			-	STAT	LE 🔲	FEE		
District IV 1220 S. St. Francis D		05		Santa Fe, NM	8/50	5	}	State Oil &	Gas Lease	No.		
WELL C	OMPLETION	OR RECO	MPL	ETION REPOR	RT AI	ND LOG					270.00	
Ia. Type of Well:	LL GAS WE			OTHER Coalbed				7. Lease Name	or Unit Agr	eement Na	ACCOMMUNICATION CONTRACTOR AND ACCOMMUNICATION OF A PROPERTY OF A STATE OF A	
b. Type of Completion: NEW WORK DEEPEN PLUG DIFF. WELL OVER BACK RESVR. OTHI								VPR B				
2. Name of Operator EL PASO ENERGY RATON, L.L.C.								8. Well No. 62				
3. Address of Oper	ator				9. Pool name or Wildcat							
J. Addiess of Oper	PO BOX	K 190 , NEW MEXI	(CO 8	7740				Van Bremmer – Vermejo Gas 7047				
4. Well Location	······································											
Unit Letter	<u>M</u> : 8	Feet Fro	om The	South Li	ine and	927 Fo	eet Fr	rom The	<mark>∕est</mark> Line	3		
Section		nship 29		Range	18E		MPI		Colfax	County		
10. Date Spudded	11. Date T.D. Re		Date Co	mpl. (Ready to Prod.)		13. Elevations (RKB, RT, GR,	etc.)	14. Elev.	Casinghead	
01/18/05 15. Total Depth	01/19/0		1 17 If	03/23/05 Multiple Compl. How	Many	18. Interv		Rotary Tools		Cable T	8,130°	
2,845'		2,730'		ones?	ivianj	Drilled By		0 - T	TD O	Capic i	OOIS	
19. Producing Inter	rval(s), of this com			^{ame} aton – Vermejo C	oals			2	0. Was Dire	ctional Su	rvey Made	
21. Type Electric a	nd Other Logs Rur	n		and Cement Bone		_		22. Was Well Cored				
23.	d Density Sin	gle muuchon		SING RECOR			trin	ca set in w	-,11)	No		
CASING SIZI	E WEIG	HT LB./FT.		DEPTH SET		HOLE SIZE	11111	CEMENTING		T Al	MOUNT PULLED	
8 5/8"		23 lbs		336'	11"			100 sks				
5 1/2"	1	5.5 lbs		2,743'	7 7/8"			340 sks				
		<u> </u>	-					 		 		
24.	Lmon	TROTTOM	LIN	ER RECORD	1 000	~~~	25.		UBING RE			
SIZE	TOP	BOTTOM		SACKS CEMENT	SCR	EEN	SIZ	E 7/8"	2,422		PACKER SET	
	 				+			118	2,444			
26. Perforation re		e, and number)			27.	ACID, SHOT,	. FR	ACTURE, CEI	MENT, SQ	UEEZE,	ETC.	
2321'- 2330'	' 36 Holes ', 1354'- 1357', 136	۵، ۱۵ <i>۳۵، ۱</i> ۵۴	Inles		DEP'	TH INTERVAL		AMOUNT AND KIND MATERIAL USED				
	', 1354'- 1357', 136 190'- 892' 32 Hol		40 Holes 834' - 2330'				130,634 lbs 16/30 Brady sand					
					 			 				
28	 			PRC)DÜ	CTION		<u> </u>				
Date First Production	on			owing, gas lift, pumpin	ıg - Size	e and type pump))	Well Status	(Prod. or Sh	ut-in)		
Fl		Flowing gas up	nping water up 2 7/8" tubing w/ 2' x 1 ½ wing gas up 5 ½" casing.						P	Production		
Date of Test 03/23/05	Hours Tested 24 Hours	Choke Size Full 2"		Prod'n For Test Period	Oil -	N/A		- MCF 95	Water - BI	6	Gas - Oil Ratio N/A	
Flow Tubing Press.	Casing Pressure	Calculated 2 Hour Rate	24-	Oil - Bbl. N/A	I G	Gas - MCF 95	1	Water - Bbl.	Oil G	ravity - Al	PI - (Corr.)	
265 psi 40 psi						N/A						
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By Gary Blundell							Blundell					
Sold, used for fuel. 30. List Attachments												
31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief												
Signature Shirly Mischell Printed Name Shirley A. Mitchell Title Regulatory Analyst Date 04/06/05												
E-mail Address		chell@elpaso		•				- G J		24.0	0 11 0 01 0 0	
E-man Address	Simile y.mit	Citeti@ethasu	.com		_							

INSTRUCTIONS

is form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or epened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests nducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths all also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate cept on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northwe	Northwestern New Mexico					
`. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"					
]. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"					
3. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"					
. Yates	T. Miss	T. Cliff House	T. Leadville					
7 Rivers_	T. Devonian	T. Menefee	T. Madison					
`. Queen	T. Silurian	T. Point Lookout	T. Elbert					
`. Grayburg	T. Montoya	T. Mancos	T. McCracken					
. San Andres	T. Simpson_	T. Gallup	T. Ignacio Otzte					
. Glorieta_	T. McKee	Base Greenhorn	T. Granite					
. Paddock	T. Ellenburger	T. Dakota	T Raton 386'					
. Blinebry	T. Gr. Wash	T. Morrison	T Vermejo 2,288'					
Tubb	T. Delaware Sand	T.Todilto	T Trinidad 2,564'					
[. Drinkard	T. Bone Springs	T. Entrada	T.					
ſ. Abo	T	T. Wingate	T					
Γ. Wolfcamp	T.	T. Chinle	T					
ſ. Penn	T.	T. Permian	T					
f. Cisco (Bough C)	T.	T. Penn "A"	T					
			OIL OR GAS SANDS OR ZONES					
o. 1, from	to	No. 3, from	to					
o. 2, from	to	No. 4, from	to					
IMPORTANT WATER SANDS								
clude data on rate of water inflow and elevation to which water rose in hole.								

			OIL OR GA SANDS OR ZO	
o. 1, from	to		to	
o. 2, from	to		to	
,		ORTANT WATER SANDS		
clude data on rate of	water inflow and elevation to	which water rose in hole.		
o. 1, from	to	feet	***************************************	
o. 2, from	to	feet	***************************************	
•		feet		
,		CORD (Attach additional sheet is		

Thickness

Thickness

Lithology

10	In Feet	Lithology		riom	10	In Feet	Littology
			ļ				
			}				
				i			
			· }				
]				
[i			
]	}			}		
		In Feet	In Feet Entrology	In Feet Entirology	In Feet Entropy 110m	In Feet Editional To	In Feet In Feet In Feet