Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

WELL API NO. 30-021-20534

5. Indicate Type of Lease STATE ☐ FEE ☐ P

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name: West Bravo Dome Unit

1. Type of Well: Oil Well ☐ Gas Well ☐ Other X CO2

8. Well Number 141J

2. Name of Operator: Hess Corporation

9. OGRID Number: 495

3. Address of Operator: PO Box 840 Seminole TX 79360

10. Pool name or Wildcat: West Bravo Dome CO2 Gas

4. Well Location
Unit Letter J : 1750 feet from the S line and 1700 feet from the E line
Section 14 Township 19N Range 29E NMPM County Harding

11. Elevation *(Show whether DR, RKB, RT, GR, etc.)*: 4531 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Perf prod casing ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1929 141J
04/11/2012
Perforated, on depth, for initial completions of well.
Top Interval (20') 1998' - 2018'
6 JSPF/60° phasing/19 gram/ 0.52" EH/28" Penetration
Bottom Interval (10') 2034' - 2044'
6 JSPF/60° phasing/25 gram/ 0.54" EH/47.3"
Penetration Initial run on depth using OH log to correlate GR.
Used CL to get on depth for second run.

RECEIVED
APR 24 2012
Oil Conservation Division
1220 S. Saint Francis Drive
Santa Fe, NM 87505

Spud Date: 3/22/2012 Rig Release Date: 4/11/2012

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rita C Smith TITLE Engineer Tech DATE 4/17/2012

Type or print name Rita C Smith E-mail address: rsmith@hess.com PHONE: 432-758-6726

For State Use Only

APPROVED BY: Ed Martin TITLE DISTRICT SUPERVISOR DATE 4/25/2012

Conditions of Approval (if any):