C-144

2009

District I
1625 N. Francin Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Name of Company: Elm Ridge Exploration

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr. Office wi
Santa Fe, NM 87505

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Initial Report

Form C-141

Final Report

Revised October 10, 2003

Release Notification and Corrective Action

OPERATOR

Contact: Amy Mackey

				Telephone No.: (505) 632-3476 Ext 201					
Facility Name: Bisti Coal 16-2					Facility Type: Gas Well				
Surface Owner: Federal Mineral Owner:				: Lease No.: E-6597-2					
- -				LOCA	TIO	N OF RE	LEASE		
Unit Letter K	Section 16	Township 25N	Range 12W	Feet from the 1980		South Line FSL	Feet from the 1850	East/West Line FWL	County San Juan
			<u>, , , , , , , , , , , , , , , , , , , </u>	Latitude: 36	39937	1 Longitue	le: -108.119498		
						OF REL	-		
Type of Rele	ase: Produ	ced Water	· · · · · · · · · · · · · · · · · · ·	11/1/1	OIL	Volume of Release: Unknown Volume Recovered: Unknown			
Source of Re	lease: Earth	n Pit				Date and I Historical	lour of Occurrence	Date and	Hour of Discovery: NA
Was Immedi	ate Notice	Given?				If YES, To	Whom?		
			Yes [] No 🛛 Not Ro	equired				
By Whom?						Date and I			
Was a Water	course Rea		Yes ⊠	1 No		If YES, V	olume Impacting t	the Watercourse.	
IC W				_ ·					
ii a waterco	urse was in	npacted, Descr	ibe Fully.	•					
Describe Are Blow sand w composite sa petroleum hy chlorides via	ea Affected yas removed ample was c ydrocarbons USEPA M	and Cleanup A from the eart collected from s (TPH) via US lethod 4500B.	Action Tal hen pit, ar approxima SEPA Met The samp	nd approximately to ately one (1) foot thod 418.1, and in tole returned result	two (2) below t Enviro	cubic yards o he earthen pit tech's laborat the 'Pit Rule	once it was remo ory for benzene as 'standards of 100	ved. The sample nd BTEX via USI mg/kg TPH, 0.2	from the earthen pit. A 5-point was analyzed in the field for total EPA Method 8021 and for total mg/kg benzene, 50 mg/kg BTEX ached for your reference.
regulations a public health should their or the enviro	all operators or the envi operations language.	are required to are required to the ironment. The have failed to	b report and acceptant adequately DCD acceptant	nd/or file certain r ce of a C-141 report investigate and r	elease rort by the emedian	notifications a ne NMOCD m te contaminat	nd perform correct tarked as "Final Rition that pose a thr	ctive actions for re eport" does not re eat to ground wat	rsuant to NMOCD rules and cleases which may endanger clieve the operator of liability er, surface water, human health compliance with any other
	Л	71					OIL CON	SERVATION	N DIVISION
Signature:									
Printed Name: Ms. Amy Mackey Approved by District Supervisor:									
Title: Admir	istrative M	anager				Approval Da	te:	Expiration Date:	
E-mail Addr	E-mail Address: amackey1@elmridge.net				Conditions of Approval:		Attached		
Date:					201				_
Attach Add	itional She	ets If Necess	sarv				-		

District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and results a converte the appropriate NMOCD.

provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or						
Proposed Alternative Method Permit or Closure Plan Application						
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method						
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request						
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances.						
Operator: Elm Ridge Exploration OGRID #: 149052						
Address: P.O. Box 156; Bloomfield, NM 87413						
Facility or well name: Bisti Coal 16-2						
API Number: 3004527764 OCD Permit Number:						
U/L or Qtr/Qtr K Section 16 Township 25N Range 12W County: San Juan						
Center of Proposed Design: Latitude <u>36.399371</u> Longitude <u>-108.119498</u> NAD: □1927 □ 1983						
Surface Owner: Federal State Private Tribal Trust or Indian Allotment						
2. Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover						
Permanent Emergency Cavitation P&A						
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other						
String-Reinforced						
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 10' x W 12' x D 2'						
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)						
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other						
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other						
Liner Seams: Welded Factory Other						
4.						
Below-grade tank: Subsection I of 19.15.17.11 NMAC						
Volume:bbl Type of fluid:						
Tank Construction material:						
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off						
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Not labeled						
Liner type: Thicknessmil						
5. Alternative Method:						

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No
Within 500 feet of a wetland.	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain.	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
☐ Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids,							
facilities are required. Disposal Facility Name:	Disposal Facility Permit Number:						
Disposal Facility Name:	Disposal Facility Permit Number:						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No							
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.							
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Database search; USG	a obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No☐ NA					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells							
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image							
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality							
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site							
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division							
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 							
Within a 100-year floodplain FEMA map		☐ Yes ☐ No					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 9.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							

Operator Application Certification: I hereby certify that the information submitted with this application is true, accur	ate and complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
E-mail address:	Telephone:
OCD Approval: Permit Application (including closure plan) Closure P	an (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date:
Title:	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of to section of the form until an approved closure plan has been obtained and the cl	o implementing any closure activities and submitting the closure report. he completion of the closure activities. Please do not complete this osure activities have been completed.
	☐ Closure Completion Date: 8/18/09
22. Closure Method: Waste Excavation and Removal □ On-Site Closure Method □ Alterna □ If different from approved plan, please explain.	ative Closure Method Waste Removal (Closed-loop systems only)
23. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems</u> <i>Instructions: Please indentify the facility or facilities for where the liquids, drilt two facilities were utilized.</i>	
Disposal Facility Name: Envirotech Landfarm #2	Disposal Facility Permit Number: <u>NM-01-0011</u>
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No	in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation)	ions:
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 	
Closure Report Attachment Checklist: Instructions: Each of the following it	ems must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) see attached	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
☐ Confirmation Sampling Analytical Results (if applicable) see attached ☐ Waste Material Sampling Analytical Results (required for on-site closure)	
Disposal Facility Name and Permit Number Envirotech Landfarm #2, N	M-01-0011
Soil Backfilling and Cover Installation see attached	
Re-vegetation Application Rates and Seeding Technique pursuant to the Site Reclamation (Photo Documentation) see attached	BLM MOU
	ude NAD: 🔲 1927 🔲 1983
25.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requirer	report is true, accurate and complete to the best of my knowledge and nents and conditions specified in the approved closure plan.
Name (Print): Ms. Amy Mackey	Title: Administrative Manager
Signature:	Date:
E-mail address amackey1@elmridge.net	Telephone:

Earthen Pit Closure Checklist

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.

 Closure date for the earth pit located at Bisti Coal 16-2 well site is August 18, 2009.
- 2) In accordance with Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health or the environment.
 - None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.

 None of the earther pits to be closed by Elm Ridge Exploration are deemed an
 - None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.

 Notification was provided to Mr. Brad Jones of the NMOCD Santa Fe Office on August 4, 2009 along with a schedule of on-site activities; see attached Notification Letter.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of the earthen pit closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner will receive notice at least 24 hours prior to the beginning of closure activities.

Notification was provided to the Bureau of Land Management on August 13, 2009; see attached Sundry Notice and Return Receipt.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
 - On August 18, 2009, approximately two (2) cubic yards of production sludge was removed from the earthen pit and disposed of at Envirotech's NMOCD permitted soil remediation facility, Landfarm #2, Permit # NM-01-0011; see attached *Bill of Lading*.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
 - All on-site equipment will be used for the continued operation of the Bisti Coal 16-2 well site; see *Field Sheet* and *Site Photos*.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or show other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

A five (5)-point composite sample was collected of native soil beneath the earthen pit and analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and analyzed in the laboratory for benzene and BTEX via USEPA Method 8021B, and for total chlorides via USEPA Method 4500B. The sample returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg above background total chloride standard, confirming that a release did NOT occur.

NAME	Benzene	BTEX	Chlorides	ТРН
Pit Rule	0.2 mg/kg	50 mg/kg	250 mg/kg	100 mg/kg
Standard				
Earth Pit Comp @ 2'	< 0.0009 mg/kg	0.0193 mg/kg	595 mg/kg	32 mg/kg
Background	NS	NS	405 mg/kg	NS

- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - 1) If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg above background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C

Paragraph (3) NMAC.

i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

Completed Form C-141 is attached for your review.

ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one (1) foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.

Elm Ridge Exploration has backfilled the excavated area with non-waste containing earthen material, and installed a soil cover of at least one (1) foot thick of suitable material to establish vegetation at this site. The soil cover has been graded in such a way that it conforms to the grade of the natural surroundings, and will prevent ponding of water and erosion of the cover material; see attached *Site Photos*.

iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will substantially restore, recontour and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation.

Elm Ridge Exploration has restored, recontoured and re-seeded the excavated area in accordance with BLM standards as outlined in the Memorandum of Understanding (MOU).

- 2) If soil samples exceed the regulatory standards stated above:
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

The five (5)-point composite sample of native soil beneath the earthen pit returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg above background total chloride standard, confirming that a release did NOT occur.

Elm Ridge Exploration Bisti Coal 16-2 Earth Pit Closure 03056-0160 Closure Date: 8/18/09

10) Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, revegetation rates, re-seeding techniques, and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

See attached C-144 Closure Form and attached Form C-141 Release Notification Form. Closure report has been submitted prior to October 18, 2009.



District

060

Home | Help | Sian In

FAQs

Track & Confirm

Track & Confirm

Search Results

Label/Receipt Number: 7007 1490 0000 5398 9305 Service(s): Certified Mail Status: Delivered

Your item was delivered at 10:41 AM on August 13, 2009 in FARMINGTON, NM 87401.

Track & Confirm

Enter Label/Receipt Number.

□ Agent O Addmiss

☐ YGS

102505-32-44-1541

	Notification Options				U.S. Postal Service CERTIFIED MAIL RECEIPT		
	Track & Confirm by Get current event in		or updates for	1 48 4309	(Domestic Mall Only; No Insurance Coverage Provided)		
te Mao	Customer Service	<u>Forms</u>	Govt Sarvices	1000 S3	1.36 Kendla 2.80 03056-0241 Research Research 2.30		
opyright@	2009 USPS. All Rights	Reserved.	No FEAR Act	2490 0	Teles House in From \$ 6,66 - Slm		
ها ت المن المن	: 44 : 44 - 017			7007	Mr. Mark Helly Bureau of Land Management 1235 La Plata Hwy, Ste. A Farmington, NM 87401		
760°			•		PS Form 2004 Avail 2006		

01841 C 030 Bisti Cod 16-2 02056 -0160 COMPLETE THIS SECTION ON DELIVERY COMPLETE THIS SECTION Complete Items 1, 2, and 3. Also complete Bisti Coal 31=1 Item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. @8056 =0176 Attach this card to the back of the insilpiece or on the front if space parmits. address different from 1. Article Addressed to Bisti Coal 29-II YES enter delivery address by Mr. Mark Kelly 03056-0174 NI6 14 7000 Bureau of Land Management 1235 La Plata Hwy, Ste. A Bisti Cood 29=1 formington, NM 87401 R. € . Residence | Moll 3. Service Type 03056 - 0172 Certified Mail CI Registered El:Return:Receipt for Marchandise □ c.o.o. 🖸 insured Mall. Bisti land go com 4. Restricted Delivery? (Extra Fee) 2. Article Number. 03056-0175 7007 1490 0000 5398 9305 (Transfer from service tabel) PS Form 3814, February 2004

Domestic Return Receipt



August 12, 2009

Project No. 03056-0160

Mr. Mark Kelly Bureau of Land Management 1235 La Plata Highway, Suite A Farmington, New Mexico 87401

Phone: (505) 599-8900

RE: BISTI COAL 16-2 EARTH PIT CLOSURE NOTIFICATION

Dear Mr. Kelly,

Please accept this letter and attached Sundry Notice as the necessary surface owner notification for earth pit closure activities at the Bisti Coal 16-2 well site, owned and operated by Elm Ridge Exploration. The Bisti Coal 16-2 well site is located in Unit K, Section 16, Township 25N, Range 12W, San Juan County, New Mexico. Closure activities are scheduled to begin on August 17, 2009 and continue through August 21, 2009.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

James McDaniel

Project Scientist

. jmcdaniel@envirotech-inc.com

Enclosure:

Sundry Notice

Cc:

Client File No. 03056

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED					
OMB No. 1004-0137					
Expires: Inly 31, 2010					

BUR		5. Lease Serial No. E-6597-2 6. If Indian, Allottee or Tribe Name			
SUNDRY N Do not use this t abandoned well.	6. If Indian, Allottee				
SUBMI	T IN TRIPLICATE - Other in	nstructions on page 2.	7. If Unit of CA/Agr	eement, Name and/or No.	
1. Type of Well		, , ,			
Oil Well	Vell Other		8. Well Name and N Bisti Coal 16-2	0.	
Name of Operator Elm Ridge Exploration			9. API Well No. 30-045-27764		
3a. Address PO Box 156 Bloomfield, NM 87413	[3	10. Field and Pool or	Exploratory Area		
4. Location of Well (Footage, Sec., T., 1980 FSL 1850 FWL, K-16-25N-12W, Lat. 36.3	R.M., or Survey Description) 19937 long108.11949			11. Country or Parish, State San Juan County, NM	
12. CHEC	K THE APPROPRIATE BOX	(ES) TO INDICATE NATUR	E OF NOTICE, REPORT OR OT	HER DATA	
TYPE OF SUBMISSION			YPE OF ACTION	***************************************	
	Acidize	Deepen Deepen	Production (Start/Resume)	Water Shut-Off	
✓ Notice of Intent	Alter Casing	Fracture Treat	Reclamation	Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete	Other Closure of an Earth	
	Change Plans	Plug and Abandon	Temporarily Abandon	Pit	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal		
Closure activities are scheduled to	oeing on Monday, August 1	7, 2009 and last through Au	gust 21, 2009.		
14. I hereby certify that the foregoing is t Ms. Amy Mackey	rue and correct. Name (Printed)				
	//	Title Admini	strative Manager	,	
Signature		Date 08/12/2	2009		
<u> </u>	THIS SPACE F	OR FEDERAL OR S	TATE OFFICE USE		
Approved by					
Conditions of approval, if any, are attache that the applicant holds legal or equitable entitle the applicant to conduct operations	title to those rights in the subject			Date	
Title 18 U.S.C. Section 1001 and Title 43			and willfully to make to any departm	ent or agency of the United States any fals	

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

FedEx US Airbill #8 8693 8147 6355	Sementary Sementary
Express 1 From Places point and presspent Date 8/04/09 Sanufer's FedEx Account Number 1519-6147-9	Va. Express Package Sarvice FedEx Standard Overnight FedEx First Overnig
Sender's James McDerie Phone (565) 632-0615 Company ENVIROTECH	FedEx 20ay Second business days Translating That bostness days School business days School bu
Address 3795 HIGHWAY 64 Dept/Recofficial/Room	FedEx 1Day Freight* Next learning Gyr.* Fixing Next learning Gyr.* Fixing Second basiness Gyr.* FedEx 2Day Freight Their basiness Gyr.* Second by Contraster Second by Contraster **The quant locations. **The quant locations.
2 Your Internal Billing Reference G 3056-072 GAL	4b Express Freight Service FedEx (Day Freight* Institution for Fider on Mendal on Me
Recipients Brad Jones Phone 5051476-3487	NOT Available for the first state of the first stat
Recipient's Address We cannot deliver to P.O. boxes or P.O. ZIP codes. Dess./PoorSinherRoom	Shipper's Declaration. mat regulation can be shipped to Fadic peculaging. Cargo Aircraft Only
Address 1220 So. St. Francis Drive To request a package be held at a specific Feder location, print Feder address here. City Santa Fe State NM ZIP 87505	Twill be bled.
0401655171	Total Packages Total Weight Total Declared Values* O S
Store your addresses at tellexicom Simplify your stipping ill dispagaçour account Access all the mole you need	No Signature Required Pertage may be left without obtaining a signature to delivery, Fee applies. Direct Signature Frequency Indirect Signature The creation amplication in the control of the creation and the creation

117

₽



August 4, 2009

Project No. 03056-0241

Mr. Brad Jones New Mexico Oil Conservation Division 1220 South St. Francis Street Santa Fe, New Mexico 87505

Phone (505) 476-3487

RE: EARTH PIT CLOSURE NOTIFICATIONS AND PROPOSED CLOSURE SCHEDULE

Dear Mr. Jones.

Envirotech, Inc., on the behalf of Elm Ridge Exploration, would like to submit this notification to begin closure activities at the below mentioned locations. Attached to this document is a proposed closure schedule for the months of August and September of 2009. Should this schedule be approved by your office, closure activities will begin as scheduled, with surface owner notifications being made at a minimum of 24 hours prior to the beginning of closure activities and a maximum of one (1) week prior to closure activities. Additional closure notifications and schedules will be made prior to beginning any closure activities. This letter will act as the closure notification for the following sites:

Bisti Coal 20-2	Bisti Coal 6-1	Bisti Coal 6-2	Bisti Coal 7-1
Bisti Coal 7 COM 2	Bisti Coal 8 COM 1	Bisti Coal 8L COM 2	Bisti Coal 9-1
Bisti Coal 9 COM 2	Bisti Coal 21-1	Bisti Coal 21 COM 2	Bisti Coal 22-2
Bisti Coal 28-1	Bisti Coal 29-1	Bisti Coal 29-2	Bisti Coal 30 COM 1
Bisti Coal 31-1	Bisti Coal 4-1	Bisti Coal 4 COM 2	Bisti Coal 5 COM 1
Bisti Coal 5K COM 2	Carson 10-332	Buena Suerte 3 G COM 1	Buena Suerte 3 L COM 1
Buena Suerte 32 G COM 1	East Bisti Coal 6-1	Buena Suerte 4 L COM 1	Carson Unit 15 COM 323
Carson Unit 206	Carson Unit 313	Pete Morrow 1	Pete Morrow 2
North Bisti Coal 32M COM 2	North Bisti Coal 31-1	Sam Jackson State COM 1	Jeter COM 2
West Bisti Coal 11 F COM 1	West Bisti Coal 12-1	West Bisti Coal 13-1	West Bisti Coal 11-2
West Bisti Coal 10-2	West Bisti Coal 15-1	West Bisti Coal 14 COM 1	West Bisti Coal 15-2
West Bisti Coal 22-2	West Bisti Coal 23-1	West Bisti Coal 22 COM 1	West Bisti Coal 24-1
West Bisti Coal 24 COM 2	West Bisti Coal 25-1	West Bisti Coal 25 2Y	Jicarilla Apache I-11
Sheila Hixon 1	Bisti Coal 16-2	·	-

Elm Ridge Exploration is proposing to close the earthen pits at the above listed well locations based on the attached closure schedule.

We appreciate the opportunity to be of service. Should you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ames McDanie Project Scientist

medaniel@envirotech-inc.com

ELM RIDGE EXPIORATION

Amy Mackey Administrative Manager

amackey l@climridge.net

Attachments: Closure Schedule August 2009

Sunday	Monday	Tuesday	Wed	Thurs	Friday	Sat
						1
2	3	4	5	6	7	8
:9	10 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	11 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	12 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	13 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	14 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	15
16	17 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 2 Bisti Coal 5 COM 2 Bisti Coal 16-2	18 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 2 Bisti Coal 5 COM 2 Bisti Coal 5 COM 2 Bisti Coal 16-2	19 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	20 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	21 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5 COM 2 Bisti Coal 5K COM 2 Bisti Coal 16-2	22
23	24 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	25 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	26 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	27 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	28 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	29
30	31 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206					

Sun	Monday	Septembe Tuesday	er 2009 Wed	Thurs	Friday	Sat
	,	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	5
6	7 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sarn Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	8 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	9 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	10 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	11 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	12
13	West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 15-2 West Bisti Coal 22-2	15 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	16 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	17 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	19
20	21 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Shella Hixon 1	22 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Shella Hixon 1	23 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Shella Hixon 1	24 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Sheila Hixon 1	25 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25-2 Jicarilla Apache I-11 Shella Hixon 1	26
27	28	29	30			

Elm Ridge Exploration Bisti Coal 16-2 Sec. 16, Twn 25N, Rge 12W Project No. 03056-0160




Photo 1: Bisti Coal 16-2 Well Site Overview




Photo 2: Excavated Area After Backfilling, Recontouring and Re-seeding



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Elm Ridge Exploration

03056-0160

Sample No.:

1

Project #:
Date Reported:

10/12/2009

Sample ID:

Earth Pit Comp @ 2' BGS

ed:

10/12/2000

Sample Matrix:

Soil

Date Sampled: Date Analyzed:

8/18/2009 8/18/2009

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

32

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Bisti Coal 16-2

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Apalyst

James McDaniel

Printed

Greg Crabtree

Printed



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

_		_	
Cal	1	വ	ta:

18-Aug-09

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
TPH	100	•	
	200	195	
	500		
•	1000		·

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

	10/12/09
Analyst	Date '
James McDaniel	
Print Name	
Muz Calk	10 /12/09
Review	Date
Grea Crahtree	

Print Name



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ElmRidge	Project #:	03056-0160
Sample ID:	Earth Pit Comp @ 2'	Date Reported:	08-24-09
Laboratory Number:	51343	Date Sampled:	08-18-09
Chain of Custody:	7775	Date Received:	08-18-09
Sample Matrix:	Soil	Date Analyzed:	08-21-09
Preservative:	Cool	Date Extracted:	08-20-09
Condition:	Intact	Analysis Requested:	BTEX

,		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)
Benzene	ND	0.9
Toluene	6.1	1.0
Ethylbenzene	1.2	1.0
p,m-Xylene	7.6	1.2
o-Xylene	4.4	0.9
Total BTEX	19.3	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Bisti Coal 16-2

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	08-21-BT QA/QC	Date Reported:	08-24-09
Laboratory Number:	51360	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-21-09
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal-RF:	C-Cal RF: Accept. Rang	4.0	Blank Conc	Detect.
Benzene	4.0830E+006	4.0912E+006	0.2%	ND	0.1
Toluene	3.7996E+006	3.8072E+006	0.2%	ND	0.1
Ethylbenzene	3.3761E+006	3.3829E+006	0.2%	ND	0.1
p,m-Xylene	8.7153E+006	8.7328E+006	0.2%	ND	0.1
o-Xylene	3.2336E+006	3.2401E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Di	uplicate	%Diff.	Accept Range	Detect. Limit
Benzene	3.9	3.6	7.7%	0 - 30%	0.9
Toluene	9.0	9.4	4.4%	0 - 30%	1.0
Ethylbenzene	8.3	7.7	7.2%	0 - 30%	1.0
p,m-Xylene	17.7	17.3	2.3%	0 - 30%	1.2
o-Xylene	11.4	10.6	7.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	3.9	50.0	53.1	98.5%	39 - 150
Toluene	9.0	50.0	58.5	99.2%	46 - 148
Ethylbenzene	8.3	50.0	56.8	97.4%	32 - 160
p,m-Xylene	17.7	100	109	92.4%	46 - 148
o-Xylene	11.4	50.0	59.7	97.2%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 51330 - 51334, 51343, 51345, 51347, and 51360.

Analyst

Review



Chloride

Client: Elm Ridge Project #: 03056-0160 Sample ID: Earth Pit Comp @ 2' Date Reported: 08-26-09 Lab ID#: 51343 Date Sampled: 08-18-09 Sample Matrix: Soil Date Received: 08-18-09 Preservative: Date Analyzed: 08-20-09 Cool Condition: Intact Chain of Custody: 7775

Parameter Concentration (mg/Kg)

Total Chloride

595

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Bisti Coal 16-2.

Analyst

Review

CHAIN OF CUSTODY RECORD

777

	Project Name / Location: Bisti Coal 16-2 Sampler Name								ANALYSIS / PARAMETERS													
Client Address:	1	S	Sampler Name: Sampler Name: Client No.: 03056	anic	./	1			8015)	1 8021)	8260)	S			0							
Client Phone No.:		С	O 3056	-01	60	1			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		TPH (418.1)	RIDE			Sample Cool	Sample Intact
Identification	Date	Sample	Lab No.	S	ample ⁄latrix	No./Volume of Containers	Prese	ervati v e HCI	ТРН (ВТЕХ) 00 00	RCR.∕	Cation	22	TCLP	РАН	TPH (CHLORIDE			Samp	Samp
ESMEARTH PITE	118/09	1430	51343	Solid	Sludge Aqueous	1/402		X		X								X			X	X
T				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous										:							
Relinquished by: (Signatu	ire)				Date 8/18/0	ILTERS	TICH	eceive	d by:	(Sign:	ature)	Sel	\sim	M 63	\sim	· \			8/1	ate 8/09	Tir	ne ∹ 5⊊
Relinquished by: (Signatu	ire)				111010		R	eceive	d by:	(Signa	ature)	-10	<i></i> /	4	Z (M			-			IL	:58
Relinquished by: (Signatu	ıre)		-,			<u> </u>	R	eceive	d by:	(Signa	ature)											



Chloride

Client:	Elm Ridge	Project #:	03056-0160
Sample ID:	Background	Date Reported:	10-01-09
Lab ID#:	51848	Date Sampled:	09-25-09
Sample Matrix:	Soil	Date Received:	09-25-09
Preservative:	Cool	Date Analyzed:	09-29-09
Condition:	Intact	Chain of Custody:	8067

Parameter

Concentration (mg/Kg)

Total Chloride

405

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Earth Pit Closure / Bisit Coal 16-2.

CHAIN OF CUSTODY RECORD

8067

Client: ElmRidge		Project Name / Location: Fath Pit Closure Bist; Coal Sampler Name: Ion; Mchnight Client No.:											ANAL	YSIS /	/ PAR	AMET	ΓERS	 				
Client Address:		S	ampler Name:	Chn	ght				8015)	BTEX (Method 8021)	8260)	<u>8</u>	_		0							
Client Phone No.:		C	Client No.:	-016	òÒ				TPH (Method 8015)	(Metho	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		with H/P		TPH (418.1)	RIDE	,		Sample Cool	Sample Intact
Sample No./ Identification	Sample Date	Sample Time	Lab No.		ample Matrix	No./Volume of Containers			HEL	ВТЕХ) 000	RCRA	Cation	짍	TCLP	PAH	ТРН (CHLORIDE			Samp	Samp
Background	1/25/09	14:20	51848	Soil Solid	Sludge Aqueous	1/402		V										V		,	X	\times
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous	}																
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	·
				Soil Solid	Sludge Aqueous													_				
				Soil Solid	Sludge Aqueous														Σ,			
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
Relinquished by: (Signa	ature)		>		Date / 25/6	Time 15:45	P	eceiv	ed by:	(Sign	ature)	uhr.	m	A.F	V `	`			9/2	ate 5/09	Tir 15	ne 45
Relinquished by: (Signa	ature)						Re	eceiv	ed by:	(Sign	ature)		1									
Relinquished by: (Signa	ature)						Re	eceiv	ed by:	(Sign	ature)											
	· · ·				3	en	V i	rtic	o t	e	C	h ry	, , , ,						1			



5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com

				• 5	ż			
	09			•	D'LCC (300) 362-18 armington, MM 8		ENVIRON LAT: LONG:	MENTAL SPECIALIST:
		EPORT:	BGT / P	IT CLOS	STIRE VE	RIFICAT	- Fire	
LOCATION: NAME: B		1 1/	WELL#:	2	TEMP PIT:		ENT PIT:	✓ BGT:
LEGAL ADD: UNIT:		SEC:	<u>,</u>	TWP: 2	SN	RNG:		PM: NMPM
QTR/FOOTAGE: 1980`	FSL 18	SO' FWL	CNTY:	San Ju	ท	ST: Nev	~ Mex	()(0
EXCAVATION APPROX:) (FT. X	12	FT. X	2 Below	FT. DEEP	CUBIC YA	RDAGE:
DISPOSAL FACILITY:	Envice	etech 1	FAR		TION METHO		Farm	
LAND OWNER: CONSTRUCTION MATERIA	T. + 11			04527	7763 VITH LEAK I	BGT / PIT V		
LOCATION APPROXIMATE		^	FT.		FROM WELL		1: 10/1	
DEPTH TO GROUNDWATE	•	/	II.	30	TROW WELL	лидр		
TEMPORARY PIT - GR					***************************************			
BENZENE ≤ 0.2 mg/kg, B	TEX ≤ 50 mg/l	kg, GRO & DR	O FRACTIO	$N(8015) \le 50$	0 mg/kg, TPH ($(418.1) \le 2500$	mg/kg, CHL	ORIDES ≤ 500 mg/kg
TEMPORARY PIT - GR								
BENZENE ≤ 0.2 mg/kg, B7		g, GRO & DRO) FRACTION	$N(8015) \le 500$	0 mg/kg, TPH (4	118.1) ≤ 2500	mg/kg, CHL(ORIDES ≤ 1000 mg/kg
PERMANENT PIT OR I								
BENZENE ≤ 0.2 mg/kg, B	$TEX \le 50 \text{ mg/s}$	kg, TPH (418.1)) ≤ 100 mg/kg	_				
	TIME	SAMPLE I.D.	LAB NO.	FIEL WEIGHT (g	D 418.1 ANAL mL FREON	YSIS DILUTION	READING	CALC. (mg/kg)
		200 STD	LA LO IVO.	-	- <u>-</u>	-	195	
		2 Below	2	S	20	4	(3)	32
			3					
	 		5	7	1 1 2 2 2 2 2			
•			6		egy es			
PERIMI	ETER		FIELD C	HLORIDE	S RESULTS		PRO	PFILE
1N M	SED TO SE	Garth; Pit;	SAMPLE ID 2 Byles Byckgrund	READING PID RESUI	CALC. (mg/kg) SCC 4CC) TS		10] 12
	BMR	inach grand	SAMI	PLEID Selcu STO	RESULTS (ppm) O-O 93.2	T	fore	C) (000)
						21	X- X-	7716"
LAB SAMPLES SAMPLE ID ANALYSIS BENZENE BTEX GRO & DRO CHLORIDES	RESULTS	NOTES:	·R#		WHO ORDER	ŒD		



Bill of Lading

MANIFEST #_______34071

HON	HONE: (505) 632-0615 • 5796 U.S. HIGHWAY 64 • FARMINGTON, NEW MEXICO 87401 DATE 8 19 09 JOB# 03056 - 0(60)												
LOAD	CÓN	MPLETE DESCR	IPTION OF SHIF	PMENT			TRANSPORTING COMPANY						
NO.	POINT OF ORIGIN	DESTINATION	MATERIAL	GRID	YDS	BBLS	COMPANY	TRK#	TIME	DRIVER SIGNATURE			
1	Elmridge Bisti Coal 16#2	LFII	CONIT	A22	a	_	4-4	70	950	Telman			
	16#2				/				,				
			·	,	1								
					•								
		,											
ESULT	1	LANDFARM EMPLOYEE:	Ceryk	abunsa	gr		NOTES: ENTE	RED	AUG 2	1 2009			
•	PAINT FILTER / TEST				.	(COR)				·			
nat no a	the material hauled from the additional materials have been	en added."											
IAME =	John mikinney		COMPANY	Four-	Far	···	SIGN	IATURE		mis			
OMPA	OMPANY CONTACT MACK PHONE 327-2711 DATE 8-19.09												

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	4
District II 1301 W. Grand Avenue, Artesia, NM 88210 District III	7
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV	J
1220 S. St. Françis Pr. Santa Fe, NM 87505	07

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and

provide a copy to the appropriate NMOCD District Office.

Pit. Closed-Loop System, Below-Grade Tank, or


Description of the state of the								
Proposed Alternative Method Permit or Closure Plan Application								
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method								
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request								
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.								
Operator: Elm Ridge Exploration OGRID #: 149052								
Address: P.O. Box 156; Bloomfield, NM 87413								
Facility or well name: Bisti Coal 16-2								
API Number: 3004527764 OCD Permit Number:								
U/L or Qtr/Qtr K Section 16 Township 25N Range 12W County: San Juan								
Center of Proposed Design: Latitude 36.399152 Longitude -108.119515 NAD: ☐1927 ☒ 1983								
Surface Owner: Federal State Tribal Trust or Indian Allotment								
2. Ceased Operating Prior to June 16, 2008								
☑ <u>Pit</u> : Subsection F or G of 19.15.17.11 NMAC								
Temporary: Drilling Workover								
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A								
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other								
String-Reinforced								
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 10' x W 10' x D 2'								
3.								
Closed-loop System: Subsection H of 19.15.17.11 NMAC								
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)								
Drying Pad Above Ground Steel Tanks Haul-off Bins Other								
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other								
Liner Seams: Welded Factory Other								
4. Below-grade tank: Subsection I of 19.15.17.11 NMAC								
Volume:bbl Type of fluid:								
Tank Construction material:								
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off								
Visible sidewalls and liner Visible sidewalls only Other								
Liner type: Thicknessmil								
5. Alternative Method:								
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.								

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)							
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,							
institution or church)	ospiiai,						
Four foot height, four strands of barbed wire evenly spaced between one and four feet							
Alternate. Please specify 4' hogwire fencing with pipe top railing							
7.							
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)							
Screen Netting Other							
Monthly inspections (If netting or screening is not physically feasible)							
8. Signs: Subsection C of 19.15.17.11 NMAC							
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers							
Signed in compliance with 19.15.3.103 NMAC							
M Signed in Compilance with 17.13.3.103 NWIAC							
Administrative Approvals and Exceptions:							
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:							
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of	office for						
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.							
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No						
lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.							
 (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	□ NA						
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.							
Within 500 feet of a wetland.	☐ Yes ☐ No						
Within the area overlying a subsurface mine.							
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No						
Society; Topographic map	☐ Yes ☐ No						
Within a 100-year floodplain. FEMA map							
	☐ Yes ☐ No						

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Treviously Approved Besign (and on eopy of design) The Trumber.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Preeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.							
Disposal Facility Name:	Disposal Facility Permit Number:						
Disposal Facility Name:	Disposal Facility Permit Number:						
Will any of the proposed closed-loop system operations and associated activities of ☐ Yes (If yes, please provide the information below) ☐ No							
Required for impacted areas which will not be used for future service and operatio Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMA I of 19.15.17.13 NMAC	C					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC states.	e administrative approval from the appropriate dist Bureau office for consideration of approval. Just	rict office or may be					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No					
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site							
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approv	•	☐ Yes ☐ No					
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visua	al inspection (certification) of the proposed site	☐ Yes ☐ No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☐ No					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	y & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No					
Within a 100-year floodplain FEMA map		☐ Yes ☐ No					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC							

19. A							
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate	and complete to the best of my knowledge and belief.						
Name (Print): Ms. Amy Mackey	Title: Administrative Manager						
Signature: Au ackle	Date: 1-27-09						
E-mail address: amackeyl@elmridge.net	Telephone: (505)632-3476 Ext. 201						
20. OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan	(only) OCD Conditions (see attachment)						
OCD Representative Signature: Challes	Approval Date: 2/19/2009						
OCD Representative Signature: Only Charges Title: Environmental Engineer (OCD Permit Number:						
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:							
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain.	ve Closure Method Waste Removal (Closed-loop systems only)						
23. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems T</u> <i>Instructions: Please indentify the facility or facilities for where the liquids, drillin two facilities were utilized.</i>							
l I I I I I I I I I I I I I I I I I I I	Disposal Facility Permit Number:						
	Disposal Facility Permit Number:						
Were the closed-loop system operations and associated activities performed on or in Yes (If yes, please demonstrate compliance to the items below) No							
Required for impacted areas which will not be used for future service and operation	s:						
Site Reclamation (Photo Documentation)							
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique							
24. Closure Report Attachment Checklist: Instructions: Each of the following item	s must be attached to the closure report. Please indicate, by a check						
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)	·						
Proof of Deed Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)							
Plot Plan (for on-site closures and temporary pits)							
Confirmation Sampling Analytical Results (if applicable)							
☐ Waste Material Sampling Analytical Results (required for on-site closure) ☐ Disposal Facility Name and Permit Number							
Soil Backfilling and Cover Installation							
Re-vegetation Application Rates and Seeding Technique							
☐ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitud	e NAD: 🔲 1927 🔲 1983						
	NAD. [1727] 1703						
25. Operator Closure Certification:							
I hereby certify that the information and attachments submitted with this closure rep belief. I also certify that the closure complies with all applicable closure requirement							
Name (Print):	Title:						
Signature:	Date:						
E-mail address:	Telephone:						



EARTHEN PIT CLOSURE PLAN

SITE NAME:

BISTI COAL 16-2
UNIT LETTER K, SECTION 16, TOWNSHIP 25N, RANGE 12W
SAN JUAN COUNTY, NEW MEXICO
LATITUDE 36.399152 LONGITUDE -108.119515

SUBMITTED TO:

MR. WAYNE PRICE
NEW MEXICO OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87505
(505) 476-3490

SUBMITTED BY:

Ms. Amy Mackey
ELM RIDGE EXPLORATION
P.O. Box 156
BLOOMFIELD, NEW MEXICO 87413
(505) 632-3476 Ext. 201

JANUARY 2009

EARTHEN PIT CLOSURE PLAN ELM RIDGE EXPLORATION BISTI COAL 16-2 SAN JUAN COUNTY, NEW MEXICO

TABLE OF CONTENTS

<u>INTRODUCTION</u>	
SCOPE OF CLOSURE ACTIVITIES	1
REPORTING.	3

Introduction

Elm Ridge Exploration would like to submit a closure plan for the earthen pit at the Bisti Coal 16-2 well site located in the NE ¼ SW ¼ of Section 16, Township 25N, Range 12W, San Juan County, New Mexico. This closure plan has been prepared in conformance with the closure requirements of 19.15.17.13 NMAC.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the permanent unlined pit at the Bisti Coal 16-2 well site. The following scope of closure activities has been designed to meet this objective:

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.
- 2) In accordance with of Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health, or the environment.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of

closure activities.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids, and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored, or show other evidence of a release. All samples being collected will be analyzed for benzene, and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - a. If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
 - ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.
 - iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a

contractor acting on behalf of Elm Ridge Exploration, will substantially restore, re-contour, and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation. For re-vegetation methods, please see attached re-vegetation plan.

b. If soil samples exceed the regulatory standards stated above.

- i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
- ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.

REPORTING

Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-3476 Ext. 201.

Respectfully Submitted:

Elm Ridge/Exploration

Amy Mackey

Elm Ridge Exploration

Elm Ridge Exploration

Re-Seeding Techniques and Seed Mixture Ratios

These applied practices by Elm Ridge Exploration will at a minimum comply with the New Mexico Oil Conservation Divisions rule 19.15.17.13, Subsection I NMAC Elm Ridge Exploration has adopted these re-seeding application techniques, ratios and mixtures as their standard operating procedures.

- 1. The first growing season after closure of a below grade tank or pit, all areas of the well site not utilized for the production of oil and/or gas on a daily basis will be re-seeded with the specified seed mixture.
- 2. The seed mixture used will be certified with no primary or secondary noxious weeds in seed mixtures. The seed labels from each bag shall be available for inspection while seed is being sown.
- 3. The operator shall accomplish seeding by drilling on the contour whenever practical or by other division-approved methods. The operator shall obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
- 4. Hand seeding with hydro-mulch, excelsior netting or mulch with netting is required on the cut/fill slopes. Mulch will be spread at a rate of 2,000-3,000 pounds per acre.
- 5. Compacted areas determined by visual inspection will be ripped to a depth of twelve (12) inches below ground surface and disked to a depth of six (6) inches before seeding. Seeding shall be done with a disk type drill with two (2) boxes for various seed sizes. The drill rows shall be eight (8) to ten (10) inches apart. Seed shall be planted at no less than one-half (1/2) inch deep or more than one (1) inch deep. The seeder shall be followed with a drag, packer, or roller to ensure uniform coverage of the seed and adequate compaction. Drilling shall be done on the contour where possible, but not up and down the slope.
- 6. Where slopes are too steep for contour drilling a hand seeder shall be used. Seed shall be covered to the depth stated above by whatever means is practical. If the seed is unable to be covered by the means listed above, the prescribed seed mixture amount will be doubled.

- 7. Elm Ridge Exploration shall repeat seeding or planting until it successfully achieves the required vegetative cover of 70% of the native perennial vegetation cover.
- 8. Upon abandonment of a well site, if the retention of the access road is not considered necessary for the management and multiple uses of the natural resources, or by the surface owner, it will be ripped a minimum of twelve (12) inches in depth. After ripping, water bars will be installed. All ripped surfaces are to be protected from vehicular travel by construction of a dead end ditch and earthen barricade at the entrance to these ripped areas. Re-seeding of areas affected by the ditch and barriers will be re-seeded if necessary.
- 9. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will inform the division once successful re-vegetation has occurred.