$\mathbf{C-144}$

. . .

· · ·

2009

· · · · · :

						ŧ. , 1				
<u>District I</u> 1625 N. French I <u>District II</u> 1301 W. Grand A						New Mex and Natura	ico 1 Resources			Form C-1 Revised October 10, 2
District III 1000 Rio Brazos District IV 1220 S. St. Franc	Road Atter,	NE 18/4FroD	ÓCE	1220	South	vation Div St. Franc	is Dr.			Submit 2 Copies to appropri District Office in accorda with Rule 116 on b side of fo
		UT Z9	A 14. 1			, NM 875	orrective A	a4' a m		
	1001		Rele	ase noting				ction		
Name of Co	mpany: Elm	n Ridge Ext	ploration			OPERAT			Initia	ll Report 🛛 Final Re
Address: PO	Box 156, I	Bloomfield,		-13	-	[[] Felephone N	No.: (505) 632-3	476 Ext 20)1	
Facility Nam	e: Carson 1	10-332			. 1	Facility Typ	e: Gas Well			
Surface Owr	er: Federal			Mineral (Owner:			L	ease N	lo.: NM 070322
				LOCA	ATION	OF REI	LEASE			
Unit Letter G	Section 10	Township 25N	Range 12W	Feet from the 1990		South Line FNL	Feet from the 1650	East/West FEL	Line	County San Juan
				Latitude <u>36.4</u>	17478	_ Longitu	ıde <u>-108.09558</u>	2		
				NAT	URE	OF REL				
Type of Relea Source of Rele							Release: Unknov lour of Occurrenc			ecovered: Unknown Hour of Discovery: NA
						Historical				
Was Immedia	te Notice Gr		Yes	No 🛛 Not R	equired	If YES, To	Whom?			
By Whom?	<u> </u>					Date and Hour				
				If YES, Vo	olume Impacting t	he Watercou	arse.			
If a Watercou	rse was Impa	acted, Descri	ibe Fully.*			1				
	er from a gas	s well at the	above mei				nto an earthen pit	on location.	The w	ell has been altered to no
point composi (TPH) via US Method 4500l chlorides, con	is removed fraction is removed fraction is sample with the samp B. The samp firming that	rom the earth as collected d 418.1, and ble returned r a release had	nen pit, an from bene in Envirot results belo d not occu	d approximately ath the pit once i ech's laboratory ow the 'Pit Rule' rred. Analytical	t was ren for benze standard results a	noved. The sene and BTE is of 100 mg/ re attached for	sample was analyz X via USEPA Me /kg TPH, 0.2 mg/k or your reference.	thod 8021 a thod 8021 a g benzene,	eld for t nd for 1 50 mg/	rom the earthen pit. A five (otal petroleum hydrocarbons total chlorides via USEPA kg BTEX and 250 mg/kg tota
regulations all public health of should their of	operators and or the enviro perations hav ment. In add	re required/k nment. The ve failed to a dition, VMO	o report an acceptanc idequately CD accep	d/or file certain r e of a C-141 repo investigate and r	elease no ort by the emediate	otifications and NMOCD m contaminati	nd perform correct arked as "Final R ion that pose a thre	tive actions eport" does eat to ground	for rele not reli d water	uant to NMOCD rules and eases which may endanger eve the operator of liability , surface water, human health ompliance with any other
Signature:	Æ,	/L					<u>OIL CON</u>	<u>SERVAT</u>	<u>'ION</u>	DIVISION
Printed Name	: Ms. Amy N	Aackey				Approved by	District Supervise	or:		
Title: Administrative Manager A			Approval Dat	te:	Expi	ration 1	Date:			
10/20/00			Conditions of	f Approval:			Attached			
Date:	1001		Phone: 50	05-632-3476 Ext	201					

.

* Attach Additional Sheets If Necessary

.

; ~

э

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

r

.

1

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Ÿ

۲

For temporary pits, closed-loop systems, and
below-grade tanks, submit to the appropriate
NMOCD District Office.
For permanent pits and exceptions submit to
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and
provide a copy to the appropriate NMOCD
District Office.

Pit, Closed-Loop System, Below-Grade Tank, or						
Proposed Alternative Method Permit or Closure Plan Application						
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,						
below-grade tank, or proposed alternative method						
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request						
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.						
Operator: Elm Ridge Exploration OGRID #: 149052						
Address: P.O. Box 156; Bloomfield, NM 87413						
Facility or well name: Carson 10-332						
API Number: <u>3004527667</u> OCD Permit Number:						
U/L or Qtr/Qtr <u>G</u> Section <u>10</u> Township <u>25N</u> Range <u>12W</u> County: <u>San Juan</u>						
Center of Proposed Design: Latitude <u>36.417478</u> Longitude <u>-108.095582</u> NAD: □1927 ⊠ 1983						
Surface Owner: 🛛 Federal 🗋 State 🗋 Private 📋 Tribal Trust or Indian Allotment						
2. > Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover > Permanent Emergency Cavitation > Lined Unlined Liner type: Thickness > String-Reinforced Liner Seams: Welded Factory Other > Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other						
4 Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Tank Construction material: bbl Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other						
5. Alternative Method:						
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pils, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify_

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen 🛛 Netting 🗋 Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

 Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 				
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).0. Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) (☐ Yes ☐ No ☐ NA			
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	• •			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No ☐ NA			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	🗌 Yes 🗌 No			
Within 500 feet of a wetland.	□ Yes □ No			
Within the area overlying a subsurface mine.				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No			
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No			
	🗌 Yes 🗌 No			
	🗌 Yes 🗌 No			

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are						
 attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC 						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
Previously Approved Design (attach copy of design) API Number: or Permit Number:						
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
 Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 						
Previously Approved Design (attach copy of design) API Number:						
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)						
13.						
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
 Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC 						
 Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC 						
 Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC 						
 Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan 						
 Quarky Construction and Maintenance Construction and Instantion 1 and Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC 						
Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan						
 Emergency Response Plan Oil Field Waste Stream Characterization 						
 Monitoring and Inspection Plan Erosion Control Plan 						
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
14. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.						
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System						
Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)						
 On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial 						
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
15. <u>Waste Excavation and Removal Closure Plan Checklist</u> : (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.						
 Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC 						
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 						
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 						

÷ 3

F 1

,

^{16.} Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if a					
facilities are required.					
Disposal Facility Name: Disposal Facility Permit Number:					
Disposal Facility Name: Disposal Facility Permit Number:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server Yes (If yes, please provide the information below) No	vice and operations?				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	с				
^{17.} <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA				
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No				
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No				
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No				
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗋 Yes 🗌 No				
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗋 Yes 🗌 No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗌 No				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No				
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No				
 18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure play a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC 					

 Waste Material Sampling Flat - based upon the appropriate requirements of Subsection F of 19:15:17:15
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19:15:17:13 NMAC
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19:15:17:13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19:15:17:13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

19.
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
E-mail address: Telephone:
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date:
Title: OCD Permit Number:
^{21.} <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date: 8/31/09
22. Closure Method: ⊠ Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-loop systems only) □ If different from approved plan, please explain.
^{23.} <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: <u>Envirotech Landfarm #2</u> Disposal Facility Permit Number: <u>NM-01-0011</u>
Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?
\square Yes (If yes, please demonstrate compliance to the items below) \square No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24.
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) See Attached Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) See Attached Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Envirotech Landfarm #2 NM-01-0011 Soil Backfilling and Cover Installation See Attached Re-vegetation Application Rates and Seeding Technique See Attached Site Reclamation (Photo Documentation) See Attached Site Reclamation (Photo Documentation
On-site Closure Location: Latitude Longitude NAD: 1927 1983
25. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure completes with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print):Ms. Amy Mackey Title: Administrative Manager
Signature: Date: D
E-mail address:amackey1@elmridge.net Telephone:(505) 632-3476 ext. 201

. .

· ·

`

Earthen Pit Closure Checklist

- Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division (NMOCD) of December 31, 2009.
 Closure date for the earth pit located at the Carson 10-332 well site is August 31, 2009.
- 2) In accordance with Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health or the environment.

None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.

3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
None of the conthen pits to be closed by Elm Didge Exploration are deemed and the sources.

None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.

- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC. Notification was provided to Mr. Brad Jones of the NMOCD Santa Fe Office on August 4, 2009, along with a schedule of on-site activities; see attached Notification Letter.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of onsite activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of the earthen pit closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal office. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner will receive notice at least 24 hours prior to the beginning of closure activities.

Notification was provided to the Bureau of Land Management on August 26, 2009; see attached *Sundry Notice* and *Return Receipt*.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B, or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
 On August 31, 2009, approximately four (4) cubic yards of production sludge were removed from the earthen pit and disposed of at Envirotech's NMOCD permitted soil remediation facility, Landfarm #2, Permit # NM-01-0011; see attached Bill of Lading.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.

All on-site equipment will be used for the continued operation of the Carson 10-332 well site; see attaced *Field Sheet* and *Site Photographs*.

8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or show other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

A five (5)-point composite sample was collected of native soil beneath the earthen pit and analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and analyzed in the laboratory for benzene and BTEX via USEPA Method 8021B, and for total chlorides via USEPA Method 4500B. The sample returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

NAME	Benzene	BTEX	Chlorides	ТРН
Pit Rule	0.2 mg/kg	50 mg/kg	250 mg/kg	100 mg/kg
Standard				
1' Below Pit	0.0066 mg/kg	0.0272 mg/kg	185 mg/kg	16 mg/kg

9) Depending on soil sample results the area will be either backfilled or the area will be excavated.

1) If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

Completed Form C-141 is attached for your review.

ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one (1) foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.

Elm Ridge Exploration has backfilled the excavated area with nonwaste containing earthen material, and installed a soil cover of at least one (1) foot thick of suitable material to establish vegetation at this site. The soil cover has been graded in such a way that it conforms to the grade of the natural surroundings, and will prevent ponding of water and erosion of the cover material; see *Site Photographs*.

iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will substantially restore, recontour and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation.

Elm Ridge Exploration has restored, recontoured and re-seeded the excavated area in accordance with BLM standards as outlined in the Memorandum of Understanding (MOU).

- 2) If soil samples exceed the regulatory standards stated above:
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

The samples of native soil beneath the earthen pit returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

10) Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques, and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

See attached C-144 Closure Form and attached Form C-141 Release Notification Form. Closure report has been submitted prior to October 31, 2009.

		÷
FedEx US Airbill 8693 8147 6355	inurse a. 0215 Sauars@ay	(j)
1 From messade and prograded Sender's FedEx Date 8/04/09 Sender's FedEx Account Number 1519-6147-9 Sender's James McDanie Phone (565)632-0615	4a Express Package Service Packages up to 159 lbs. 5odEX Priority Overright FedEx Standard Overright FedEx First Overright 1000000000000000000000000000000000000	<u>ت</u> ، ، . ا
Company ENVIROTECH Address 3796 HIGHWAY 64 Dept/RecrSabe/Room	40 L right service Packages over 150 lbs. 1 FedEx 1Day Freight FedEx 2Day Freight 1 Instantandor, "Frage FedEx 2Day Freight 2 Second babase de," Therefore Ted babase de," 3 Second babase de," Therefore Ted babase de," 5 Packaging "The met fording."	
City FARMINGTON State NM ZP B7401 2 Your Internal Billing Reference 03056-0°*2'4'1 3 3 To Recipients Brad Jones Phone (565)476-3487	K FedEx FedEx Other Envelope* FedEx Pat* FedEx Dots 6 Special Handling Include FedEx Constraints Include FedEx dedress in Section 3. NOT Available for HOLD Waskday HOLD Sector FedEx for Downlatt fedex bones FedEx for Downlatt fedex bones HOLD Waskday NOT Available for NOT Available for Available ONLY for FedEx for Downlatt fedex bones FedEx first Overlatt FedEx Market Sector Does the sitement contain dangerous contain Genes the sitement contain dangerous contains FedEx first Overlatt and Fedex bones One back market contained townlated. One back contained townlated. FedEx first Overlatt and Fedex bones	
Company N. M. Oil Conservation Division Recipient's Address We cannot define to P.O. DP actes. Dept/PoorSiturPoon Dept/PoorSiturPoon	Consist that experience constant consequences general One back constant back checking general One back constant back checking constant	-
Address 1220 So. St. Francis Drive To regulat a particle bit bit of a specific badden prin Fader address ben. Cay Sante Fe State NM 219 87505 0401655191	Fords Acce, No. Exp. DetR Genities. Exp. Total Procisages Total Weight Total Procisages Total Weight Total Procisages Total Weight Total Procisage S .00 .00	۱ ، ب
Store your addresses at ledex com Sinpury Jourse oping Manage your account Access all the male you need!	8 Residential Delivery Signature Options If you regain a adjusture, chack black or indirect. No Signature Direct Signature If more is signature Required Semicors is technicit. If more is signature Precises my task to the signature statement. If more is signature to constant a signature statement. If more is signature statement. Industry is a signature to constant a signature to constant a signature to constant. If more is signature statement. If more is signature statement. Industry is a signature to constant. If more is signature statement. If more is signature statement. If more is signature statement.	ب ب



August 4, 2009

Project No. 03056-0241

Mr. Brad Jones New Mexico Oil Conservation Division 1220 South St. Francis Street Santa Fe, New Mexico 87505

Phone (505) 476-3487

RE: EARTH PIT CLOSURE NOTIFICATIONS AND PROPOSED CLOSURE SCHEDULE

Dear Mr. Jones,

Envirotech, Inc., on the behalf of Elm Ridge Exploration, would like to submit this notification to begin closure activities at the below mentioned locations. Attached to this document is a proposed closure schedule for the months of August and September of 2009. Should this schedule be approved by your office, closure activities will begin as scheduled, with surface owner notifications being made at a minimum of 24 hours prior to the beginning of closure activities and a maximum of one (1) week prior to closure activities. Additional closure notifications and schedules will be made prior to beginning any closure activities. This letter will act as the closure notification for the following sites:

Bisti Coal 20-2 Bisti Coal 7 COM 2 Bisti Coal 9 COM 2 Bisti Coal 28-1 Bisti Coal 31-1 Bisti Coal 5K COM 2 Buena Suerte 32 G COM 1 Carson Unit 206 North Bisti Coal 32M COM 2	Bisti Coal 6-1 Bisti Coal 8 COM 1 Bisti Coal 21-1 Bisti Coal 29-1 Bisti Coal 4-1 Carson 10-332 East Bisti Coal 6-1 Carson Unit 313 North Bisti Coal 31-1	Bisti Coal 6-2 Bisti Coal 8L COM 2 Bisti Coal 21 COM 2 Bisti Coal 29-2 Bisti Coal 4 COM 2 Buena Suerte 3 G COM 1 Buena Suerte 4 L COM 1 Pete Morrow 1 Sam Jackson State COM 1	Bisti Coal 7-1 Bisti Coal 9-1 Bisti Coal 22-2 Bisti Coal 30 COM 1 Bisti Coal 5 COM 1 Buena Suerte 3 L COM 1 Carson Unit 15 COM 323 Pete Morrow 2 Leter COM 2
Bisti Coal 5K COM 2	Carson 10-332	Buena Suerte 3 G COM 1	
Buena Suerte 32 G COM 1	East Bisti Coal 6-1	Buena Suerte 4 L COM 1	Carson Unit 15 COM 323
Carson Unit 206	Carson Unit 313	Pete Morrow 1	Pete Morrow 2
North Bisti Coal 32M COM 2	North Bisti Coal 31-1	Sam Jackson State COM 1	Jeter COM 2
West Bisti Coal 11 F COM 1	West Bisti Coal 12-1	West Bisti Coal 13-1	West Bisti Coal 11-2
West Bisti Coal 10-2	West Bisti Coal 15-1	West Bisti Coal 14 COM 1	West Bisti Coal 15-2
West Bisti Coal 22-2	West Bisti Coal 23-1	West Bisti Coal 22 COM 1	West Bisti Coal 24-1
West Bisti Coal 24 COM 2	West Bisti Coal 25-1	West Bisti Coal 25 2Y	Jicarilla Apache I-11
Sheila Hixon 1	Bisti Coal 16-2		_

Elm Ridge Exploration is proposing to close the earthen pits at the above listed well locations based on the attached closure schedule.

We appreciate the opportunity to be of service. Should you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted, ENVIROTECH. INC ames McDanie

Project Scientist

Attachments: Closure Schedule

ELM IDGE EXPLORATION Amy Mackey

Administrative Manager amackey/@cimridge.net

Sunday	Monday	Tuesday	Wed	<u>Thurs</u>	Friday	S
· · · ·						1
2	3	4	5	6	7	8
9	10 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	11 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	12 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	13 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	14 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	15
16	17 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	18 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	19 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	20 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 5K COM 2 Bisti Coal 16-2	21 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	22
23	24 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	25 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	26 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8 L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	27 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	28 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8 L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	29
30	31 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206					

.

•

•____

.

-

.

Sun	Monday	Septembe Tuesday	# 2009 Wed	Thurs	Friday	Sat
	-	1 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	2 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	3 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	4 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	5
6	7 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	8 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 31-1 Utest Bisti Coal 11 F COM 1 Jeter COM 2	9 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 31-1 Jeter COM 2	10 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 31-1 Uest Bisti Coal 11 F COM 1 Jeter COM 2	11 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	12
13	14 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	15 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	16 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	17 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	18 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	19
20	21 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Sheila Hixon 1	22 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Sheila Hixon 1	23 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilia Apache I-11 Shella Hixon 1	24 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Sheila Hixon 1	25 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Sheila Hixon 1	26
27	28	29	30			

r

•

UNITED STATES POSTAL SERVICE.	1			<u>Home Help</u> Sign	
			Track & C	onfirm FAQs	
Track & Confirm	-				
Search Results					
Label/Receipt Number: 7007 149 Service(s): Certified Mall [™] Status: Delivered	0 0000 5398 9343		Track & Confirm Enter Label/Receipt N	umber.	
Your item was delivered at 10:11 FARMINGTON, NM 87401.	AM on August 26, 2009	in		fin 2)	
Notification Options	=	(Domestic Mail O	ervice in MAIL IM REC nly; No Insurance Co	EIPT	
Track & Confirm by email			illon viell our wobsite al	viwviusps.coma	
Get current event information or u	updates for your item se		1.73	endra	_ ;
	c	Curlified Feb	2,80	03056-02	41
<u>Site Map Customer Service Forms G</u>	Gov <u>'t Services Careers</u>	Restricted Desvery Foo	2.30	08.25.09	,
Copyright@ 2009 USPS. All Rights Reserved. Cest Bisti Coal 6-1 03056 - 0197 arson Unit 15 Conu 03056 - 0194 03056 - 0194	No FEAR Act EEO Data	Strawt Apr. Ma. Bure or PO Box Ma 123	S. 6.83 Mark Kelly eau of Land M 5 La Plata Hig nington, NM 8	hway, Ste. A	
	······	IS SECTION	COMPLETE THIS	SECTION ON DELIVER	RÝ
108056 -0195	NDER: COMPLETE TH Complete Items 1, 2, and them 4.11 Restricted Delaw Print your name and add so that we can return the Attach this card to the ba or on the front if space p Article Addressed to:	3. Also complete avy is desired, ross on the reverse card to you ack of the mallpicce.	Design wery address	ses different from (por	Ager Addr Dato of D
B	Ir. Mark Kelly ureau of Land M 235 La Plata Hi armington, NM	ghway, ste. H	3. Service Type	AUS & 7 BUY	
CON			Certified Ma	Return Receip	totor Merch
03056 -0192			4: Restricted Dell		C Ye
Wana Swerte 367 2	Article Number (Trunsfer from sorvice label	7007	1490 0000 5	<u> 9</u> 98 9343	
BOB CON DIST. http://trkcnfirm1.smi.usps.com/PTSIr	S Form 3811, February	2004 Domésti	c Return Receipt	2009-08-2	102595-0 8

•

•



August 24, 2009

Project No. 03056-0193

Mr. Mark Kelly Bureau of Land Management 1235 La Plata Highway, Suite A Farmington, New Mexico 87401

Phone: (505) 599-8900

RE: CARSON 10-332 EARTH PIT CLOSURE NOTIFICATION

Dear Mr. Kelly,

Please accept this letter and attached Sundry Notice as the necessary surface owner notification for earth pit closure activities at the Carson 10-332 well site, owned and operated by Elm Ridge Exploration. The Carson 10-332 well site is located in Unit G, Section 10, Township 25N, Range 12W, San Juan County, New Mexico. Closure activities are scheduled to begin on August 31, 2009 and continue through September 4, 2009.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted, ENVIRØTECH/INC. ames McDaniel

Project Scientist

Enclosure: Sundry Notice

Cc: Client File No. 03056

(August 2007)*	UNITED STATE PARTMENT OF THE I			0	ORM APPROVED MB No. 1004-0137
	EAU OF LAND MAN			5. Lease Serial No.	pires: July 31, 2010
Do not use this		ORTS ON WELLS o drill or to re-enter an PD) for such proposal		6. If Indian, Allottee of	r Tribe Name
SUBM	IT IN TRIPLICATE - Other	instructions on page 2.		7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of Well Oil Well 🔽 Gas V	Well Other			8. Well Name and No.	· · · · · · · · · · · · · · · · · · ·
2. Name of Operator Elm Ridge Exploration				Carson 10-332 9. API Well No. 30-045-27667	
3a. Address PO Box 166 Bloomfield, NM 87413		3b. Phone No. (include area co. (505) 632-3476	de)	10. Field and Pool or E	Exploratory Area
4. Location of Well (Footage, Sec., T. 1990 FNL 1650 FEL, G-10-25N-12W, Lat. 38.	, R. M., or Survey Description, 417478 long108.095582	<u> </u>		11. Country or Parish, San Juan County, N	
12. CHE	CK THE APPROPRIATE BO	X(ES) TO INDICATE NATUR	E OF NOT	ICE, REPORT OR OTHI	ER DATA
TYPE OF SUBMISSION		TY	PE OF AC	TION	
Notice of Intent	Acidize	Deepen Fracture Treat	_	duction (Start/Resume)	Water Shut-Off
Subsequent Report	Casing Repair	New Construction Plug and Abandon	_	complete nporarily Abandon	Other Closure of an Earth Pit
Final Abandonment Notice	Convert to Injection	Plug Back	🔲 We	ter Disposal	
	nally or recomplete horizontal work will be performed or pro- lved operations. If the operation 1 Abandonment Notices must or final inspection.) gln closure activities for an e	ly, give subsurface locations and ovide the Bond No. on file with F on results in a multiple completion be filed only after all requirement earthen pit located at the above	I measured BLM/BIA. on or recon its, includir	and true vertical depths o Required subsequent rep upletion in a new interval g reclamation, have been ned site. All formal not	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be	nally or recomplete horizontal work will be performed or pro- lved operations. If the operation 1 Abandonment Notices must or final inspection.) gln closure activities for an e	ly, give subsurface locations and ovide the Bond No. on file with F on results in a multiple completion be filed only after all requirement earthen pit located at the above	I measured BLM/BIA. on or recon its, includir	and true vertical depths o Required subsequent rep upletion in a new interval g reclamation, have been ned site. All formal not	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be	nally or recomplete horizontal work will be performed or pro- lved operations. If the operation 1 Abandonment Notices must or final inspection.) gln closure activities for an e	ly, give subsurface locations and ovide the Bond No. on file with F on results in a multiple completion be filed only after all requirement earthen pit located at the above	I measured BLM/BIA. on or recon its, includir	and true vertical depths o Required subsequent rep upletion in a new interval g reclamation, have been ned site. All formal not	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be	nally or recomplete horizontal work will be performed or pro- lved operations. If the operation 1 Abandonment Notices must or final inspection.) gln closure activities for an e	ly, give subsurface locations and ovide the Bond No. on file with F on results in a multiple completion be filed only after all requirement earthen pit located at the above	I measured BLM/BIA. on or recon its, includir	and true vertical depths o Required subsequent rep upletion in a new interval g reclamation, have been ned site. All formal not	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be	nally or recomplete horizontal work will be performed or pro- lved operations. If the operation 1 Abandonment Notices must or final inspection.) gln closure activities for an e	ly, give subsurface locations and ovide the Bond No. on file with F on results in a multiple completion be filed only after all requirement earthen pit located at the above	I measured BLM/BIA. on or recon its, includir	and true vertical depths o Required subsequent rep upletion in a new interval g reclamation, have been ned site. All formal not	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be Closure activities are scheduled to	nally or recomplete horizontal work will be performed or pro lved operations. If the operation I Abandonment Notices must for final inspection.) gln closure activities for an being on Monday, August	ly, give subsurface locations and ovide the Bond No. on file with I on results in a multiple completic be filed only after all requiremen earthen pit located at the abov 31, 2009 and last through Sep	measured BLM/BIA. on or recon- its, includir ve mention blember 4.	and true vertical depths o Required subsequent rep pletion in a new interval g reclamation, have been ned site. All formal not 2009.	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be Closure activities are scheduled to	nally or recomplete horizontal work will be performed or pro lved operations. If the operation I Abandonment Notices must for final inspection.) gln closure activities for an being on Monday, August	ly, give subsurface locations and ovide the Bond No. on file with I on results in a multiple completic be filed only after all requirement earthen pit located at the abov 31, 2009 and last through Sep	I measured BLM/BIA. on or reconts, includir ve mention blember 4,	and true vertical depths o Required subsequent rep pletion in a new interval g reclamation, have been ned site. All formal not 2009.	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be Closure activities are scheduled to 14. I hereby certify that the foregoing is Ms. Amy Mackey	nally or recomplete horizontal work will be performed or pro lved operations. If the operation 1 Abandonment Notices must lo or final inspection.) gln closure activities for an or being on Monday, August to being on Monday, August to the and correct. Name (Printe	ly, give subsurface locations and ovide the Bond No. on file with I on results in a multiple completic be filed only after all requiremen earthen pit located at the abov 31, 2009 and last through Sep ed/Typed/ Title Adminis	measured BLM/BIA. on or recon tts, includir ve mentloi otember 4, strative Ma	and true vertical depths o Required subsequent rep pletion in a new interval g reclamation, have been ned site. All formal not 2009.	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be Closure activities are scheduled to 14. I hereby certify that the foregoing is Ms. Amy Mackey	nally or recomplete horizontal work will be performed or pro lved operations. If the operation 1 Abandonment Notices must lo or final inspection.) gln closure activities for an or being on Monday, August to being on Monday, August to the and correct. Name (Printe	ly, give subsurface locations and ovide the Bond No. on file with I on results in a multiple completio be filed only after all requirement earthen pit located at the abov 31, 2009 and last through Sep ed/Typed) Title Adminis Date 08/24/2	measured BLM/BIA. on or recon tts, includir ve mentloi otember 4, strative Ma	and true vertical depths o Required subsequent rep pletion in a new interval g reclamation, have been ned site. All formal not 2009.	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f Elm Ridge Exploration plans to be Closure activities are scheduled to 14. I hereby certify that the foregoing is Ms. Amy Mackey Signature	nally or recomplete horizontal work will be performed or pro- lved operations. If the operati- l Abandonment Notices must lo or final inspection.) gln closure activities for an or being on Monday, August : thus and correct. Name (Printe THIS SPACE ed. Approval of this notice doe to title to those rights in the subje	by, give subsurface locations and ovide the Bond No. on file with I on results in a multiple completion be filed only after all requirement earthen pit located at the above 31, 2009 and last through Sep ad/Typed) Title Administ Date 08/24/2 FOR FEDERAL OR SI	measured BLM/BIA. on or recon tts, includir ve mentloi otember 4, strative Ma	and true vertical depths o Required subsequent rep pletion in a new interval g reclamation, have been ned site. All formal not 2009.	of all pertinent markers and zones, norts must be filed within 30 days , a Form 3160-4 must be filed once a completed and the operator has

ţ

• •

:

•

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

ELM RIDGE EXPLORATION CARSON 10-332 SEC. 10, TWN. 25N, RNG. 12W PROJECT NO. 03056-0193



Photo 1: Carson 10-332 Well Site



Photo 2: Excavated Area After Backfilling and Recontouring



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Elm Ridge Exploration	Project #:	03056-0193
Sample No.:	1	Date Reported:	9/30/2009
Sample ID:	1' Below Pit	Date Sampled:	8/31/2009
Sample Matrix:	Soil	Date Analyzed:	8/31/2009
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons	16	5.0
------------------------------	----	-----

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Carson 10-332

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Mcknight Analyst

Toni McKnight Printed

James McDaniel Printed



Cal. Date: 31-Aug-09

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		
	200	183	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Milling Analyst

Toni McKnight Print Name eview

Date

James McDaniel Print Name



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ElmRidge	Project #:	03056-0193
Sample ID:	1' BGS of Pit Composite	Date Reported:	09-03-09
Laboratory Number:	51481	Date Sampled:	08-31-09
Chain of Custody:	7859	Date Received:	08-31-09
Sample Matrix:	Soil	Date Analyzed:	09-02-09
Preservative:	Cool	Date Extracted:	09-01-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	6.6	0.9
Toluene	7.8	1.0
Ethylbenzene	1.1	1.0
p,m-Xylene	6.4	1.2
o-Xylene	5.3	0.9
Total BTEX	27.2	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Earth Pit Closure / Carson Unit 10-332

Analyst

Nae Review



~

,

3

٠

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Sample ID:	N/A 09-02-B ⁻	r qa/qc		Project #: Date Reported:		N/A 09-03-09
aboratory Number:	51462			Date Sampled:		N/A
Sample Matrix:	Soil			Date Received:		N/A
Preservative: Condition:	N/A N/A			Date Analyzed: Analysis:		09-02-09 BTEX
				,		
Calibration and Detection Limits		IRÉ:	C-Cal RF: Accept. Rang	%Diff: e 0 - 15%	Blank Conc	Detect. Limit
Benzene	2.6813	3E+006	2.6867E+006	0.2%	ND	0.1
Toluene	2.5433	3E+006	2.5484E+006	0.2%	ND	0.1
Ethylbenzene		4E+006	2.2740E+006	0.2%	ND	0.1
p,m-Xylene		1E+006	5.9310E+006	0.2%	ND	0.1
o-Xylene	2.183	5E+006	2.1879E+006	0.2%	ND	0.1
Duplicate Conc. (t	ig/Kg) Sa	mple	Duplicate	%Diff	Accept Range	Detect: Limit
Benzene	· · ·	7.0	6.9	1.4%	0 - 30%	0.9
Toluene		57.3	58.2	1.4%	0 - 30% 0 - 30%	1.0
Ethylbenzene		92.1	88.9	3.5%	0 - 30%	1.0
p,m-Xylene		1,260	1,250	0.8%	0 - 30%	1.2
o-Xylene		288	281	2.3%	0 - 30%	0.9
•						
;						
Spike Conc. (ug/K	g) Sa	mple A	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Spike Conc. (ug/K Benzene	g)	mple Å		Spiked Sample 56.5	% Recovery	Accept Range 39 - 150
	g) Sa		50.0	56.5	99.1%	
Benzene Toluene	g) Sa	7.0 57.3	50.0 50.0	56.5 102	99.1% 95.2%	39 - 150 46 - 148
Benzene Toluene Ethylbenzene	g)	7.0 57.3 92.1	50.0 50.0 50.0	56.5 102 140	99.1% 95.2% 98.5%	39 - 150 46 - 148 32 - 160
Benzene Toluene Ethylbenzene p,m-Xylene	g)	7.0 57.3 92.1 1,260	50.0 50.0 50.0 100	56.5 102 140 1,360	99.1% 95.2% 98.5% 100%	39 - 150 46 - 148 32 - 160 46 - 148
Benzene Toluene Ethylbenzene	g)	7.0 57.3 92.1	50.0 50.0 50.0	56.5 102 140	99.1% 95.2% 98.5%	39 - 150 46 - 148 32 - 160
Benzene Toluene Ethylbenzene p,m-Xylene	g)	7.0 57.3 92.1 1,260	50.0 50.0 50.0 100	56.5 102 140 1,360	99.1% 95.2% 98.5% 100%	39 - 150 46 - 148 32 - 160 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	g) Sa	7.0 57.3 92.1 1,260 288	50.0 50.0 50.0 100	56.5 102 140 1,360	99.1% 95.2% 98.5% 100%	39 - 150 46 - 148 32 - 160 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	etected at the stated detectio Method 5030B, Purge-and-Tra December 1996. Method 8021B, Aromatic and	7.0 57.3 92.1 1,260 288 n limit. ap, Test Metho Halogenated V	50.0 50.0 50.0 100 50.0 50.0	56.5 102 140 1,360 330 olid Waste, SW-846,	99.1% 95.2% 98.5% 100% 97.8%	39 - 150 46 - 148 32 - 160 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene ND - Parameter not d References:	etected at the stated detectio Method 5030B, Purge-and-Tra December 1996. Method 8021B, Aromatic and Photoionization and/or Electro	7.0 57.3 92.1 1,260 288 n limit. ap, Test Metho Halogenated V	50.0 50.0 50.0 100 50.0 volatiles by Gas Chr vity Detectors, SW-6	56.5 102 140 1,360 330	99.1% 95.2% 98.5% 100% 97.8% USEPA,	39 - 150 46 - 148 32 - 160 46 - 148 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene ND - Parameter not d	etected at the stated detectio Method 5030B, Purge-and-Tra December 1996. Method 8021B, Aromatic and	7.0 57.3 92.1 1,260 288 n limit. ap, Test Metho Halogenated V	50.0 50.0 50.0 100 50.0 volatiles by Gas Chr vity Detectors, SW-6	56.5 102 140 1,360 330	99.1% 95.2% 98.5% 100% 97.8% USEPA,	39 - 150 46 - 148 32 - 160 46 - 148 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene ND - Parameter not d References:	etected at the stated detectio Method 5030B, Purge-and-Tra December 1996. Method 8021B, Aromatic and Photoionization and/or Electro	7.0 57.3 92.1 1,260 288 n limit. ap, Test Metho Halogenated V	50.0 50.0 50.0 100 50.0 volatiles by Gas Chr vity Detectors, SW-6	56.5 102 140 1,360 330	99.1% 95.2% 98.5% 100% 97.8% USEPA,	39 - 150 46 - 148 32 - 160 46 - 148 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene ND - Parameter not d References:	etected at the stated detectio Method 5030B, Purge-and-Tra December 1996. Method 8021B, Aromatic and Photoionization and/or Electro	7.0 57.3 92.1 1,260 288 n limit. ap, Test Metho Halogenated V	50.0 50.0 50.0 100 50.0 volatiles by Gas Chr vity Detectors, SW-6	56.5 102 140 1,360 330	99.1% 95.2% 98.5% 100% 97.8% USEPA,	39 - 150 46 - 148 32 - 160 46 - 148 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene ND - Parameter not d References: Comments:	etected at the stated detectio Method 5030B, Purge-and-Tra December 1996. Method 8021B, Aromatic and Photoionization and/or Electro	7.0 57.3 92.1 1,260 288 n limit. ap, Test Metho Halogenated V	50.0 50.0 50.0 100 50.0 volatiles by Gas Chr vity Detectors, SW-6	56.5 102 140 1,360 330	99.1% 95.2% 98.5% 100% 97.8% USEPA,	39 - 150 46 - 148 32 - 160 46 - 148 46 - 148
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene ND - Parameter not d References: Comments:	etected at the stated detectio Method 5030B, Purge-and-Tra December 1996. Method 8021B, Aromatic and Photoionization and/or Electro	7.0 57.3 92.1 1,260 288 n limit. ap, Test Metho Halogenated V	50.0 50.0 50.0 100 50.0 volatiles by Gas Chr vity Detectors, SW-6	56.5 102 140 1,360 330	99.1% 95.2% 98.5% 100% 97.8% USEPA,	39 - 150 46 - 148 32 - 160 46 - 148 46 - 148

P	envirotech Analytical Laboratory
---	-------------------------------------

Chloride

Client:	Elm Ridge Exploration	Project #:	03056-0193
Sample ID:	1' BGS of Pit Composite	Date Reported:	09-03-09
Lab ID#:	51481	Date Sampled:	08-31-09
Sample Matrix:	Soil	Date Received:	08-31-09
Preservative:	Cool	Date Analyzed:	09-02-09
Condition:	Intact	Chain of Custody:	7859

Parameter

Concentration (mg/Kg)

Total Chloride

185

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Earth Pit Closure / Carson Unit 10-332.

Analyst

Mother Walters Rèview

	rotech ytical Laboratory	Chloride	
Client:	Elm Ridge Exploration	Project #:	03056-0193
Sample ID:	Background	Date Reported:	09-03-09
eample ist			

Sample Matrix: Preservative: Condition:

51482 Soil Cool Intact

Concentration (mg/Kg)

08-31-09

09-02-09

7859

Total Chloride

Parameter

75

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Date Received:

Date Analyzed:

Chain of Custody:

Comments:

Earth Pit Closure / Carson Unit 10-332.

Analyst

Misthe nuceters Review

CHAIN OF CUSTODY RECORD

7859 -

Client: Elm Ridge Exploration Project Name / Location: Elm Ridge Exploration Earth Pit Closure / Carson Unit Client Address: Client Phone No.: Client Phone No.: Project Name / Location: Earth Pit Closure / Carson Unit Ion-332 Client Name: Client No.:										ANAL	YSIS	/ Par	AME	TERS								
Client Address:		s	ampler Name:		/0	<u>~>57</u>	<u> </u>		6	<u>.</u>	6		[[T	T				
Ion: Mckallht							3015	80	826(6												
Client Phone No.:	<u></u>	C	lient No.:		9.01				po	poq	po	etal	ion		HP		÷				ō	act
			03056	- 01	93				(Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
Sample No./	Sample	Sample	Lab No.	S	ample	No./Volume of			I	Ш		RA	ation	5	LP	PAH	H (ampl	dma
Identification	Date	Time			Aatrix	Containers	HgCl, HC	CI CUI	ļË.	Im	18	<u> </u>	ပိ	RCI	Ĕ	2	ت	Ō			ő	လိ
1'BGS of Pit	0/31/09	9:26	51481	Sold	Sludge Aqueous	1/40 2		\mathbf{V}		\checkmark								/				1 4
1'BGS of Pit composite Background	8/31/	10:03	51482	Solid	Sludge Aqueous	1402												\bigvee			/	-
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous				-													
		<u>}</u>		Soil Solid	Sludge Aqueous							<u>}</u>										•
				Soil Solid	Sludge Aqueous						1											
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous								-									
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
Relinquished by: (Sign	iature)			L	Date	Time	Re	ceixe	d by:	(Sign	ature))		·····			I			ate		me
Tanik	Z				9/31/0g	Time 17:43	Received by: (Signature)						174	13								
Relinquished by: (Sign	ature)						Re	ceive	ed by:	(Sign	ature)		>							_/-+		
Relinquished by: (Sign	ature)						Re	ceive	d by:	(Sign	ature))							 			
			5796 US	6 Highway		eny An gton, NM 874	aly	tica	II La	ibor	ato	ry	h-inc.c						 L		<u> </u>	

DATE STARTED: 8/31/69 DATE STARTED: 8/31/69 DATE STARTED: 8/31/69 DATE STARTED: 8/31/69 FIELD REPORT: BGT / PIT CLOSURE VERIFICATIO FIELD REPORT: BGT / PIT CLOSURE VERIFICATIO LEGAL ADD: UNIT: SEC: /0 TWP: 25N RNG; 240 OTRFOOTAGE: 1990 FRA 216 50° FEL CNTY: 5a A TLAA ST: New EXCAVATION APPROX: /3 FT. X /2 FT. X /' FT. DEEP CI DISPOSAL FACILITY: EA UTCO feet APP: BGT / PIT WEIL HEAK DETECTION; LOCATION MATERIAL: Ea A h 7' DOUBLE-WALLED, WITH LEAK DETECTION; LOCATION APPROXIMATELY: / 3 FT. 3 (0° FROM WEILHEAD DEPTH TO GROUNDWATER: 50-100 FEET DEEP BENZENE 5 0.2 mg/kg. BTEX 5 50 mg/kg. GRO & DRO FRACTION (8015) 5 500 mg/kg. TPH (418.1) 5 2500 mg/ TEMPORARY PTT - GROUNDWATER 50-100 FEET DEEP BENZENE 5 0.2 mg/kg. BTEX 5 50 mg/kg. GRO & DRO FRACTION (8015) 5 500 mg/kg. TPH (418.1) 5 2500 mg/ / PEMANENT PTT OR BGT BENZENE 5 0.2 mg/kg. BTEX 5 50 mg/kg. GRO & DRO FRACTION (8015) 5 500 mg/kg. TPH (418.1) 5 2500 mg/ / PEMANENT PTT OR BGT BENZENE 5 0.2 mg/kg. BTEX 5 50 mg/kg. GRO & DRO FRACTION (8015) 5 500 mg/kg. TPH (418.1) 5 2500 mg/ / PEMANENT PTT OR BGT BENZENE 5 0.2 mg/kg. BTEX 5 50 mg/kg. GRO & DRO FRACTION (8015) 5 500 mg/kg. TPH (418.1) 5 2500 mg/ / PEMANENT PTT OR BGT BENZENE 5 0.2 mg/kg. BTEX 5 50 mg/kg. TPH (418.1) 5 100 mg/kg. CHLORIDES 5 250 mg/kg FIELD 418.1 ANALYSIS TIME SAMPLE ID LAB NO. WEIGHT (g mL FREON DILUTION RI 910.3 for for for for 10 mg/kg. CHLORIDES RESULTS FIELD 418.1 ANALYSIS TIME SAMPLE ID LAB NO. WEIGHT (g mL FREON DILUTION RI 910.3 for for for for 10 mg/kg. CHLORIDES RESULTS FIELD 418.1 ANALYSIS FIELD CHLORIDES RESULTS FIELD CHLORIDES COM CALC. FIELD CHLORIDES COM	AT: 36° 2 ong: ~/09 ON nt pit: × bi	TAL SPECIALIST: ?5, 04/9 チ ^5, 7つ13						
DATE FINISHED: $?7/3!/04$ III FIELD REPORT: BGT / PIT CLOSURE VERIFICATION LOCATION: NAME: $(a c > a < U/u!t / 0)$ VERIFICATION: LEGAL ADD: UNIT: SEC: /0 TEMP PIT: PERMANEN LEGAL ADD: UNIT: SEC: /0 TWP: $2 < N$ RNG: $j 2 < j$ OTRFOOTAGE: $1/90' FML J (50' FEL CNTY: 5a < N RNG: j 2 < j CONTOR OFFIC: CNTY: 5a < N RNG: j 2 < j CONTOR APPROX: j 3 FT. X /2 FT. X /2 FT. X /2 FT. X /2 FT. NOTO CALAND OWNER: APP: BEMENETON METHOD: (a < A $	ONG:							
FIELD REPORT: BGT / PTT CLOSURE VERIFICATION OCATION: MAME: Carson Unit 10 WEIL #: 33 TEMP PT: PERMANEN EGAL ADD: UNIT: SEC: /0 TEMP PT: PERMANEN EGAL ADD: UNIT: SEC: /0 TWP: 25 N RNG: 12 % RNG: 12 % OTRFOOTAGE: 1990 FNC 21650'FEC CNTY: San Tuan ST. 10 eu CAVATION APPROX: /3 /3 FT. X /2 FT. X /2 FT. X /1' FT. DEEP CONTY: San Tuan ST. 10 (10 FEET DEEP BGT / PT VO OCATION APPROXIMATELY: 43 FT. 3 (0° FROM WELLHEAD OCATION APPROXIMATELY: 43 Y1 OCATION APPROXIMATELY: 43 Y1 OCATION APPROXIMATELY: 43 FT. 3 (0° FROM WELLHEAD DEPTH TO GROUNDWATER: 2/10 FEET DEEP BENZENE \$ 0.2 mg/kg, BTEX \$ 50 mg/kg, GRO & DRO FRACTION (8015) \$ 500 mg/kg, TPH (418.1) \$ 2500 mg/ FIELD AI& I ANALYSIS TTME SAMPLE 1D LAB NO. WEIGHT (6 mL FREON DIULTION RI FIELD CHLORIDES RESULTS	ON NT PIT: X BO							
EGAL ADD: UNIT: SEC: /0 TWP: $2 \le N$ RNG: $j \ge 2$ DTRFOOTAGE: $j = 1 \le 50^{\circ} FEL$ CNTY: $5a \land 5u \land a \land$ ST: $N \in u$ EXCAVATION APPROX: $j \le 50^{\circ} FEL$ CNTY: $5a \land 5u \land a \land$ ST: $N \in u$ DISPOSAL FACILITY: $a \lor roo fee \land$ REMEDIATION METHOD: $a \land c \land$ AND OWNER: $O = fee \land$ REMEDIATION METHOD: $a \land c \land$ ONSTRUCTION MATERIAL: $Ea \land h \land P i$ DOUBLE-WALLED, WITH LEAK DETECTION: OCATION APPROXIMATELY: 4 3 7 $a \land c \land$ DEPTH TO GROUNDWATER: $2 \circ e^{-2}$ FROM WELLHEAD DEPTH TO GROUNDWATER: $2 \circ e^{-2}$ TEMPORARY PIT - GROUNDWATER \$100 FEET DEEP BENZENE \$0.2 mg/kg, BTEX \$50 mg/kg, GRO & DRO FRACTION (8015) \$500 mg/kg, TPH (418.1) \$2500 mg/g TEMPORARY PIT - GROUNDWATER \$100 FEET DEEP BENZENE \$0.2 mg/kg, BTEX \$50 mg/kg, GRO & DRO FRACTION (8015) \$500 mg/kg, TPH (418.1) \$2500 mg/g FIELD 418.1 ANALYSIS TIME SAMPLE LD LAB NO. WEIGHT (a $a \land f = field $								
$\begin{array}{c c c c c c c c c c c c c c c c c c c $) *** *	GT:						
EXCAVATION APPROX: $/3$ FT. X $/2$ FT. X $/1$ FT. DEEP CT. DISPOSAL FACILITY: Eau hro feel REMEDIATION METHOD: (a, a) AND OWNER: API: BGT / PT VO DONSTRUCTION MATERIAL: Eau h P: + DOUBLE-WALLED, WITH LEAK DETECTION: OCATION APPROXIMATELY: $(4, 3)$ FT. (3) (a^{o} FROM WELLHEAD DEPTH TO GROUNDWATER: $(4, 2)$ FT. (3) (a^{o} FROM WELLHEAD DEPTH TO GROUNDWATER: $(4, 2)$ FT. (3) (a^{o} FROM WELLHEAD DEPTH TO GROUNDWATER: $(4, 2)$ FT. (3) (a^{o} FROM WELLHEAD DEPTH TO GROUNDWATER: $(4, 2)$ FT. (3) (a^{o} FROM WELLHEAD DEPTH TO GROUNDWATER: $(4, 2)$ (a^{o} FROM WELLHEAD DEPTH TO GROUNDWATER: $(4, 2)$ (a^{o} FROM WELLHEAD DEPTH TO GROUNDWATER: $(100 pressure of the pres$	The second distance of	NM						
DISPOSAL FACILITY: AND OWNER: API: BGT / PIT VO ONSTRUCTION MATERIAL: $E_{a, -t, h}$ P, t DOUBLE-WALLED, WITH LEAK DETECTION: OCATION APPROXIMATELY: Y 3 FT. 3 ($_{O}^{\circ}$ FROM WELLHEAD DEPTH TO GROUNDWATER: $< (_{O}^{\circ})^{-1}$ TEMPORARY PIT - GROUNDWATER S0-100 FEET DEEP BENZENE $\leq 0.2 \text{ mg/kg}$, BTEX $\leq 50 \text{ mg/kg}$, GRO & DRO FRACTION (8015) $\leq 500 \text{ mg/kg}$, TPH (418.1) $\leq 2500 \text{ mg}$ $TEMPORARY PIT - GROUNDWATER \geq 100 FEET DEEPBENZENE \leq 0.2 \text{ mg/kg}, BTEX \leq 50 \text{ mg/kg}, GRO & DRO FRACTION (8015) \leq 500 \text{ mg/kg}, TPH (418.1) \leq 2500 \text{ mg}Y$ PERMANENT PIT OR BGT BENZENE $\leq 0.2 \text{ mg/kg}$, BTEX $\leq 50 \text{ mg/kg}$, TPH (418.1) $\leq 100 \text{ mg/kg}$, CHLORIDES $\leq 250 \text{ mg/kg}$ Y PERMANENT PIT OR BGT Y PERMANENT PIT OR BGT Y 1 3 5 $2 \circ$ 4 4 1 2 20 4 4 1 20 4 4 1 2 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 20 4 4 1 1 1 1 10 10 10 10 1								
AND OWNER: API: BGT / PIT VO ONSTRUCTION MATERIAL: $E_{a,-1/h}$ P_i DOUBLE-WALLED, WITH LEAK DETECTION; OCATION APPROXIMATELY: $4/3$ FT. $3/6^{\circ}$ FROM WELLHEAD DEPTH TO GROUNDWATER: $4/3$ FT. $3/6^{\circ}$ FROM WELLHEAD DEPTH TO GROUNDWATER: $4/6^{\circ}$ TEMPORARY PIT - GROUNDWATER \$0:100 FEET DEEP BENZENE 40.2 mg/kg, BTEX 40 mg/kg, GRO & DRO FRACTION (8015) 400 mg/kg, TPH (418.1) 418.1 418	(fer m	<u>GE: ></u>						
OCATION APPROXIMATELY: 4 3 FT. 3 (\bigcirc° FROM WELLHEAD DEPTH TO GROUNDWATER: 4 (\bigcirc° TEMPORARY PIT - GROUNDWATER 50-100 FEET DEEP BENZENE $\leq 0.2 mg/kg$, BTEX $\leq 50 mg/kg$, GRO & DRO FRACTION (8015) $\leq 500 mg/kg$, TPH (418.1) $\leq 2500 mg$ TEMPORARY PIT - GROUNDWATER ≥ 100 FEET DEEP BENZENE $\leq 0.2 mg/kg$, BTEX $\leq 50 mg/kg$, GRO & DRO FRACTION (8015) $\leq 500 mg/kg$, TPH (418.1) $\leq 2500 mg/kg$ PERMANENT PIT OR BGT BENZENE $\leq 0.2 mg/kg$, BTEX $\leq 50 mg/kg$, TPH (418.1) $\leq 100 mg/kg$, CHLORIDES $\leq 250 mg/kg$ FIELD 418.1 ANALYSIS TIME SAMPLE ID. IAB NO. WEIGHT (g MIL 2 2° 9 1 0.3 $7^{\circ \circ $	DLUME:							
DEPTH TO GROUNDWATER: $< f_{12} = 10^{-1}$ TEMPORARY PIT - GROUNDWATER 50-100 FEET DEEP BENZENE < 0.2 mg/kg, BTEX < 50 mg/kg, GRO & DRO FRACTION (8015) < 500 mg/kg, TPH (418.1) < 2500 mg/g	NIA							
TEMPORARY PIT - GROUNDWATER 50-100 FEET DEEP BENZENE $\leq 0.2 \text{ mg/kg}$, BTEX $\leq 50 \text{ mg/kg}$, GRO & DRO FRACTION (8015) $\leq 500 \text{ mg/kg}$, TPH (418.1) $\leq 2500 \text{ mg}$ TEMPORARY PIT - GROUNDWATER ≥ 100 FEET DEEP BENZENE $\leq 0.2 \text{ mg/kg}$, BTEX $\leq 50 \text{ mg/kg}$, GRO & DRO FRACTION (8015) $\leq 500 \text{ mg/kg}$, TPH (418.1) $\leq 2500 \text{ mg}$ PERMANENT PIT OR BGT BENZENE $\leq 0.2 \text{ mg/kg}$, BTEX $\leq 50 \text{ mg/kg}$, TPH (418.1) $\leq 100 \text{ mg/kg}$, CHLORIDES $\leq 250 \text{ mg/kg}$ FIELD 418.1 ANALYSIS TIME SAMPLE 1.D. LAB NO. WEIGHT (g mL FREON DILUTION RI $G \leq 7 \frac{20}{44} + \frac{4}{42} + \frac{2}{4} + \frac{20}{44} + \frac{4}{44} + \frac{2}{4} + \frac{20}{44} + \frac{4}{44} + \frac{4}{44} + \frac{2}{4} + \frac{2}{4} + \frac{4}{44} + \frac{4}{44} + \frac{4}{44} + \frac{2}{4} + \frac{2}{4} + \frac{4}{44} + \frac{4}{44} + \frac{4}{44} + \frac{4}{44} + \frac{4}{44} + \frac{2}{4} + \frac{2}{4} + \frac{4}{44} + \frac{4}{$	···							
TEMPORARY PIT - GROUNDWATER \geq 100 FEET DEEP BENZENE \leq 0.2 mg/kg, BTEX \leq 50 mg/kg, GRO & DRO FRACTION (8015) \leq 500 mg/kg, TPH (418.1) \leq 2500 mg/kg PERMANENT PIT OR BGT BENZENE \leq 0.2 mg/kg, BTEX \leq 50 mg/kg, TPH (418.1) \leq 100 mg/kg, CHLORIDES \leq 250 mg/kg $\frac{FIELD.418,1 \text{ ANALYSIS}}{\frac{557}{200 \text{ STD}}}$								
$\begin{array}{c c} BENZENE $ $ 0.2 mg/kg, BTEX $ $ 50 mg/kg, GRO & DRO FRACTION (8015) $ $ 500 mg/kg, TPH (418.1) $ $ 2500 mg/kg, PERMANENT PIT OR BGT BENZENE $ 0.2 mg/kg, BTEX $ 50 mg/kg, TPH (418.1) $ 100 mg/kg, CHLORIDES $ 250 mg/kg \\ \hline \\ \hline \\ PERMANENT PIT OR BGT BENZENE $ 0.2 mg/kg, BTEX $ $ 50 mg/kg, TPH (418.1) $ 100 mg/kg, CHLORIDES $ 250 mg/kg \\ \hline \\ $	g/kg, CHLORIDI	ES ≤ 500 mg/kg						
PERMANENT PIT OR BGT BENZENE \$ 0.2 mg/kg, BTEX \$ 50 mg/kg, TPH (418.1) \$ 100 mg/kg, CHLORIDES \$ 250 mg/kgFIELD 418.1 ANALYSISTIME SAMPLE I.D. LAB NO. WEIGHT (g mL FREON DILUTION RI B557 200 STD		55 < 1000 - 1						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	⊈/kg, CHLORIDE	$3S \le 1000 \text{ mg/kg}$						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $								
TIMESAMPLE 1D.LAB NO.WEIGHT (g) mL FREON DILUTION RI $B577$ 200 STD		-						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		CALC. (mg/kg)						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	183	193						
PERIMETER FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS SAMPLE READING (mg/kg) FIELD CHLORIDES RESULTS D SAMPLE READING (mg/kg) FIELD CHLORIDES RESULTS CALC. D FIELD CHLORIDES RESULTS CALC. CALC. D FIELD CHLORIDES RESULTS CALC. CALC. D FIELD CHLORIDES RESULTS CALC. CALC. D FIELD CHLORIDES RESULTS CALC. CALC. D FIELD CHLORIDES RESULTS CALC. CALC. D FIELD CHLORIDES RESULTS CALC. CALC. D FIELD CHLORIDES RESULTS CALC. CALC		192						
PERIMETER FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS CALC. ID READING (mg/kg) FIELD CHLORIDES RESULTS CALC. ID FIELD CHLORIDES RESULTS CALC. ID FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS ID FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS ID FIELD CHLORIDES RESULTS IS FIELD CHLORIDES RESULTS FIELD CHLO	64	.16						
PERIMETER FIELD CHLORIDES RESULTS FIELD CHLORIDES RESULTS SAMPLE READING CALC. ID READING (mg/kg) SAMPLE 2 4 3 Constant of the reading o								
Buckground NN SAMPLE READING CALC. ID READING (mg/kg) SF IC SofPit S 243 Results PID RESULTS SAMPLE ID PID RESULTS SAMPLE ID SF SAMPLE D SF SAMPLE D SF SF SAMPLE D SF SF SAMPLE ID SF SF SAMPLE ID SF SF SF SF SF SF SF SF SF SF								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	PROFILE	3						
	Entry Accurate NA SAMPLE READING CALC. ID READING (mg/kg) SHOW 2.6 87 I'& SofPit S 243 Backgroud 2.6 87 I'& SofPit S 243 Backgroud 2.6 87 I' & SofPit S 243 Backgroud 2.6 87 I' & SofPit S 243 Backgroud 2.6 87 I' & SofPit S 243 I'							
LAB SAMPLES NOTES: Lease # NM 070322								
SAMPLE ID ANALYSIS RESULTS BENZENE		¥						
WORKORDER # WHO ORDERED								

PHONE: (505) 632-0615 • 5796 U.S. HIGHWAY 64 • FARMINGTON, NEW MEXICO 87401)-09	ЈОВ# <u></u>	3056-0193
LOAD NO.	CON	IPLETE DESCR	PTION OF SHI	PMENT			TRA	NSPOR	TING CO	OMPANY
l l	POINT OF ORIGIN	DESTINATION	MATERIAL	GRID	YDS	BBLS	COMPANY	TRK#	TIME	DRIVER SIGNATUF
•	ELMFidge Corson 10#333	LFI	So.L	F23	4		4-4	178	1146	Jolmany
					-4					
ESULT 450		LANDFARM	Gary	lobi	nso	7	NOTES: EXer	npt	/	
120	PAINT FILTER TEST	EMPLOYEE:	10		5lir		ENTER		P N 2	2000

NAME John mekinnen	COMPANY Faur Four	SIGNATURE
COMPANY CONTACT	PHONE 327-2311	DATE 8.31-09

ACCENT Printing • Form 28-1212

District-1	State of New Mexico	Form C-144 July 21, 2008
1625 N. French Dr., Hobbs, NM 88240 Energy M	Ainerals and Natural Resources	•
District II 1301 W. Grand Avenue, Artesia, NM 88240	Department	For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate
1000 Rio Brazós Road Aztec NM 87410	Conservation Division	NMOCD District Office. For permanent pits and exceptions submit to
District IV 122	20 South St. Francis Dr.	the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD
1220 S. St. Higgsis Din Santz Fe, 194187505 08	Santa Fe, NM 87505	District Office.
	pp System, Below-Grade T	
	ethod Permit or Closure P	· · · · · · · · · · · · · · · · · · ·
Modification to an e	sed-loop system, below-grade tank, existing permit ubmitted for an existing permitted or	
Instructions: Please submit one application (Form C-	144) per individual pit, closed-loop syste	em, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the op environment. Nor does approval relieve the operator of its responsibility		
Operator: Elm Ridge Exploration	OGRID #:	149052
Address: P.O. Box 156; Bloomfield, NM 87413		
Facility or well name: Carson 10-332		
API Number: <u>3004527667</u>	OCD Permit Number:	
U/L or Qtr/Qtr <u>G</u> Section <u>10</u> Township <u>25</u>	N Range <u>12W</u> Cour	nty: <u>San Juan</u>
Center of Proposed Design: Latitude <u>36.417478</u> Long	tude <u>-107.095581</u> NAD:]1927 🛛 1983
Surface Owner: X Federal State Private Tribal Trust	or Indian Allotment	
$\boxtimes \underline{Pit}: Subsection F or G of 19.15.17.11 NMAC$	Ceased emptying into prior to J	June 16, 2008
Temporary: Drilling Workover		
Permanent Emergency Cavitation P&A		
□ Lined ☑ Unlined Liner type: Thicknessmil	LLDPE HDPE PVC Ot	her
String-Reinforced		
Liner Seams: Welded Factory Other	Volume:bbl	Dimensions: L_10' x W_10' x D_2'
	· · · · · · · · · · · · · · · · · · ·	······································
Closed-loop System: Subsection H of 19.15.17.11 NMAC		
Type of Operation: P&A Drilling a new well Workd intent)		ich require prior approval of a permit or notice of
Drying Pad Above Ground Steel Tanks Haul-off B		
Lined Unlined Liner type: Thicknessm	MI [] LLDPE [] HDPE [] PVC [Other
Liner Seams: Welded Factory Other	<u></u>	
4.		
Below-grade tank: Subsection I of 19.15.17.11 NMAC		
Volume:bbl Type of fluid:		
Tank Construction material:		
Secondary containment with leak detection Visible sid		verflow shut-off
Visible sidewalls and liner Visible sidewalls only		
Liner type: Thicknessmil 🗍 HD	PE PVC Other	
5.		
Alternative Method:		
Submittal of an exception request is required. Exceptions must	be submitted to the Santa Fe Environme	ental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify 4' tall hogwire fencing

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

7

10.

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

□ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

 Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 				
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).0. Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - (Applies to temporary, emergency, or cavitation pits and below-grade tanks) (□ Yes □ No □ NA			
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No ☐ NA			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	🗌 Yes 🗌 No			
Within 500 feet of a wetland.	□ Yes □ No			
Within the area overlying a subsurface mine.				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗍 No			
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No			
	🗋 Yes 🗌 No			
	🗌 Yes 🗌 No			

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are							
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC							
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 							
Previously Approved Design (attach copy of design) API Number: or Permit Number:							
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.							
 Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 							
Previously Approved Design (attach copy of design) API Number:							
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)							
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.							
<u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.							
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal							
 Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) 							
In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)							
15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.							

·		
^{16.} Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) No	occur on or in areas that will not be used for future served	vice and operations?
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of 19.15.17.13 NMA n I of 19.15.17.13 NMAC	2
^{17.} Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requi considered an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ire administrative approval from the appropriate distr al Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	□ Yes □ No □ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	□ Yes □ No □ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si lake (measured from the ordínary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	🗌 Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site; Aerial photo; Satelli		🗌 Yes 🗌 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that le watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	🗌 Yes 🗌 No
 Within incorporated municipal boundaries or within a defined municipal fresh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approx 		🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Vist 	ual inspection (certification) of the proposed site	🗌 Yes 🗌 No
Within the area overlying a subsurface mine.Written confirmation or verification or map from the NM EMNRD-Minir	g and Mineral Division	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map 	gy & Mineral Resources; USGS; NM Geological	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map		🗌 Yes 🗌 No
 18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection) 	quirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 15.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cannot	15.17.11 NMAC

- Soil Cover Design based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Re-vegetation Plan based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19. Operator Application Certification:	
I hereby certify that the information submitted with the application is true, accura	te and complete to the best of my knowledge and belief.
Name (Print):Ms_Amy Mackey	Title: <u>Administrative Manager</u>
Signature:	Date: 1-28-09
E-mail address:amackey1@elmridge.net	Telephone: <u>505-632-3476 Ext. 201</u>
20. <u>OCD Approval</u> : Permit Application (including closure plan) Closure Pla	an (only) OCD Conditions (see attachment)
OCD Representative Signature: and A. and A.	Approval Date: <u>2/19/2009</u>
OCD Representative Signature: Unip and the and the and the and the and the and the angle of the	OCD Permit Number:
^{21.} Closure Report (required within 60 days of closure completion): Subsection H Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of th section of the form until an approved closure plan has been obtained and the clo	o implementing any closure activities and submitting the closure report. The completion of the closure activities. Please do not complete this
22.	
Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	tive Closure Method 🔲 Waste Removal (Closed-loop systems only)
^{23.} Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, drill two facilities were utilized.	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No	
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation)	ons:
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 	
24.	
Closure Report Attachment Checklist: Instructions: Each of the following ite mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ms must be attached to the closure report. Please indicate, by a check
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitu	nde NAD: []1927 [] 1983
 25. <u>Operator Closure Certification</u>: I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirem 	eport is true, accurate and complete to the best of my knowledge and
Name (Print): Title:	
Signature:	Date:
e-mail address: Telephone:	

17

Earth Pit	MR PUMP JACK
LEGEND 4' Tall Hogwire Fencing Berm Well Head	SITE MAP ELM RIDGE EXPLORATION CARSON 10-332 SEC 10 TWN 25N RGE 12W SAN JUAN COUNTY, NEW MEXICO SCALE: NTS PROJECT N003056-0136 FIGURE NO. A REVISIONS NO. DATE BY DESCRIPTION MAP DRWN JPM 12/24/08 BASE DRWN ENVIRONMENTAL SCIENTISTS & ENGINEERS ENVIRONMENTAL SCIENTISTS & ENGINEERS ST96 U.S. HIGHWAY 64, FARMINGTON, NM 87410 505-632-0615

EARTHEN PIT CLOSURE PLAN

SITE NAME:

CARSON 10-332 UNIT LETTER G, SECTION 10, TOWNSHIP 25N, RANGE 12W SAN JUAN COUNTY, NEW MEXICO LATITUDE 36.417478 LONGITUDE -107.095581

SUBMITTED TO:

MR. WAYNE PRICE NEW MEXICO OIL CONSERVATION DIVISION 1220 SOUTH ST. FRANCIS DRIVE SANTA FE, NEW MEXICO 87505 (505) 476-3490

SUBMITTED BY:

MS. AMY MACKEY ELM RIDGE EXPLORATION P.O. BOX 156 BLOOMFIELD, NEW MEXICO 87413 (505) 632-3476 EXT. 201

JANUARY 2009

EARTHEN PIT CLOSURE PLAN ELM RIDGE EXPLORATION CARSON 10-332 SAN JUAN COUNTY, NEW MEXICO

TABLE OF CONTENTS

INTRODUCTION	1
SCOPE OF CLOSURE ACTIVITIES	1
REPORTING.	3

Earthen Pit Closure Plan Elm Ridge Exploration Carson 10-332 Page 1

INTRODUCTION

Elm Ridge Exploration would like to submit a closure plan for the earthen pit at the Carson 10-332 well site located in the SW ¼ NE ¼ of Section 10, Township 25N, Range 12W, San Juan County, New Mexico. This closure plan has been prepared in conformance with the closure requirements of 19.15.17.13 NMAC.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the permanent unlined pit at the Carson 10-332 well site. The following scope of closure activities has been designed to meet this objective:

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.
- 2) In accordance with of Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health, or the environment.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close a earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this Closure activities that will take place on tribal land will have requirement. notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge office. Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of

closure activities.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids, and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or show other evidence of a release. All samples being collected will be analyzed for benzene, and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - a. If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
 - ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.
 - iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a

Earthen Pit Closure Plan Elm Ridge Exploration Carson 10-332 Page 3

contractor acting on behalf of Elm Ridge Exploration, will substantially restore, re-contour, and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation. For re-vegetation methods, please see attached re-vegetation plan.

b. If soil samples exceed the regulatory standards stated above.

- i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
- ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.

REPORTING

Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-3476 Ext. 201.

Respectfully Submitted Elm Ridge Exploration

Amy Mackey Elm Ridge Exploration

Elm Ridge Exploration

Re-Seeding Techniques and Seed Mixture Ratios

These applied practices by Elm Ridge Exploration will at a minimum comply with the New Mexico Oil Conservation Divisions rule 19.15.17.13, Subsection I NMAC Elm Ridge Exploration has adopted these re-seeding application techniques, ratios and mixtures as their standard operating procedures.

- 1. The first growing season after closure of a below grade tank or pit, all areas of the well site not utilized for the production of oil and/or gas on a daily basis will be re-seeded with the specified seed mixture.
- 2. The seed mixture used will be certified with no primary or secondary noxious weeds in seed mixtures. The seed labels from each bag shall be available for inspection while seed is being sown.
- 3. The operator shall accomplish seeding by drilling on the contour whenever practical or by other division-approved methods. The operator shall obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
- 4. Hand seeding with hydro-mulch, excelsior netting or mulch with netting is required on the cut/fill slopes. Mulch will be spread at a rate of 2,000-3,000 pounds per acre.
- 5. Compacted areas determined by visual inspection will be ripped to a depth of twelve (12) inches below ground surface and disked to a depth of six (6) inches before seeding. Seeding shall be done with a disk type drill with two (2) boxes for various seed sizes. The drill rows shall be eight (8) to ten (10) inches apart. Seed shall be planted at no less than one-half (1/2) inch deep or more than one (1) inch deep. The seeder shall be followed with a drag, packer, or roller to ensure uniform coverage of the seed and adequate compaction. Drilling shall be done on the contour where possible, but not up and down the slope.
- 6. Where slopes are too steep for contour drilling a hand seeder shall be used. Seed shall be covered to the depth stated above by whatever means is practical. If the seed is unable to be covered by the means listed above, the prescribed seed mixture amount will be doubled.

- 7. Elm Ridge Exploration shall repeat seeding or planting until it successfully achieves the required vegetative cover of 70% of the native perennial vegetation cover.
- 8. Upon abandonment of a well site, if the retention of the access road is not considered necessary for the management and multiple uses of the natural resources, or by the surface owner, it will be ripped a minimum of twelve (12) inches in depth. After ripping, water bars will be installed. All ripped surfaces are to be protected from vehicular travel by construction of a dead end ditch and earthen barricade at the entrance to these ripped areas. Re-seeding of areas affected by the ditch and barriers will be re-seeded if necessary.
- 9. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will inform the division once successful re-vegetation has occurred.