

Five Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form O-100
July 17, 2008

1. WELL API NO.
30-059-20531
2. Type Of Lease
☒ STATE ☐ FEE ☐ FED/INDIAN
3. State Oil & Gas Lease No. L06193

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

- ☒ **COMPLETION REPORT** (Fill in boxes #1 through #31 for State and Fee wells only)
- ☐ **C-144 CLOSURE ATTACHMENT** (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name

Bravo Dome Carbon Dioxide Gas 2433

6. Well Number

271

9. Type of Completion

- ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

3. Name of Operator

OXY USA Inc.

9. OGRID Number

16696

10. Address of Operator

P.O. Box 4294 Houston, TX 77210-4294

11. Pool name or Wildcat

Bravo Dome Carbon Dioxide Gas 640

12. Location	Unit Letter	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	27	24N	33E		1825	N	1702	E	Union
BH:										

13. Date Spudded 8/25/08	14. Date T.D. Reached 08/22/11	15. Date Rig Released 8/23/11	16. Date Completed (Ready to Produce) 8/23/11	17. Elevations (DF & RKB, RT, GR, etc.) 5287.9 GR
18. Total Measured Depth of Well 2775	19. Plug Back Measured Depth 2756	20. Was Directional Survey Made No	21. Type Electric and Other Logs Run ACR	

22. Producing Interval(s), of this completion - Top, Bottom, Name

2597-2637 - Tubb

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	750'	12-1/4"	400 SX	N/A
5-1/2"	5.4#FG/15.5#	2600' 2800'	7-7/8"	500 SX	N/A

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

25. TUBING RECORD

26. Perforation record (interval, size, and number)

2597-2637' @ 4 SPF (124 Total Holes)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2597-2637'	15336g CO2 63TON frac w/607 sx and

28. PRODUCTION

Date First Production 1/30/12		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PROD	
Date of Test 2/9/12	Hours Tested 24	Choke Size 2.00 ORF	Prod'n For Test Period	Oil - Bbl.	Gas - MCF 910	Water - Bbl. 0	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure 104	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF 910	Water - Bbl. 0	Oil Gravity - API -(Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Test Witnessed By

AUTOMATION

31. List Attachments:

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD: 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature *K. Lockett* Printed Name KIKI LOCKETT Title Reg Analyst Date 3/20/12
E-mail address KIKI.LOCKETT@OXY.COM

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn "A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Gravburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 1929	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 2132	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb 2616	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Santa Rosa 1621	T. Entrada	
T. Wolfcamp	T. Yeso 2231	T. Wingate	
T. Penn	T. Cimarron 2601	T. Chinle	
T. Cisco (Bough C)	T.	T. Permain	

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____

No. 3, from _____ to _____

No. 2, from _____ to _____

No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet

No. 2, from _____ to _____ feet

No. 3. from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	709	709	redbed				
709	3024	2315	sandstone/shale				