State of New Mexico Five Copies July 17, 2008 Energy, Minerals and Natural Resources District I 1625 N French Dr. Hobbs NM 88240 1. WELL API NO. 1301 W. Grand Avenue, Artesia, NM 88210 3005920540 OIL CONSERVATION DIVISION District\_IIL 2. Type Of Lease 1000 Rio Brazos Rd., Aztec, NM 87410 1220 South St. Francis Dr. District IV Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505 State Oil & Gas Lease No. L05851 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 5. Lease Name or Unit Agreement Name 4. Reason for filing: Bravo Dome Carbon Dioxide Gas 2233 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) 6. Well Number C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) 061 7. Type of Completion oxine new well oxine workover oxine deepening oxine plugback oxine different reservoir oxine other 9. OGRID Number 3. Name of Operator OXY USA Inc 16696 10. Address of Operator 11. Pool name or Wildcat P.O. Box 4294 Houston, TX 77210-4294 Bravo Dome Carbon Dioxide Gas 640 N/S Line Feet from the E/W Line County 12. Location Unit Letter Section Township Range Feet from the Lot Surface: 22 N 33 E 1700 1700 UNION BH: 13. Date Spudded 14. Date T.D. Reached 15. Date Rig Released 16. Date Completed (Ready to Produce) 17. Elevations (DF & RKB, RT, GR, etc.) 5114.5 GR 29 18. Total Measured Depth of Well 19. Plug Back Measured Depth 21. Type Electric and Other Logs Run 20. Was Directional Survey Made 2622 No GR/CCL 22. Producing Interval(s), of this completion - Top, Bottom, Name 2506-2410' - Tubb CASING RECORD (Report all strings set in well) CEMENTING RECORD **CASING SIZE** WEIGHT LB./FT **DEPTH SET** HOLE SIZE AMOUNT PULLED 8-5/8 24# 750' 12-1/4" 400 SX N/A 2500' 2650' 5.4# 15.5# N/A 5-1/2 7-7/8 500 SX LINER RECORD 25. TUBING RECORD SIZE TOP BOTTOM SACKS CEMENT **SCREEN** SIZE **DEPTH:SET** PACKER SET 26. Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQEEZE, ETC AMOUNT AND KIND MATERIAL USED DEPTH INTERVAL 2506-2410' @ 4 SPF (164 Total Holes) 2506-2536 13798g CO2 53TON frac w/500 sx snc **PRODUCTION** Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) 11/22/11 Flowing Date of Test Hours Tested Gas - MCF Water - Bbl. Gas - Oil Ratio Choke Size Prod'n For Oil - Bbl. Test Period 12/2/11 24 2.75-orf 2029 Flow Tubing Gas - MCF Casing Pressure Calculated 24-Oil - Bbl. Water - Bbl. Oil Gravity - API -(Corr.) Press. Hour Rate 121 0 2029 U 29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30. Test Witnessed By Sold Automation 31. List Attachments 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. 33. If an on-site burial was used at the well, report the exact location of the on-site burial: Longitude 1983 Latitude I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Lockett Signature Printed 3/20/12 KIKI LOCKETT Reg Analyst Title KIKI\_LOCKETT@OXY.COM<sup>Name</sup> E-mail address

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMAT	ION TOPS IN CONFORMANC	E WITH GEOGRAPHICAL S	SECTION OF STATE					
Southeast	tern New Mexico	Northwestern New Mexico						
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn "A"					
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"					
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"					
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"					
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville					
T. Oueen	T. Silurian	T. Menefee	T. Madison					
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert					
T. San Andres 1	382 T. Simpson	T. Mancos	T. McCracken					
T. Glorieta 1	.634 T. McKee	T. Gallup	T. Ignacio Otzte					
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite					
T. Blinebry	_ T. Gr. Wash	T. Dakota						
T. Tubb 2	145 T. Delaware Sand	T. Morrison						
T. Drinkard	T. Bone Springs	T. Todilto						
T. Abo	T. Santa Rosa 953	T. Entrada	·					
T. Wolfcamp	T. Yeso 1735	T. Wingate						
T. Penn	T. Cimarron 2127							
T. Cisco (Bough C)	T	T. Permain						
			OIL OR GAS SANDS OR ZONES					
No. 1, from	to	No. 3. from	to					
No. 2, from	to	No. 4, from	to					
,	•	T WATER SANDS						
Include data on rate of water inflow and elevation to which water rose in hole.								
	to							
No. 2, from	to	feet						
No. 3. from	to	feet						
LITHOLOGY RECORD (Attach additional sheet if necessary)								

From	То	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology
)	745	745	redbed				
745	2302	1557	sandstone/shale				
				:			
					,		
			·				
							,
						·	
	<u> </u>						