WBDU 1830-271F API = 30-021-2054D

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Danny J. Holcomb Title: Facilities Team Leader
Signature: Date:
e-mail address:dholcomb@hess.com
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Sl. Morton Approval Date: 2/29/20/2
Title: DISTRICT SUPERVISOR OCD Permit: Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 9/30/2012
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please Indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Re-vegetation (Photo Documentation) On-site Closure Location: Latitude N 25 9 45, 818 Longitude W 103 9 44 626 NAD: 1927 1983
Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print): Danny Hakambo Title: Operator Date: 10-2-2012 comail address: Aholoombo hess.com Telephone: 515-673-6730 X 500

Holcomb, Danny

From:

Holcomb, Danny

Sent:

Wednesday, September 19, 2012 8:46 AM

To:

Mike Fitzgerald (F&F Cattle Co)

Subject:

FW: Hess Drilling Pit Plan(-1830-271F

Mike.

Per my email below, we plan to close the pit at WBDU 1830-271F during the next 2 weeks. We will close this pit in compliance with the state issued pit permit using the onsite deep bury method discussed below. If you have any questions, please let me know.

Thanks,

Danny Holcomb

Hess Corporation - West Bravo Dome

Office - 575-673-6700 ext 5001

Cell - 575-650-0316

From: Holcomb, Danny

Sent: Saturday, February 25, 2012 10:16 AM

To: Mike Fitzgerald (F&F Cattle Co)

Subject: Hess Drilling Pit Plan - 1830-271F

Landowner Closure Notice

Mike.

As we did in our 2010 drilling project, Hess will be building a 75' x 75' x 5' deep temporary drilling pit on each valley well location this year. These pits will be permitted with the State to meet their stringent pit requirements. The pit will be lined with 20 mil string reinforced plastic and fenced with a 4 strand barbed wire fence from opening to closing. Also as we did in 2010, our plans would be to bury the contents of the drilling pits onsite assuming the content tests meet State permitting levels. The contents of each pit will be sampled and sent to a lab for analysis. If contents contain low levels of chlorides, etc (which we expect them to do), the State will allow us to bury the contents on site using a deep trench burial method as we have done in the past. Basically, a deep trench would be dug adjacent to the reserve pit, the trench would be lined with 20 mil plastic and the reserve pit contents (including the original liner) would be moved into the lined trench. The plastic in the trench would then be wrapped up like a burrito and covered with at least 4 feet of soil. This method insures that the pit contents are fully encapsulated to protect any ground water and that no plastic liner will protrude out of the ground in future years. If the pit contents contain high chlorides, etc, then they will be hauled off to a permitted disposal site near Hobbs. Finally the pit area will be reseeded with native grasses.

We plan to close these pits as soon as the drilling cuttings are dried and tested. After the well is completed, we will be vacuuming the water off the top of these pits to accelerate the drying time.

I wanted to advise you of how we plan to manage these drilling cuttings this year and be sure you approve of this plan. Please advise. If you have any questions, please let me know.

Thanks,

Danny Holcomb Hess Corporation - West Bravo Dome Office - 575-673-6700 ext 5001 Cell - 575-650-0316

Holcomb, Danny

From: Sent:

Martin, Ed. EMNRD <ed.martin@state.nm.us> Wednesday, September 19, 2012 7:19 AM

To:

Holcomb. Danny

Subject:

RE: Pit Content Lab Results - WBDU 1830-271F

OK to close at 3:1.

Ed Martin

New Mexico Oil Conservation Division

Supervisor, District 4 1220 S. St. Francis Santa Fe, NM 87505 Office: 505-476-3470

Cell: 505-690-2365 Fax: 505-476-3462

From: Holcomb, Danny [mailto:dholcomb@hess.com]

Sent: Tuesday, September 18, 2012 3:39 PM

To: Martin, Ed, EMNRD

Subject: Pit Content Lab Results - WBDU 1830-271F

Ed,

Attached are the lab results on the pit contents at WBDU 1830-271F. All results, except chlorides, meet the minimum levels identified in the pit permit. Chloride level is 9,000 mg/kg. We propose to bury these contents in place per our permit by mixing 3:1 with clean soil before deep bury. With your approval, we would like to close this pit beginning this week. Please advise.

Thanks,

Danny Holcomb

Hess Corporation - West Bravo Dome

Office - 575-673-6700 ext 5001

Cell - 575-650-0316

From: Celey Keene [mailto:celey.keene@cardinallabsnm.com]

Sent: Tuesday, September 18, 2012 2:56 PM

To: Holcomb, Danny Subject: WBD

THANK YOU,

Celey Keene Lab Director **Cardinal Laboratories** 101 East Marland

Hobbs, NM 88240 T: (575) 393-2326 F: (575) 393-2476

e-mail: celey.keene@cardinallabsnm.com

NMOCD Closure Notice



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Hess Corporation DANNY HOLCOMB P.O. Box 1570 Seminole TX, 79360 Fax To: (432) 758-6715

Received:

09/10/2012

Reported:

09/18/2012

Project Name:

WEST BRAVO DOME

Project Number: Project Location: WBD WBD Sampling Date:

09/06/2012

Sampling Type:

Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Jodi Henson

Sample ID: 1830 - 271 F (H202185-01)

BTEX 80218

mg/kg

Analyzed By: AP

Analyte	Result	Reporting Limit	Analyzed	Method Blank,	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	.0.050	09/12/2012	ND	2.06	103	2.00	3.78	
Toluene*	< 0.050	0.050	09/12/2012	ND	2.14	107	2.00	3.61	
Ethylbenzene*	<0.050	0.050	09/12/2012	i ND	1.96	98.1	2.00	3.45	
Total Xylenes*	<0.150	0.150	09/12/2012	ND	6.47	108	6.00	3.29	
Surrogate: 4-Bromofluorobenzene (PIC	133 %	89.4-12	6	*	an is abbrillation building agency (# 17	the control and the second		· A · · · · · · · · · · · · · · · · · ·	**************************************
Chloride, SM4500CI-B	mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	85	% Recovery	True Value QC	RPD	Qualifier
Chloride	9000	16.0	09/13/2012	ND	416	104	400	0.00	
TPH 418.1	mg/kg		Analyzed By: AM						
Analyte	Result.	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TPH 418.1	781	100	09/18/2012	· ND	2820	113	2500	0.890	
TPH 8015M	d mg/kg		Analyzed By: MS						
: Analyte	Result	Reporting Limit	Analyzed	: Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/14/2012	· ND	205	103	200	5.51	
DRO >C10-C28	161	10.0	09/14/2012	ND	205	103	200	9.70	
Surrogate: 1-Chlorooctane	88.4 %	65.2-14	10	The same of the same and the sa		4114 201000000		A entre de la completación	
Surrogate: I-Chlorooctadecane	86.8 %	63.6-15	4						

Cardinal Laboratories

*=Accredited Analyte

including, without tradition, business intermediation, loss of use, or loss of use, or loss of profes incurted by client, its subsidiaries, affiliables or successors ancing out of or related to the performance of the services hereunder by Cardinal regardless of whether

Cley Extreme

Celey D. Keene, Lab Director/Quality Manager

Page 2 of 4

West Bravo Dome

2012 Drilling Project Location Diagram

Start Day

Mesa Locations Completed 9-80-12

25' X 100' X 20' deep bury pit lined with 20 mil string reinforced LLDPE



