	it To Appropriate District Office State of New Mexico						Form C-105				
State Lease - 6 copies Fee Lease - 5 copies	tate Lease - 6 copies						Revised June 10, 2003				
District I						Ţ	WELL API NO.				
District II	1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> Oil Conservation Division						L	30-007-20429			
1301 W. Grand Aven District III	ue, Artesia, NM 8821)		20 South St. Fr			-	5. Indicate 7			<u></u>
1000 Rio Brazos Rd.,	Aztec, NM 87410					Л.		STAT		FEE	3 X
District IV 1220 S. St. Francis Di	r Santa Fe NM 875	5	,	Santa Fe, NM	8/505		ļ	State Oil & Gas Lease No.			
			MPLI	ETION REPOR	RT AND	LOG			length.		
la. Type of Well:					_	<u></u>		7. Lease Name	or Unit Agre	eement N	lame
OIL WEI	LL 🔲 GAS WE	LL 🛛 DRY		OTHER Coalbed	Methane			VPR B			
b. Type of Comp		NEW C		DYES					V	PKB	ı
	VORK 🗍 DEE OVER	'EN ∐ PLUG BAC		DIFF. RESVR. 🔲 OTHI	ER		,				
2. Name of Operato							1	8. Well No.			
	EL PASO	ENERGY R	ATON	I, L.L.C.						48	
3. Address of Oper	ator							9. Pool name or Wildcat			
J. Address of Open	PO BOX	190					-			er – Ve	rmejo Gas _
		NEW MEXI	CO 87	740						<i>.</i>	97047
4. Well Location											<u></u>
Unit Letter						1774 Fe			st Line		
Section 10 Page Sandard	8 Towns			Range npl. (Ready to Prod.)	19E		IPM			County	<u> </u>
10. Date Spudded 12/03/03	11. Date 1.D. Re 12/04/0	1	Jate Con	04/14/05	13	Elevations		RKB, RT, GR, ',910'	etc.)	14. Elev.	Casinghead 7,910'
15. Total Depth	16. Plug F		17. If N	Multiple Compl. How	Many	18. Interv		Rotary Tools		Cable	
2,530'		,403'	l .	nes?		Drilled B	<u>y</u>	0 - T			_
19. Producing Inter								. 20). Was Dire	ctional S	urvey Made
21 Town Floring		<u>52' – 2,253'</u>	Rate	on – Vermejo Co	als			1 22 37/22 37/21/	<u></u>		
21. Type Electric a			Loga	nd Cement Bon	l Log			22. Was Well Cored No			
23.	d Density Sin	ic madetion		SING RECOR		nort all s	trin	ac cet in w	<u>-11\</u>		
CASING SIZE	E WEIG	HT LB./FT.		DEPTH SET		DLE SIZE		CEMENTING		Τ	MOUNT PULLED
8 5/8"		3 lbs		333'		11"		100 s		 	
5 ½"	5.5 lbs	s 2,424'		7 7/8"		337 sks					
			177	The residence of the second			100	L			
SIZE	TOP	ВОТТОМ	LINI	ER RECORD SACKS CEMENT	SCREE	VI.	SIZ		JBING RE DEPTH SI		PACKER SET
SIZE	101	BOTTOM		SACKS CEMENT	SCREE	<u> </u>	_	7/8"	2,297	31	PACKERSET
							-	770	2,27		1
26. Perforation re	cord (interval, size	, and number)		·	27. AC	ID, SHOT.	FR.	ACTURE, CEN	MENT, SO	UEEZE	, ETC.
	', 2,088'- 2,090', 2				DEPTH	INTERVAL		AMOUNT AND KIND MATERIAL USED			
1,733'- 1,736 991'- 993', 1,					752' – 2,253'		131,308 lbs 16/30 Brady sand				
752'- 755', 78		_,									
						·					
PRODUCTION PRODUCTION											
Date First Production				wing, gas lift, pumpin)	Well Status (Prod. or Shut-in)			
04/14/05 Pumping water up 2 7/8" tubing w/ 1 ½" x 81" insert pump. Production Flowing gas up 5 ½" casing.						vuucuoi	7.6				
Date of Test	Hours Tested	Choke Size		Prod'n For	Oil - Bb		Gas	- MCF	Water - Bb	d.	Gas - Oil Ratio
04/14/05 Flow Tubing	24 Hours Casing Pressure	Full 2" Calculated		Test Period Oil - Bbl.		N/A - MCF	<u>_</u>	0 Vater - Bbl.		rovity A	N/A PI - (Corr.)
Press.	Casing I lessure	Hour Rate	2 	N/A		0	1	0	Oil Gi	avity - A	N/A
0 psi 0 psi 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By											
Sold, used for fuel.											
30. List Attachments											
31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief											
			both si	des of this form as i	rue and	complete to	the	best of my know	vledge and	belief	
(1.	O. In	teholl	Prin	ted							
Signature Shully Mitchell Printed Name Shirley A. Mitchell Title Regulatory Analyst Date 04/25/05											
E-mail Address shirley.mitchell@elpaso.com											
E-mail Address shirley.mitchell@elpaso.com											

INSTRUCTIONS

nis form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or epened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests nducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths all also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate cept on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northwestern New Mexico					
. Anhy T. Canyon		T. Ojo Alamo	T. Penn. "B"				
T. Salt T. Strawn		T. Kirtland-Fruitland	T. Penn. "C"				
3. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"				
. Yates	T. Miss	T. Cliff House	T. Leadville				
. 7 Rivers	T. Devonian	T. Menefee	T. Madison				
. Queen	T. Silurian_	T. Point Lookout	T. Elbert				
. Grayburg	T. Montoya	T. Mancos	T. McCracken				
. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte				
. Glorieta	T. McKee	Base Greenhorn	T. Granite				
. Paddock	T. Ellenburger	T. Dakota	T Raton 200'				
. Blinebry	T. Gr. Wash	T. Morrison	T Vermejo 2,017'				
.Tubb	T. Delaware Sand	T.Todilto	T Trinidad 2,269'				
. Drinkard	T. Bone Springs	T. Entrada	T.				
. Abo	T	T. Wingate	T.				
. Wolfcamp	T	T. Chinle	T.				
. Penn_	T.	T. Permian	T				
Cisco (Bough C)	T.	T. Penn "A"	T.				

SANDS OR ZONE

			SANDS OR ZONES
. 1, from	to	No. 3, from	to
. 2, from	to	No. 4, from	toto
,		WATER SANDS	
lude data on rate of v	water inflow and elevation to which water	r rose in hole.	
. 1, from	toto	feet	
•	to		
	to		

LITHOLOGY RECORD (Attach additional sheet if necessary)

rom	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
	•						