Submit To Appropriate District Office State Lease - 6 copies		1	State of New Mexico				Form C-105			
Fee Lease - 5 copies District I		Energy,	Energy, Minerals and Natural Resources			Revised June 10, 2003 WELL API NO.				
1625 N. French Dr., H District II			Oil Conservation Division				30-007-20567			
1301 W. Grand Avenu District III	ie, Artesia, NM 88210	1	1220 South St. Francis Dr.				5. Indicate Type of Lease			
1000 Rio Brazos Rd., District IV	Aztec, NM 87410		Santa Fe, NM 87505				STATE FEE State Oil & Gas Lease No.			
1220 S. St. Francis Dr	, Santa Fe, NM 87505	OR RECOMPI	ETION REPOR	RT AND LOG	[_					
1a. Type of Well: OIL WEI		L 🛛 DRY 🗀	OTHER Coalbed			7. Lease Name o				
b. Type of Compl	etion:						V	PR D	į	
NEW ☑ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. WELL OVER BACK RESVR. ☐ OTHER										
2. Name of Operato		ENERGY RATO	N, L.L.C.		8	B. Well No.		195		
3. Address of Opera	PO BOX	100			9	Pool name or	Wildcat	I- X7	- Carr	
		IEW MEXICO 8	7740			9. Pool name or Wildcat Castle Rock Park – Vermejo Gas				
4. Well Location										
Unit Letter	<u>H</u> : 152	Feet From The	North Li	ne and <u>648</u> Fe	et Fro	m The <u>Ea</u>	stLine	e		
Section	24 Town		Range		MPN		Colfax	County		
10. Date Spudded 02/18/05	11. Date T.D. Rea 02/19/05	E .	ompl. (Ready to Prod.) 04/15/05	13. Elevations		& RKB, RT, GR, etc.) 14. Elev. Casinghead 8,057' 8,057'			Casinghead 8,057'	
15. Total Depth 1,345'	16. Plug Ba		Multiple Compl. How ones?	Many 18. Interv Drilled B		Rotary Tools 0 - TI		Cable T		
	val(s), of this compl	etion - Top, Bottom, N	ame		<u>'</u>		·	ctional Su	rvey Made	
21. Type Electric as		50'- 1,085' Rato	n – Vermejo Coa	ls		22. Was Well C	ored			
Compensate			and Cement Bon					No		
23.	- I welow		SING RECOR	RD (Report all s				т		
CASING SIZE WEIGHT		Ibs				CEMENTING RECORD 100 sks		AMOUNT PULLED		
5 1/2"	15.	5 lbs	1,297'	7 7/8"		181 sks				
					\dashv			 		
SIZE	TOP	BOTTOM	IER RECORD SACKS CEMENT	SCREEN	25. SIZE		BING RE		DACKED SET	
UZL	101	BOTTOM	SACKS CEMENT	BURLEN	_	7/8"	1,172		PACKER SET	
26 Profession				25 4010 0110						
850'- 857', 8	cord (interval, size, 61'- 865' 40 Holes			DEPTH INTERVAL		TURE, CEMENT, SQUEEZE, ETC. MOUNT AND KIND MATERIAL USED				
	63'- 968' 40 Holes ', 1,080'- 1,085' 3	ó Holes		850'- 1,085'		180,957 lbs 16/30 brown sand			sand	
28			PRO	DDUCTION						
Date First Production O4/19/05 Production Method (Flowing, gas lift, pumping - Size and a Pumping water up 2 7/8" tubing w/ 2' x 1 ½" x 10' insert Flowing gas up 5 ½" casing.)	Well Status (F		ut-in) roduction		
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas -		Water - Bi		Gas - Oil Ratio	
04/19/05 Flow Tubing	24 Hours Casing Pressure	Full 2" Calculated 24-	Oil - Bbl.	N/A Gas - MCF	W	ater - Bbl.	Oil G		N/A PI - (Corr.)	
Press. 0 psi 0 psi		Hour Rate	N/A	0		300			N/A	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold, used for fuel.							est Witness R.C	ed By . Knox, L	ease Operator	
30. List Attachment	Sold, use		L							
31 .I hereby certif	y that the informa	ion shown on both s	sides of this form as i	true and complete to	the be	est of my know	ledge and	belief		
Signature Sh		en en Pri	nted				Ü	•		
Signature ————————————————————————————————————	shirley.mitc	Nam hell@elpaso.com	e Shirley A. M	Iitchell Title	Re	gulatory An	alyst	Date	05/06/05	

INSTRUCTIONS

his form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or eepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests onducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths all also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate accept on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

יעוייי	CATI	JIOIGVIII	HON TOLD IN COM OF	THE THE	777					
		Southeas	stern New Mexico				Northwest	ern New Mexico		
. Anhy			T. Canyon	T. Ojo Alam		amo		T. Penn. "B"		
Γ. Salt	. Salt		T. Strawn	Т	T. Kirtland-Fruitland			T. Penn. "C"		
3. Salt			T. Atoka	Т	T. Pictured Cliffs			T. Penn. "D"		
Γ. Yate			T. Miss	Т	Cliff H	ouse		T. Leadville		
Γ. 7 Ri			T. Devonian	Т	. Menefe	e		T. Madison		
Γ. Que			T. Silurian	1000	. Point L			T. Elbert		
Γ. Gray			T. Montoya	T	. Manco		-	T. McCracken		
. San Andres			T. Simpson	Т	. Gallup			T. Ignacio Otzte		
Γ. Glor			T. McKee			nhorn		T. Granite		
r. Pado			T. Ellenburger		T. Dakota		T Raton 0'	ا — يخودون		
	. Blinebry		T. Gr. Wash		T. Morrison		T Vermejo 827'			
Γ.Tubb			T. Delaware Sand		T.Todilto		T Trinidad 1,094'			
			T. Bone Springs		T. Entrada		T.			
	T. Drinkard		T. Done Springs		T. Wingate		T.			
	Г. Abo		T.		T. Chinle		T.			
Γ . Penr	icamp_		T.		T. Permian		T.			
	ı o (Boug	L (C)	T.		T. Penn "A"			T.		
. Cisc	o (Boug	n ()	1.		. I CILLI	<u> </u>		OIL OR G	AS	
o. 1, 1 o. 2, f	rom		to		No. 4, f	rom		to		
	_						3			
clude	data on	rate of wate	er inflow and elevation to which	ch water re	ose in ho	le.	_			
o. 1, f	rom		to				feet			
o. 2, f	rom		to				feet			
o. 3, f	rom		to				feet			
,-			LITHOLOGY RECO							
			JITTOLOGI RECO		T	(Titiona	Thickness			
rom	To	Thickness In Feet	Lithology		From	То	In Feet	Lithology		
		III reet			<u> </u>	 				
ļ					[ļ				
}						}				
ŀ						ļ	l			
		Ì								
}		}			Ì]	ŀ			
						}				
1		1			ì)				
		l i			İ	ì				
		-								
Ì		1 . 1			Ì]			
						1	j			
		1								
				Ì						
1		[
		1					[
Ì										
		1								
Į		1		ĺ		1	1			