Submit To Appropriat State Lease - 6 copies		State of New Mexico					Form C-105					
Fee Lease - 5 copies District I	En	Energy, Minerals and Natural Resources				-	Revised June 10, 2003 WELL API NO.					
1625 N. French Dr., H. District II	lobbs, NM 88240							30-007-20599				
1301 W. Grand Avenu)		l Conservation 20 South St. Fr				5. Indicate Type of Lease					
District III 1000 Rio Brazos Rd.,			Santa Fe, NM			-	STATE FEE					
District IV 1220 S. St. Francis Dr	., Santa Fe, NM 8750	5						State Oil & Gas Lease No.				
	OMPLETION	OR RECO	MPL	ETION REPOR	RT AND L	<u>og</u>		The second secon				
la. Type of Well: OIL WEI	L 🔲 GAS WE	LL 🛛 DRY	,	OTHER Coalbed	Methane			7. Lease Name or Unit Agreement Name				
b. Type of Compl								VPR B				
	/ORK □ DEEI OVER	PEN 🔲 PLUG BAC										
2. Name of Operator 8. Well No.								······································				
	EL PASO	ENERGY R	.ATO	N, L.L.C.				82				
3. Address of Opera		100						9. Pool name or				
	PO BOX RATON.	. 190 NEW MEXI	(CO 8	7740				Van Bremmer – Vermejo Gas				
4. Well Location	,							***				
Unit Letter	E : 1989	Feet From	The	North Line	and 456	Feet Fr	rom T	he West	Line			
										_		
Section 10. Date Spudded	22 Towns 11. Date T.D. Re			Range ompl. (Ready to Prod.)	18E		IPM DF&	RKB, RT, GR, e	colfax	County 14. Elev.	Casinghead	
02/27/05	02/28/0	5		05/26/05			8	,259'	<u> </u>		8,259'	
15. Total Depth 2,615 '	16. Plug B	ack T.D. ,414'		Multiple Compl. How ones?		8. Interva Filled By		Rotary Tools 0 - Tl	D	Cable 7	Cools	
19. Producing Inter	val(s), of this comp	letion - Top, Bo						20	. Was Dir	ectional Su	ırvey Made	
21. Type Electric at		39'- 2,318'	Rate	on – Vermejo Coa	als			22. Was Well (Cored			
				and Cement Bone						No		
23.	- I were	UT I D ICT	CA	SING RECOR			trin			·		
CASING SIZE		HT LB./FT. 3 lbs	 	DEPTH SET 337'	HOLE SIZE			CEMENTING RECORD AN 100 sks			MOUNT PULLED	
5 ½"		15.5 lbs		2,432'	7 7/8"			313 sks		 		
			 					-		<u> </u>		
24.			LIN	IER RECORD		7	25.	TI	JBING RI	L ECORD		
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		SIZI		DEPTH S		PACKER SET	
		ļ <u></u>			<u> </u>		2	7/8"	2,362	,		
26. Perfora	tion record (interva	l, size, and numb	per)	<u>.L</u>	27. ACID.	SHOT	FRA	CTURE, CEM	MENT SO	HFF7F	FTC	
2311'- 2318'	28 Holes				DEPTH INT			AMOUNT AN				
1683'- 1689', 171 982'- 990', 1070					839'- 2,318'			161,988 lbs 16/30 brown sand				
839'- 842', 880'-	884', 890'- 892',	933'- 937' 52	Holes									
20	- 			DDC	DUCTIO)NI						
Date First Production	on I	Production Met	hod (Fl	owing, gas lift, pumpin			<u> </u>	Well Status (Prod or Sk	nut_in)		
				8" tubing, insert pump	ng, insert pump, and 2'x 1 4"x 10'				Well Status (Prod. or Shut-in) Production			
Date of Test	Hours Tested	Choke Size		Prod'n For	Oil - Bbl		Gas	- MCF	Water - B	lbl.	Gas - Oil Ratio	
05/26/05 Flow Tubing	24 Hours Casing Pressure	Full 2" Calculated	24-	Oil - Bbl.	N/A Gas - MO	CF.	V.	0 /ater - Bbl.	LOil (D Gravity - A	N/A PI - (Corr.)	
Press.	_	Hour Rate	_,	N/A		0	1	0		navity - A	N/A	
0 psi 0 psi 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By												
Sold, used for fuel. Lyn Essman 30. List Attachments												
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief												
Signature Shirly Milchell Printed												
Signature Name Shirley A. Mitchell Title Regulatory Analyst Date 06/06/05 E-mail Address shirley.mitchell@elpaso.com												

INSTRUCTIONS

us form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or epened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests nducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths all also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate cept on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	astern New Mexico	Northwestern New Mexico					
. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"				
. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"				
3. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"				
. Yates	T. Miss	T. Cliff House	T. Leadville				
7. 7 Rivers	T. Devonian	T. Menefee	T. Madison				
7. Queen	T. Silurian	T. Point Lookout	T. Elbert				
. Grayburg	T. Montoya	T. Mancos	T. McCracken				
. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte				
. Glorieta	T. McKee	Base Greenhorn	T. Granite				
. Paddock	T. Ellenburger	T. Dakota	T Raton 0'				
. Blinebry	T. Gr. Wash	T. Morrison	T <u>Vermejo</u> 2,063'				
`.Tubb	T. Delaware Sand	T.Todilto	T Trinidad 2,370'				
. Drinkard	T. Bone Springs	T. Entrada	T.				
î. Abo	T.	T. Wingate	T.				
. Wolfcamp	T.	T. Chinle	T				
. Penn	T.	T. Permian_	T				
Cisco (Bough C)	T.	T. Penn "A"	T.				

				.•					OIL OR GAS SANDS OR ZONES
5. 1. 1	from		to		No. 3, fi	rom		to	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			to		No. 4, fi	rom		to	
,			IMPORTANT \	NA	TER S	SAND	S		
clude	data on	rate of wat	ter inflow and elevation to which wate	r ro	se in ho	le.			
1.1	from		toto				feet		
2. 1	from		toto				feet		
o. 3, 1	from		to				feet		
			LITHOLOGY RECORD	(At	tach ade	ditiona	ıl sheet if n	ecessary)	
rom	То	Thickness In Feet	Lithology		From	To	Thickness In Feet		Lithology
									•
					,		!		
!									
	İ								
								Ì	