Submit 3 Copies To Appropriate District State of New Mexico	Form C-103
Office District I 1625 N French Dr. Hobbs NM 87240	Revised March 25, 1999 WELL API NO.
District H	30-007-20615
811 South First, Artesia, NM 87210 OIL CONSERVATION DIVISION	5. Indicate Type of Lease
District III 1220 South St Francis-UU3 1000 Rio Brazos Rd., Aztec, NM 87410	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 South St Francis, Santa Fe, NM DIVISION	N 6. State Oil & Gas Lease No.
87505 DIVISION	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PEUG BACK TO A	7. Lease Name or Unit Agreement Name:
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	VPR D
PROPOSALS.) 1. Type of Well:	VIRD
Oil Well Gas Well Other COALBED METHANE	
2. Name of Operator	8. Well No. 171 X
EL PASO ENERGY RATON, L.L.C. 3. Address of Operator	9. Pool name or Wildcat
P.O. BOX 190 RATON, NM 87740	97046
4. Well Location	1.070
Unit Letter H: 1890 feet from the North line and 82	feet from the <u>East</u> line
Section 13 Township 30N Range 18E NMPM	COLFAX County
10. Elevation (Show whether DR, RKB, RT, G.	R, etc.)
7,665' (GR)	D OIL D
11. Check Appropriate Box to Indicate Nature of N NOTICE OF INTENTION TO:	otice, Report or Other Data SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL V	
TEN COMMITTED A LEVEL AND A LE	ALTERNITO GAGINO L
TEMPORARILY ABANDON	E DRILLING OPNS. PLUG AND
PULL OR ALTER CASING ☐ MULTIPLE ☐ CASING TES	ABANDONMENT ABANDONMENT
COMPLETION CEMENT JO	
OTHER:	COMPLETION
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give p	
proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.	
05/15/05 Schlumberger ran Cement Bond Log. Estimated Cement Top at surface.	
06/01/04 Schlumberger perf'd 1 st stage: 1670'- 1678', 1762'- 1770' 64 Holes	
HES frac'd 1 st stage: Pumped 246,444 scf nitrogen foam with 20# Linear gel Schlumberger perf'd 2 nd stage: 1524'-1528', 1569'-1575' 40 Holes	l with 48,205 16/30 sand, ISIP 358.
HES frac'd 2 nd stage: Pumped 216,643 scf nitrogen foam with 42,894 lbs of	16/30 sand, ISIP 437.
06/08/05 Installed rods, tubing, and pump. Well is ready to be tested and put on production.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE Shirly Frienchell TITLE Regulatory Anal	DATE: 07/05/05
TITLE Regulatory Anal Type or print name: Sharley A. Mitchell Telephone No.: (505) 4	
(This space for State use)	
/ >/ >/ >/ 	SUDEDVICOD =//
APPPROVED BY TITLE DISTRICT	SUPERVISOR DATE 8/2/05
Conditions of approval, if any:	-
•	