Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I

State of New Mexico Energy, Minerals and Natural Resources

Form C-105 Revised March 25, 1999

WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 30-007-20533 OIL CONSERVATION DIVISION District II 5. Indicate Type of Lease 1220 South St Francis 811 South First, Artesia, NM 87210 District III STATE FEE Santa Fe, NM 87505 1000 Rio Brazos Rd., Aztec, NM 87410 State Oil & Gas Lease No. District IV 1220 South Pacheco, Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG la Type of Well: Lease Name or Unit Agreement Name OIL WELL GAS WELL DRY OTHER VPR A b. Type of Completion: PLUG 🖂 WORK DEEPEN NEW WELL DIFF. OTHER Well No. 2. Name of Operator 167 EL PASO ENERGY RATON, L.L.C. 3. Address of Operator Pool name or Wildcat **RATON, NEW MEXICO 87740** Stubblefield Canyon Raton - Vermejo Gas PO BOX 190 4. Well Location Feet From The North Line and 670 Feet From The West Line Unit Letter E: 1792 Colfax County 31N NMPM Section Township Range 11. Date T.D. Reached 12. Date Compl. (Ready to Prod.) 13. Elevations (DF& R(B. RT, GR, etc.) 14. Elev. Casinghead 10. Date Spudded 06/04/05 06/05/05 08/28/05 8,005' (GL) 8,005 16. Plug Back T.D. 17. If Multiple Compl. How Many 18. Intervals Rotary Tools Cable Tools 15 Total Depth Drilled By 0 - TD NONE 2,313 19. Producing Interval(s), of this completion - Top, Bottom, Name Was Directional Survey Made 1090' - 2000' Vermejo - Raton Coals NO 22. Was Well Cored 21. Type Electric and Other Logs Run Compensated Density and Cement Bond Log / Gamma Ray CASING RECORD (Report all strings set in well) 23. HOLE SIZE CEMENTING RECORD **CASING SIZE** WEIGHT LB./FT. DEPTH SET AMOUNT PULLED 11" None 23 335' 100 sks 8 5/8" 7 7/8" 2,314 5 1/2" 15.5 238 sks LINER RECORD TUBING RECORD 25 24. BOTTOM SACKS CEMENT TOP SCREEN SIZE DEPTH SET PACKER SET SIZE 2 7/8" 2.087 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. 26 Perforation record (interval, size, and number) 1969'- 1976', 1997'- 2000' 40 Holes 1628'- 1632', 1657'- 1660' 28 Holes AMOUNT AND KIND MATERIAL USED DEPTH INTERVAL 1090'- 2000' 86,062 lbs 16/30 sand 1090'- 1093', 1135'- 1139', 1181'- 1185' 44 Holes **PRODUCTION** 28 Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) Date First Production Pumping water up 2 7/8" tubing, pc pump.. Flowing gas up 5 Production 09/04/05 1/2"Casing. Choke Size Prod'n For Oil - Bbl Water - Bbl. Gas - Oil Ratio Hours Tested Gas - MCF Date of Test Full 2" Test Period N/A N/A 09/04/05 24 hrs. 321 Calculated 24-Gas - MCF Water - Bbl. Oil – Bbl. Oil Gravity - API - (Corr.) Flow Tubing Casing Pressure Press Hour Rate N/A 0 321 N/A 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By: Steven Medina Sold, used for fuel. 30 List Attachments 31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief Printed Shirley A. Mitchell Title Regulatory Analyst Date: 09/21/05

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

Southeastern New Mexico

			ern New Mexico				ern New Mexico
T. Anhy			T. Canyon	T. Ojo Ala	T. Ojo Alamo		T. Penn. "B"
T. Salt			T. Strawn	T. Kirtland	T. Kirtland-Fruitland		T. Penn. "C"
B. Salt			T. Atoka	T. Pictured	T. Pictured Cliffs		T. Penn. "D"
T. Yates			T. Miss	_ T. Cliff Ho	T. Cliff House_		T. Leadville
T. 7 Rivers			T. Devonian	T. Menefe	e		T. Madison
T. Quee	en —		T. Silurian	T. Point Le	ookout		T. Elbert
T. Gray	burg		T. Montoya	T. Mancos	-		T. McCracken
T. San Andres			T. Simpson_	T. Gallup			T. Ignacio Otzte
T. Glor	ieta		T. McKee	Base Gree	nhorn		T. Granite
T. Padd	T. Paddock		T. Ellenburger	T. Dakota	T. Dakota		T Raton Top 0'
T Bline	T. Blinebry		T. Gr. Wash	T Morriso	T. Morrison		T.Vermejo 1,798'
i. Dimi		·	1. 61. 1. 65.			·	Trinidad 2,028'
T.Tubb			T. Delaware Sand	T Todilto			
T. TubbT. Drinkard			T. Bone Springs	T. Found_ T. Entrada			
T. Abo			T Done Springs	_ T. Ulinada T. Wingate			T.
T. AboT. Wolfcamp				I. Wiligan			A ·
T. Penn			T	T. CHIRIC_			1.
			_ T	I. Pelilliai	L		1.
T. Cisco (Bough C)			T	1. FCIRI P	`		T.
							OIL OR GAS SANDS OR ZONES
No. 1,	${ m from}\dots$		to	No. 3, fr	om		to
No. 2. from			to	No. 4, fr	om		to
			IMPORTAN	T WATER SA	NDS		
Include	e data or	rate of water	inflow and elevation to which w	ater rose in ho	le.		
			to			feet	
			to				
No. 3,	rom		to.,				
			LITHOLOGY RECO	RD (Attach ad	lditiona	al sheet if neces	ssary)
From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
	<u> </u>	miteet				mreet	
						,	
				1 1		t I	
	J	J					