State of New Mexico Energy, Minerals & Natural Resources

District I

1625 N. French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Río Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Divsiion 1220 S. St. Francis Dr. Santa Fe, NM 87505 Submit to appropriate District Office

AMENDED REPORT

APPLIC	CATION	FOR	l PEI	RMIT T	O DRI	LL, RE-EN	NTEI	R, DEEPEN,	PLUGBACI	K, OR ADI) A ZONE	
			1 Operat	² OGRID Number								
OXY USA Inc									16696 ³ API Number			
P.O. Box 502	250 Mid	il and,	TX 7	79710-029	50				30- 059	20477		
⁴ Property Code ⁵ Property								lame 6Well No.			1 \ /	
21.	111	4 D	- 1 De		Bravo Dome Carbon Dioxide Gas Unit			e Gas Unit	935 322 \\ \(\)			
Bravo Dome	Carbon		osed Po de Ga			96010				DOI 2		
⁷ Surface Location												
UL or lot no.	Section	Towns	· 1	Range	Lot. Id:	n Feet from t	the	North/South Line	Feet from the	East/West line	County	
<u>K</u>	32		N	35 E	<u> </u>	1650		South	1650	West	Union	
			8 Pro	oposed I	3ottom	Hole Locati	ion If	Different Fro	m Surface		·	
UL or lot no.	Section	Towns	ship	Range	Lot. Idi	n Feet from t	the	North/South Line	Feet from the	East/West line	County	
L					A	Additional W	ell L	ocation	<u> </u>			
11 Work Ty	pe Code	$\neg \tau$	12	Well Type Coo	de	13 Cable/R	lotary	otsry 14 Lease Type Code 15 Ground Level Elevation				
}	V			Ĉ		R			P	યહ્રવજી, વ		
16 Mult	•		17 J	Proposed Dept	th	18 Formation		19 (Contractor	²⁰ Spud Date		
Depth to ground			2600'			Tubb Distance from nearest fresh w		vell .	N/A Distance from neare		1,106	
Dehit to Program	water	>100'			L/Digney .		000,					
Pit: Liner: Syr	nthetic X	12	mils thi	ick Cla	ıy	Pit Volume _4	000	bbls Drilling Met	hod:			
Closed-Lo	oop System [J				j	Fresh W	Vater X Brine	e Diesel/O	il-based 🔲	Gas/Air 🔲	
L				21,	Propose	d Casing ar	ıd Ce	ment Progran	1		·	
Hole S	lize		, and the second se			Casing weight/foot Setting Depth		· · · · · · · · · · · · · · · · · · ·	Sacks of Cemer	at E	Estimated TOC	
12-1/	′4 "		8-5	/8"		24#		700'	300sx		Surface	
7-7/	7-7/8"		5-1/2"			15.5#		2600'	300sx		Surface	
[<u> </u>							
<u> </u>					<u> </u>							
							K, giv	e the data on the pro-	esent productive zon	ne and proposed	new productive zone.	
Describe the blowout prevention program, if any. Use additional sheets if necessary.												
<u> </u>												
Con Attachment												
See Attachment												
23	²³ I hereby certify that the information given above is true and complete to the best of											
I hereby certify my knowledge an	y that the info id belief. I for	rmation Ther cer	given a	bove is true	and comple	ite to the best of he	OIL CONSERVATION DIVISION					
constructed acco	ording to NM	IOCD g	uidelin	es 🚺 a :		ermit 🔲, or	Approved by Approved by					
an (attached) alternative OCD approved plan Signature:								Approved by: 1/2 / Jahren				
Printed name: D	avid Stew	vart					Title: DISTRICT SUPERVISOR					
Title: Sr. Regulatory Analyst								oval Date: 3/13		piration Date:	3/13/07	
E-mail Address: david stewart@oxy.com									/	· · · · · · · · · · · · · · · · · · ·		
Date:				Phone:			Cond	itions of Approval:				
3/3/06			432-		2-685-5	-685-5717		Attached				

ATTACHMENT C-101 BDCDGU

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-26001

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD 15.5# J55 8rd LTC new casing from 0-2600'

7-7/8" hole - 5 centralizers

CEMENT:

Surface ~ Circulate cement with 300sx Premium Plus with 2% CaCl₂ +

.25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl₂ + .25#/sx

Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx)

followed by 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E

Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud. Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240

District II 811 South First, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505


Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies


AMENDED REPORT

	WELL	LOCATION AND	ACREAGE DEDICATION PLAT				
API Numb	er	Pool Code	Pool Name				
30-059-		96010	BRAVO DOME CARBON DIC	DXIDE GAS			
Property Code		Well Number					
27111	BRAVO	DOME CARBON	DIOXIDE GAS UNIT 1935	322			
OGRID No.		Elevation					
16696	4643.4						

Surface Location UL or lot no. Section Township Range Lot Idn. Feet from the North/South line Feet from the East/West line County 32 19 N 35 E 1650′ SOUTH 1650' WEST UNION Κ Hole Location If Different From Surface **Bottom** Lot Idn. Feet from the North/South line East/West line UL or lot no. Section Township Range Feet from the County Joint or Infill Dedicated Acres Consolidation Code Order No. 640 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 32 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Signature David Stewart Printed Name Regulatory Analyst Title Date NM-E NAD27 2539 SURVEYOR CERTIFICATION Lat - 35° 49'53.41" Lon - 103° 14'38.28" I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 16501 Date of Surve Signature an 15079 650 Asel Certificate Number 15079



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM



Bravo Dome Unit Location and Pit Design Cheyenne Rig 8