

Submit 1 Copy To: Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

3005920533

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
BRAVO DOME CARBON DIOXIDE GAS UNIT

8. Well Number 281

9. OGRID Number 16696

10. Pool name or Wildcat
BRAVO DOME CARBON DIOXIDE GAS 640 - 96010

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other: CO₂ PRODUCER

2. Name of Operator

OXY USA INC

3. Address of Operator

P.O. Box 303, Amistad, New Mexico 88410

4. Well Location

Unit Letter G : 2327 feet from the NORTH line and 2166 feet from the EAST line
Section 28 Township 24 N Range 33 E NMPM County UNION

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

5193' (GL)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ENCLOSED INFORMATION AND WELLBORE SCHEMATIC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Engineering Advisor

DATE 05/16/2017

Type or print name AL GIUSSANI

E-mail address: albert_giussani@oxy.com

PHONE: 806 894-0200

For State Use Only

APPROVED BY:

TITLE


Engineer

DATE

6/12/17

Conditions of Approval (if any):

WELL NAME 2433-28 1G
API # 3005920533



FIBERGLASS CASING ✓

STEEL CASING ✓

WELL DETAILS:

SPUD	8/23/2011	TD	2,884 FT
RELEASE	8/28/2011	PBTD	2,851 FT

SURFACE 12 1/4
 790 FT
 8 5/8" J 55 24 #/FT @ 773'
 500 SX PREMIUM PLUS + 2% CACL2 + .25#/SX POL E FLAKE
 RETURNS 208 SX(50BBLS)

PRODUCTION 7 7/8
 2,884 FT
 5 1/2" ST/FG 5.4 & 15.5 @2862'
 510 SX PREMIUM PLUS + 2% CACL2 + .25#/SX POLYEFLAKE, 11.1 PPG, YIELD 3.25 CUFT/SX
 150 SX PREMIUM PLUS + 2% CACL2 + .25#/SX POLYEFLAKE, 13.2 PPG, YIELD 1.85 CUFT/SX
 RETURN 368 SX(213 BBLS)

CEMENT PLUGS DETAILS

PLUG 1 (BELOW RETAINER) - ISOLATE PAY SECTION
26 SX

PLUG 2 (ON TOP OF CR) - ISOLATE PAY SECTION
6 SX

PLUG 3 - ISOLATE THE GLORIETTA FORMATION
16 SX

PLUG 4 - +/- 50 FT ACROSS SURFACE CASING SHOE
11 SX

PLUG 5 - SURFACE
12 SX