

DATE IN 8/15/2017	SUSPENSE	ENGINEER PRG	LOGGED IN 8/15/2017	TYPE SWD	APP NO. PMAM1722746711
----------------------	----------	-----------------	------------------------	-------------	---------------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -

1220 South St. Francis Drive, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
 [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
 [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
 [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
 [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
 [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] TYPE OF APPLICATION - Check Those Which Apply for [A]

- [A] Location - Spacing Unit - Simultaneous Dedication
☐ NSL ☐ NSP ☐ SD

Check One Only for [B] or [C]

- [B] Commingling - Storage - Measurement
☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

- [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☒ SWD ☐ IPI ☐ EOR ☐ PPR

[D] Other: Specify _____

- SWD
 - Occidental Permian LTD
 157984

well
 - Hobbs Chalky
 SWD #9
 30-025-4730

[2] NOTIFICATION REQUIRED TO: - Check Those Which Apply, or Does Not Apply

- [A] ☒ Working, Royalty or Overriding Royalty Interest Owners
 [B] ☒ Offset Operators, Leaseholders or Surface Owner
 [C] ☒ Application is One Which Requires Published Legal Notice
 [D] ☒ Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
 [E] ☒ For all of the above, Proof of Notification or Publication is Attached, and/or,
 [F] ☐ Waivers are Attached

Pool
 - SWD, Devonian
 96101

[3] SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

April Hood

Print or Type Name

Signature

Regulatory Specialist

Title

Date

April.Hood@Oxy.com
 e-mail Address



Occidental Permian LTD.
A subsidiary of Occidental Petroleum Corporation

RECEIVED
5 Greenway Plaza, Suite 110, Houston, Texas
77046-0521 P.O. Box 27570, Houston, Texas
77227-7570

2017 AUG 15 A 8:49

July 28, 2017

State of New Mexico
Energy, Minerals & Natural Resources Department
Oil Conservation Division
1220 S. St. Frances Dr.
Santa Fe, NM 87505

RE: SWD Application
Hobbs Chugalug SWD
Well No. 2
Letter B, Section 26, T-18S, R-37E
Lea County, NM

To Whom it May Concern:

Occidental Permian Ltd. respectfully request administrative approval, without hearing, to dispose produced water into the Devonian formation. In support of this request please find the following documentation:

- Administrative Application Checklist
- Form C-108 with miscellaneous data attached
- An Injection Well Data Sheet with Wellbore Schematic
- Area of Review and Data Table of Surrounding Wells
- Publication
- Service List with Proof of Certified Mailing attached
- Form C-102

If you have any questions regarding this application, please contact me at 713-366-5771 or email april_hood@oxy.com.

Sincerely,

April Hood
Regulatory Specialist

APPLICATION FOR AUTHORIZATION TO INJECT

- I. PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage
Application qualifies for administrative approval? X Yes No
- II. OPERATOR: Occidental Permian LTD
ADDRESS: PO Box 4294 Houston, TX 77210
CONTACT PARTY: April Hood PHONE: 713-366-5771
- III. WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.
Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project? Yes X No
If yes, give the Division order number authorizing the project: _____
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review. Attached
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail. Attached
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected; Avg - 20000 BWPD Max - 30000 BWPD
 2. Whether the system is open or closed; Closed
 3. Proposed average and maximum injection pressure; Avg - 1200 psi Max - 2000 psi
 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, Grayburg / San Andres from the North Hobbs Unit, attached
 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.). Attached
- *VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
- Injection Zone:**
Lithologic Description: Devonian-Silurian, naturally fractured limestone and dolomite
Porosity: 7-14%
Sw: 26% - 50%
Injection Interval: 10,100' - 12,500'
- Reservoir data is based on nearby analog fields and recently drilled Hobbs Guzzler SWD No. 1. From a review of nearby well data an available Drill Stem Test or IP test below 7500', it is concluded that there are likely no producible hydrocarbons in the formation with little or no gas (too small to measure). Additional review of offset geological and historic seismic data suggests no evidence of open or active faults near the proposed location, or Hobbs field.**
- IX. Describe the proposed stimulation program, if any. Acid Stimulation
- *X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
Logs will be filed after well has been drilled and completed
- *XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken. Attached

- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.

I have examined the available geologic and engineering data for the Hobbs Chugallug #2 SWD well and find no evidence of open faults or any hydrologic connection between the disposal zone and any underground sources of drinking water

**Dmitri Pistoun, Geologist
713-215-7641**

- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form. Attached
- XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

NAME: April Hood TITLE: Regulatory Specialist

SIGNATURE:  DATE: _____

E-MAIL ADDRESS: April.Hood@Oxy.com

- * If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: _____

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate District Office

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:

- (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
- (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
- (3) A description of the tubing to be used including its size, lining material, and setting depth.
- (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.

- (1) The name of the injection formation and, if applicable, the field or pool name.
- (2) The injection interval and whether it is perforated or open-hole.
- (3) State if the well was drilled for injection or, if not, the original purpose of the well.
- (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.

-
- (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Side 1

INJECTION WELL DATA SHEET

OPERATOR: Occidental Permian LTD.

WELL NAME & NUMBER: Hobbs Chugalug SWD No. 2

WELL LOCATION:

FOOTAGE LOCATION

UNIT LETTER

SECTION

TOWNSHIP

RANGE

WELLBORE SCHEMATICWELL CONSTRUCTION DATASurface Casing

Hole Size: 17 1/2 Casing Size: 13 3/8

Cemented with: 1430 sx. or ft³

Top of Cement: 0 Method Determined: Circulation

Intermediate Casing

Hole Size: 12 1/4 Casing Size: 9 5/8

Cemented with: 1510 sx. or ft³

Top of Cement: 0 Method Determined: Circulation

Production Casing

Hole Size: 8 3/4 Casing Size: 7

Cemented with: 750 sx. or ft³

Top of Cement: 0 Method Determined: Circulation

Total Depth:

Injection Interval

10620' feet to 11,500' OH

(Perforated or Open Hole; indicate which)

INJECTION WELL DATA SHEET

Tubing Size: 4 1/2 Lining Material: Duoline
Type of Packer: 7 x 4 Optima Seal Bore Packer
Packer Setting Depth: +/- 10,500'
Other Type of Tubing/Casing Seal (if applicable): _____

Additional Data

1. Is this a new well drilled for injection? X Yes No
If no, for what purpose was the well originally drilled? Disposal

2. Name of the Injection Formation: Siluro-Devonian
3. Name of Field or Pool (if applicable): SWD Silurian-Devonian
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) used. No

5. Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area: No known producing zones seen at this time. Will test the San Andres and Mississippian
for possible production capability.

WELL# Hobbs Chugalug SWD #2
API#
Property Code#
Zone: Siluro - Devonian
Spud:
RR:

WELLBORE DIAGRAM


(updated: 07/24/2017 CER)


Revision 0

Project # Drilling:
Project # Completion:

KB elev
GL elev

Hobbs Chugalug SWD #2





Hobbs Chugulag #2 SWD
-Hobbs Unit-
Las Alamos County, New Mexico


Injection Well Buffer 2 Mile
Injection Well Buffer 1/2 Mile

Injection Well
Hobbs Guzzler #1 SWD

Wells
GAS
OIL
O&G
GAS SHOWS
OIL SHOWS
O&G SHOWS
LOC
SUS
AGW
AOW
AOW&G
ABANDONED LOC
ABANDONED-NO SHOWS
INJ-NO SHOWS

Land
Federal Lease (Premier)
State Lease (Premier)
Fee Lease (Premier)
Hobbs Unit

North American Datum 1983
Last Updated: March 7, 2017
Author: A. Corbett
File: Hobbs_SWD_Vel_Chugulag



Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors, and the GIS user community



Hobbs Chugalug SWD No 2 AOR Map



Hobbs Chugatug SWD No. 2

Area of Review

MAP LEGEND

NUMBER	API NUMBER	OPERATOR	LEASE NAME	WELL NO.	WELL TYPE	STATUS	FTG M/S	FTG E/W	UNIT	SEC	THRP	RNG	DATE DRILLED	TOTAL TVD	TOTAL MD	HOLE SIZE	CSG SIZE	SET AT	SX	CMT TOP	MTD	CURRENT COMPLETION	REMARKS
1	30-025-05509	Occidental Permian LTD	North Hobbs G/SA Unit	411		PA	2310 S	2310 W	K	23	18	S 37 E	5/20/1959	4500	4500								WELL DOES NOT PENETRATE DEVONIAN
2	30-025-05508	Cactus Drilling Company	Pan American State	1		PA	335 N	990 W	D	26	18	S 37 E		4359	4359								WELL DOES NOT PENETRATE DEVONIAN
3	30-025-05472	Occidental Permian LTD	North Hobbs G/SA Unit	241		PA	990 S	2310 W	N	23	18	S 37 E	6/19/1959	4390	4390								WELL DOES NOT PENETRATE DEVONIAN
4	30-025-05475	Occidental Permian LTD	North Hobbs G/SA Unit	341	I	Active	990 S	1650 E	O	23	18	S 37 E	4/27/1956	4302	4302	11 7/8	8 5/8 5 1/2	352 4302	180 750	0 0	4302 4302	4144' - 4228'	WELL DOES NOT PENETRATE DEVONIAN
5	30-025-25116	Occidental Permian LTD	North Hobbs G/SA Unit	311		PA	330 N	1900 E	B	26	18	S 37 E	9/18/1975	4329	4329								WELL DOES NOT PENETRATE DEVONIAN
6	30-025-05507	Moran Oil Producing & Drilling Corp	Gulf State	1		PA	330 N	1650 E	B	26	18	S 37 E	11/4/1959	4268	4268								WELL DOES NOT PENETRATE DEVONIAN

COMPLETE WATER ANALYSIS REPORT SEP 2, 2010

CUSTOMER:	OCCIDENTAL PERMAN BOR
DISTRICT:	NEW MEXICO
AGENCY/USE:	COMPATIBILITY - WATER - S. LEE
SAMPLE POINT NAME:	25% RECHARGE WATER, 75% PURCHASION WATER
SITE TYPE:	WELL SITES
SAMPLE POINT DESCRIPTION:	WELL HEAD

ACCOUNT REP:	SHANNON LEE
SAMPLE ID:	20160801T941
SAMPLE DATE:	3/24/2016
ANALYSIS DATE:	7/21/2016
ANALYST:	SH

OCCIDENTAL PERMIAN EOR COMPATIBILITY - WATER - S. LEE 25% RESERVOIR WATER 75% INJECTION WATER

FIELD DATA			ANALYSIS OF SAMPLE				
		APPROX:	mg/L	mg/L	CATIONS:	mg/L	mg/L
Initial Temperature (°F):		298 Chloride (Cl ⁻):	17380.8	4898.3	Sodium (Na ⁺):	75182.0	3271.6
Final Temperature (°F):		80 Sulfate (SO ₄ ²⁻):	742.5	15.5	Potassium (K ⁺):	ND	
Initial Pressure (psf):		100 Borate (H ₂ BO ₃):	ND		Magnesium (Mg ²⁺):	4026.5	331.4
Final Pressure (psf):		15 Fluoride (F ⁻):	ND		Calcium (Ca ²⁺):	25275.0	1261.2
		Bromide (Br ⁻):	ND		Strontium (Sr ²⁺):	1592.5	36.4
pH:		Nitrite (NO ₂ ⁻):	ND		Barium (Ba ²⁺):	8.4	0.1
pH at time of sampling:		6.7 Nitrate (NO ₃ ⁻):	ND		Iron (Fe ²⁺):	32.7	1.2
		Phosphate (PO ₄ ³⁻):	ND		Manganese (Mn ²⁺):	2.1	0.1
		Silica (SiO ₂):	ND		Lead (Pb ²⁺):	ND	
					Zinc (Zn ²⁺):	ND	
ALTERNATIVE CATIONS:							
	mg/L	mg/L					
Bicarbonate (HCO ₃ ⁻):	72.9	1.2			Aluminum (Al ³⁺):	ND	
Carbonate (CO ₃ ²⁻):	ND				Chromium (Cr ³⁺):	ND	
Hydroxide (OH ⁻):	ND				Cobalt (Co ²⁺):	ND	
		ORGANIC ACIDS:	mg/L	mg/L			
aqueous CO ₂ (ppm):	ND	Formic Acid:	ND		Copper (Cu ²⁺):	ND	
aqueous H ₂ S (ppm):	ND	Acetic Acid:	ND		Molybdenum (Mo ⁶⁺):	ND	
aqueous O ₂ (ppb):	ND	Propionic Acid:	ND		Nickel (Ni ²⁺):	ND	
		Butyric Acid:	ND		Tin (Sn ²⁺):	ND	
		Valeric Acid:	ND		Titanium (Ti ⁴⁺):	ND	
Calculated TDS (mg/L):					Vanadium (V ⁵⁺):	ND	
Density/Specific Gravity (g/cm ³):	1.1818				Zirconium (Zr ⁴⁺):	ND	
Measured Specific Gravity	ND				Lithium (Li):	ND	
Conductivity (umhos):	ND				Total Hardness:	81598	N/A
Resistivity:	ND						
MECL/D:	No Data						
BOFD:	No Data						
BOFD:	No Data	Amion/Carbon Ratio:		1.00		ND = Not Determined	

SCALE PREDICTIONS BASED ON FIELD PROVIDED DATA; FURTHER MODELING MAY BE REQUIRED FOR VALIDATION OF SCALE PREDICTION RESULTS

Conditions		Bauxite (BaSO ₄)		Calcite (CaCO ₃)		Gypsum (CaSO ₄ ·2H ₂ O)		Anhydrite (CaSO ₄)	
Temp	Press.	Index	Amt (gph)	Index	Amt (gph)	Index	Amt (gph)	Index	Amt (gph)
80°F	15 psi	1.30	4.718	1.93	18.314	0.30	231.409	0.26	166.385
99°F	24 psi	1.18	4.640	1.96	18.417	0.31	236.321	0.35	202.727
118°F	34 psi	1.06	4.540	2.00	18.561	0.31	235.273	0.43	230.661
137°F	43 psi	0.95	4.414	2.03	18.702	0.30	231.928	0.51	253.958
156°F	53 psi	0.85	4.261	2.07	18.878	0.29	227.644	0.59	273.804
174°F	62 psi	0.75	4.077	2.09	18.936	0.29	222.805	0.68	290.641
193°F	72 psi	0.65	3.861	2.11	19.028	0.28	217.267	0.77	304.726
212°F	81 psi	0.57	3.611	2.13	19.116	0.26	210.532	0.85	316.307
231°F	91 psi	0.48	3.320	2.14	19.199	0.25	201.807	0.94	325.667
250°F	100 psi	0.40	2.983	2.14	19.264	0.23	189.998	1.02	333.104


Conditions		Celestite (SrSO ₄)		Halite (NaCl)		Iron Sulfide (FeS)		Iron Carbonate (FeCO ₃)	
Temp	Press.	Index	Amt (gph)	Index	Amt (gph)	Index	Amt (gph)	Index	Amt (gph)
80°F	15 psi	0.95	411.840	-0.27	0.000	-8.01	0.000	0.61	8.405
99°F	24 psi	0.97	413.740	-0.29	0.000	-8.14	0.000	0.70	9.419
118°F	34 psi	0.97	414.525	-0.30	0.000	-8.22	0.000	0.79	10.436
137°F	43 psi	0.97	414.899	-0.32	0.000	-8.28	0.000	0.87	11.275
156°F	53 psi	0.97	415.306	-0.34	0.000	-8.33	0.000	0.93	11.913
174°F	62 psi	0.98	416.003	-0.36	0.000	-8.37	0.000	0.97	12.363
193°F	72 psi	0.99	417.099	-0.37	0.000	-8.41	0.000	0.99	12.640
212°F	81 psi	0.99	418.578	-0.39	0.000	-8.44	0.000	0.99	12.803
231°F	91 psi	1.01	420.328	-0.41	0.000	-8.47	0.000	0.98	12.845
250°F	100 psi	1.02	422.166	-0.42	0.000	-8.49	0.000	0.95	12.720

Note 3: Saturation Index predictions on this sheet use pH and alkalinity. CaCO_3 is not included in the calculations.

ScaleSoft® Partner™
SST2010

Comments

25% Reservoir Water, 75% Injection Water



SCALE PREDICTIONS BASED ON FIELD PROVIDED DATA; FUTHER MODELING MAY BE REQUIRED FOR VALIDATION OF SCALE PREDICTION RESULTS.



Catalyst Oilfield Services
11779 E Hwy 158
Gardendale, TX 79758
(432) 563-8727
Fax: (432) 224-1858

Water Analysis Report

Customer: Paladin Energy Sample #: 27312
Area: Pennian Basin Analysis ID #: 25890
Lease: South Vacuum
Location: 35-4 (Devonian) 0
Sample Point: Wellhead

		Anions		Cations	
		mg/l	meq/l	mg/l	meq/l
Sampling Date:	4/6/2015	Chloride:	26148.7	Sodium:	13960.8
Analysis Date:	4/10/2015	Bicarbonate:	368.0	Magnesium:	365.4
Analyst:	Catalyst	Carbonate:		Calcium:	2363.8
TDS (mg/l or g/l):	44701.1	Sulfate:	1020.0	Potassium:	390.1
Density (g/cm ³):	1.032	Borate:	62.4	Strontium:	65.5
		*Calculated based on measured elemental boron.		Barium:	0.0
Hydrogen Sulfide:	306			Iron:	0.0
Carbon Dioxide:	80			Manganese:	0.000
		pH at time of sampling:			
		pH at time of analysis:			
		pH used in Calculation:			
		Temperature @ lab conditions (F):			
				Conductivity (micro-mhos/cm):	66700
				Resistivity (ohm meter):	.1439

Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl

Temp	Calcite CaCO ₃		Gypsum CaSO ₄ ·2H ₂ O		Anhydrite CaSO ₄		Celestite SrSO ₄		Barite BaSO ₄	
	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount
80	0.58	27.83	-0.35	0.00	-0.40	0.00	-0.11	0.00	0.00	0.00
100	0.68	33.20	-0.38	0.00	-0.36	0.00	-0.11	0.00	0.00	0.00
120	0.78	39.23	-0.39	0.00	-0.30	0.00	-0.10	0.00	0.00	0.00
140	0.89	45.27	-0.40	0.00	-0.21	0.00	-0.08	0.00	0.00	0.00
160	0.99	51.30	-0.40	0.00	-0.11	0.00	-0.06	0.00	0.00	0.00
180	1.10	57.01	-0.40	0.00	0.01	5.70	-0.03	0.00	0.00	0.00
200	1.20	62.71	-0.39	0.00	0.14	121.05	0.00	0.34	0.00	0.00
220	1.31	68.07	-0.37	0.00	0.28	216.28	0.04	4.02	0.00	0.00

COMPLETE WATER ANALYSIS REPORT SSP-2010

CUSTOMER:	OCCIDENTAL PERMAN EOR
DISTRICT:	NEW MEXICO
AREA/LEASE:	HOBBS
SAMPLE POINT NAME:	MHSAL WINDMILL 1
SITE TYPE:	FACILITY
SAMPLE POINT DESCRIPTION:	SEE COMMENTS

ACCOUNT REP:	SHANNON LEE
SAMPLE ID:	20070001063
SAMPLE DATE:	3/9/2007
ANALYSIS DATE:	3/15/2007
ANALYST:	FR

OCCIDENTAL PERMIAN FOR HOBBS, NHSAU WINDMILL 1

ANALYSIS DATA			ANALYSIS OF SAMPLE							
			ANIONIC:		mg/L	mg/L	CATIONIC:		mg/L	mg/L
Initial Temperature (°F):		135 Chloride (Cl ⁻):		53.0		1.5 Sodium (Na ⁺):		65.0		2.8
Final Temperature (°F):		80 Sulfate (SO ₄ ²⁻):		75.0		1.6 Potassium (K ⁺):		1.9		0.0
Initial Pressure (psf):		1800 Borate (H ₂ BO ₃):		1.0		0.0 Magnesium (Mg ²⁺):		11.0		0.9
Final Pressure (psf):		15 Fluoride (F ⁻):		ND		Calcium (Ca ²⁺):		37.9		1.9
		Bromide (Br ⁻):		ND		Strontium (Sr ²⁺):		0.6		0.0
pH:		Nitrite (NO ₂ ⁻):		ND		Barium (Ba ²⁺):		0.1		0.0
pH at time of sampling:		8.8 Nitrate (NO ₃ ⁻):		ND		Iron (Fe ²⁺):		1.6		0.1
		Phosphate (PO ₄ ³⁻):		ND		Manganese (Mn ²⁺):		0.0		0.0
		Silica (SiO ₂):		ND		Lead (Pb ²⁺):		0.2		0.0
						Zinc (Zn ²⁺):		0.4		0.0
ANALYSIS OF TISSUES:										
	mg/L	umg/L								
Bicarbonate (HCO ₃ ⁻):	61.0	1.0				Aluminum (Al ³⁺):		0.1		0.0
Carbonate (CO ₃ ²⁻):	ND					Chromium (Cr ³⁺):		ND		
Hydroxide (OH ⁻):	ND					Cobalt (Co ²⁺):		ND		
			ORGANIC ACIDS:		mg/L	umg/L				
aqueous CO ₂ (ppm):		0.0 Formic Acid:		ND		Copper (Cu ²⁺):		0.0		0.0
aqueous H ₂ S (ppm):		0.0 Acetic Acid:		ND		Molybdenum (Mo ²⁺):		0.2		0.0
aqueous O ₂ (ppm):		ND Propionic Acid:		ND		Nickel (Ni ²⁺):		ND		
		Butyric Acid:		ND		Tin (Sn ²⁺):		ND		
		307 Valeric Acid:		ND		Titanium (Ti ²⁺):		ND		
Calculated TDS (mg/L):						Vanadium (V ²⁺):		ND		
Density/Specific Gravity (g/cm ³):	0.9973					Zirconium (Zr ²⁺):		ND		
Measured Specific Gravity:	1.0005					Lithium (Li):		ND		
Conductivity (mmhos):	ND									
Resistivity:	ND					Total Hardness:		141		N/A
MCF/D:	No Data									
SOPD:	No Data									
SRPD:	No Data									
		No Data Anion/Cation Ratio:				0.71		ND = Not Determined		

SCALE PREDICTIONS BASED ON FIELD PROVIDED DATA: FURTHER MODELING MAY BE REQUIRED FOR VALIDATION OF SCALE PREDICTION RESULTS

Conditions		Barite (BaSO ₄)		Calcite (CaCO ₃)		Gypsum (CaSO ₄ ·2H ₂ O)		Anhydrite (CaSO ₄)	
Temp	Press.	Index	Asmt (pph)	Index	Asmt (pph)	Index	Asmt (pph)	Index	Asmt (pph)
80°F	15 psi	0.13	0.009	0.70	2.537	-1.83	0.000	-2.08	0.000
86°F	213 psi	0.97	0.005	0.67	2.201	-1.84	0.000	-2.07	0.000
92°F	412 psi	0.91	0.001	0.67	2.286	-1.85	0.000	-2.05	0.000
98°F	610 psi	-0.04	0.000	0.67	2.377	-1.85	0.000	-2.03	0.000
104°F	808 psi	-0.09	0.000	0.66	2.475	-1.86	0.000	-2.01	0.000
111°F	1007 psi	-0.14	0.000	0.66	2.580	-1.86	0.000	-1.99	0.000
117°F	1205 psi	-0.19	0.000	0.66	2.692	-1.86	0.000	-1.97	0.000
123°F	1403 psi	-0.23	0.000	0.65	2.810	-1.86	0.000	-1.94	0.000
129°F	1602 psi	-0.27	0.000	0.65	2.935	-1.86	0.000	-1.91	0.000
135°F	1800 psi	-0.30	0.000	0.64	3.066	-1.86	0.000	-1.88	0.000

Conditions		Celestine (SrSO ₄)		Halite (NaCl)		Iron Sulfide (FeS)		Iron Carbonate (FeCO ₃)	
Temp	Press.	Index	Asmt (pph)	Index	Asmt (pph)	Index	Asmt (pph)	Index	Asmt (pph)
80°F	15 psi	-1.93	0.000	-7.04	0.000	-6.95	0.000	1.08	1.021
86°F	213 psi	-1.93	0.000	-7.05	0.000	-7.03	0.000	1.08	1.012
92°F	412 psi	-1.94	0.000	-7.06	0.000	-7.08	0.000	1.10	1.022
98°F	610 psi	-1.94	0.000	-7.06	0.000	-7.13	0.000	1.12	1.031
104°F	808 psi	-1.95	0.000	-7.07	0.000	-7.18	0.000	1.14	1.039
111°F	1007 psi	-1.95	0.000	-7.08	0.000	-7.22	0.000	1.15	1.046
117°F	1205 psi	-1.95	0.000	-7.08	0.000	-7.26	0.000	1.17	1.053
123°F	1403 psi	-1.94	0.000	-7.09	0.000	-7.30	0.000	1.18	1.058
129°F	1602 psi	-1.94	0.000	-7.09	0.000	-7.33	0.000	1.19	1.063
135°F	1800 psi	-1.93	0.000	-7.10	0.000	-7.37	0.000	1.20	1.068


Note 1: When assessing the severity of the scale problem, both the saturation index (SI) and amount of scale must be considered

Note 2: Presentation of each scale is considered separately. Total scale will be less than the sum of the amounts of the eight (8) scales


Note 3: Saturation Index predictions on this sheet use pH and alkalinity. %CO₂ is not included in the calculations.

Comments:


Barite (BaSO₄)




Calcite (CaCO₃)




Gypsum (CaSO₄·2H₂O)




Anhydrite (CaSO₄)




Celestite (SrSO₄)




Halite (NaCl)



Iron Sulfide (FeS)



Iron Carbonate (FeCO₃)





Permian Basin Area Laboratory
21001 Midland Street,
Midland, Texas 79703

Upstream Chemicals

REPORT DATE: 3/15/2017

COMPLETE WATER ANALYSIS REPORT SSP v.2010

CUSTOMER: OCCIDENTAL PERMIAN EOR
DISTRICT: NEW MEXICO
AREA/LEASE: HOBBS
SAMPLE POINT NAME: NBSAU WINDMILL 2
SITE TYPE: FACILITY
SAMPLE POINT DESCRIPTION: SEE COMMENTS

ACCOUNT REP: SHANNON LEE
SAMPLE ID: 201701001694
SAMPLE DATE: 3/9/2017
ANALYSIS DATE: 3/15/2017
ANALYST: FR

OCCIDENTAL PERMIAN EOR, HOBBS, NBSAU WINDMILL 2

FIELD DATA			ANALYSIS OF SAMPLE					
			ANIONS:		CATIONS:			
	mg/L	mg/L		mg/L		mg/L	mg/L	
Initial Temperature (°F):		135	Chloride (Cl ⁻):	29.0	0.0	Sodium (Na ⁺):	65.0	2.8
Final Temperature (°F):		80	Sulfate (SO ₄ ²⁻):	44.0	0.0	Potassium (K ⁺):	4.6	0.1
Initial Pressure (psig):		1800	Borate (H ₂ BO ₃):	0.7	0.0	Magnesium (Mg ²⁺):	8.6	0.7
Final Pressure (psig):		15	Fluoride (F ⁻):	ND		Calcium (Ca ²⁺):	54.4	2.7
			Bromide (Br ⁻):	ND		Strontium (Sr ²⁺):	0.6	0.0
pH:			Nitrite (NO ₂ ⁻):	ND		Barium (Ba ²⁺):	0.1	0.0
pH at time of sampling:		7.6	Nitrate (NO ₃ ⁻):	ND		Iron (Fe ²⁺):	0.6	0.0
			Phosphate (PO ₄ ³⁻):	ND		Manganese (Mn ²⁺):	0.1	0.0
			Silica (SiO ₂):	ND		Lead (Pb ²⁺):	0.0	0.0
						Zinc (Zn ²⁺):	0.1	0.0
ANALYSIS OF THERMAL:								
	mg/L	mg/L						
Bicarbonate (HCO ₃ ⁻):	97.6	1.6			Aluminum (Al ³⁺):	0.0	0.0	
Carbonate (CO ₃ ²⁻):	ND				Chromium (Cr ³⁺):	ND		
Hydroxide (OH ⁻):	ND				Cobalt (Co ²⁺):	ND		
			ORGANIC ACIDS:					
				mg/L	mg/L			
aqueous CO ₂ (ppm):		18.0	Formic Acid:	ND		Copper (Cu ²⁺):	0.0	0.0
aqueous H ₂ S (ppm):		0.0	Acetic Acid:	ND		Molybdenum (Mo ²⁺):	0.0	0.0
aqueous O ₂ (ppm):		ND	Propionic Acid:	ND		Nickel (Ni ²⁺):	ND	
			Butyric Acid:	ND		Tin (Sn ²⁺):	ND	
			Valeric Acid:	ND		Titanium (Ti ²⁺):	ND	
Calculated TDS (mg/L):		305				Vanadium (V ²⁺):	ND	
Density/Specific Gravity (g/cm ³):		0.9973				Zirconium (Zr ²⁺):	ND	
Measured Specific Gravity:		1.0005				Lithium (Li):	ND	
Conductivity (umhos/cm):		ND						
Resistivity:		ND				Total Hardness:	172	N/A
MCP/D:		No Data						
BOPD:		No Data						
BWPD:		No Data						
			Anion/Cation Ratio:		0.52	ND = Not Determined		

SCALE PREDICTIONS BASED ON FIELD PROVIDED DATA; FURTHER MODELING MAY BE REQUIRED FOR VALIDATION OF SCALE PREDICTION RESULTS.

Conditions		Barite (BaSO ₄)		Calcite (CaCO ₃)		Gypsum (CaSO ₄ ·2H ₂ O)		Anhydrite (CaSO ₄)	
Temp	Press.	Index	Amount (ppb)	Index	Amount (ppb)	Index	Amount (ppb)	Index	Amount (ppb)
80°F	15 psi	-0.10	0.000	-0.08	0.000	-1.91	0.000	-2.16	0.000
86°F	213 psi	-0.16	0.000	-0.21	0.000	-1.92	0.000	-2.14	0.000
92°F	412 psi	-0.22	0.000	-0.17	0.000	-1.92	0.000	-2.13	0.000
98°F	610 psi	-0.27	0.000	-0.13	0.000	-1.93	0.000	-2.11	0.000
104°F	808 psi	-0.32	0.000	-0.09	0.000	-1.93	0.000	-2.09	0.000
111°F	1007 psi	-0.37	0.000	-0.05	0.000	-1.93	0.000	-2.06	0.000
117°F	1205 psi	-0.42	0.000	-0.01	0.000	-1.93	0.000	-2.04	0.000
123°F	1403 psi	-0.46	0.000	0.04	0.462	-1.93	0.000	-2.01	0.000
129°F	1602 psi	-0.50	0.000	0.08	1.010	-1.93	0.000	-1.99	0.000
135°F	1800 psi	-0.53	0.000	0.12	1.570	-1.93	0.000	-1.96	0.000

Conditions		Celestite (SrSO ₄)		Halite (NaCl)		Iron Sulfide (FeS)		Iron Carbonate (FeCO ₃)	
Temp	Press.	Index	Amount (ppb)	Index	Amount (ppb)	Index	Amount (ppb)	Index	Amount (ppb)
80°F	15 psi	-2.18	0.000	-7.30	0.000	-8.61	0.000	-0.26	0.000
86°F	213 psi	-2.19	0.000	-7.31	0.000	-8.81	0.000	-0.37	0.000
92°F	412 psi	-2.19	0.000	-7.32	0.000	-8.80	0.000	-0.31	0.000
98°F	610 psi	-2.20	0.000	-7.33	0.000	-8.79	0.000	-0.24	0.000
104°F	808 psi	-2.20	0.000	-7.33	0.000	-8.78	0.000	-0.18	0.000
111°F	1007 psi	-2.20	0.000	-7.34	0.000	-8.77	0.000	-0.12	0.000
117°F	1205 psi	-2.20	0.000	-7.35	0.000	-8.75	0.000	-0.06	0.000
123°F	1403 psi	-2.20	0.000	-7.35	0.000	-8.73	0.000	-0.01	0.000
129°F	1602 psi	-2.19	0.000	-7.36	0.000	-8.71	0.000	0.05	0.046
135°F	1800 psi	-2.19	0.000	-7.36	0.000	-8.68	0.000	0.11	0.093

Note 1: When assessing the severity of the scale problem, both the saturation index (SI) and amount of scale must be considered.


Note 2: Precipitation of each scale is considered separately. Total scale will be less than the sum of the amounts of the eight (8) scales.

Note 3: Saturation Index predictions on this sheet use pH and alkalinity; %CO₂ is not included in the calculations.


ScaleSoft Pitzer™
SSP2010

Comments:


Barite (BaSO_4)




Calcite (CaCO_3)




Gypsum ($\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$)




Anhydrite (CaSO_4)




Celestite (SrSO_4)




Halite (NaCl)



Iron Sulfide (FeS)



Iron Carbonate (FeCO_3)



COMPLETE WATER ANALYSIS REPORT SEP - 2018

CUSTOMER:	OCCIDENTAL PERMAN EOR
DISTRICT:	NEW MEXICO
AREA/LEASE:	HOBBS
SAMPLE POINT NAME:	ORISAL RANCH HOUSE
SITE TYPE:	FACILITY
SAMPLE POINT DESCRIPTION:	SEE COMMENTS

ACCOUNT REP:	SHANNON LEE
SAMPLE ID:	20070001005
SAMPLE DATE:	3/9/2017
ANALYSIS DATE:	3/15/2017
ANALYST:	FR

OCCIDENTAL PERMIAN FOR. HOBBS. NHSAU RANCH HOUSE

FIELD DATA			ANALYSIS OF SAMPLE					
		ANIONIC:	mg/L	mg/L	CATIONIC:	mg/L	mg/L	
Initial Temperature (°F):		135 Chloride (Cl⁻):	48.0		1.4 Sodium (Na⁺):	58.0	2.2	
Final Temperature (°F):		80 Sulfate (SO₄²⁻):	62.0		1.3 Potassium (K⁺):	3.3	0.1	
Initial Pressure (psf):		1880 Borate (B₄O₇²⁻):	0.7		0.0 Magnesium (Mg²⁺):	11.7	1.0	
Final Pressure (psf):		15 Fluoride (F⁻):	ND		Calcium (Ca²⁺):	71.2	3.6	
		Bromide (Br⁻):	ND		Strontium (Sr²⁺):	0.8	0.0	
pH:		Nitrite (NO₂⁻):	ND		Barium (Ba²⁺):	0.1	0.0	
pH at time of sampling:		7.5 Nitrate (NO₃⁻):	ND		Iron (Fe²⁺):	7.2	0.3	
		Phosphate (PO₄³⁻):	ND		Manganese (Mn²⁺):	0.0	0.0	
		Silica (SiO₂):	ND		Lead (Pb²⁺):	ND		
					Zinc (Zn²⁺):	2.1	0.1	
ANALYSIS OF TANKS:								
	mg/L	mg/L						
Bicarbonate (HCO₃⁻):	97.6	1.6			Aluminum (Al³⁺):	0.0	0.0	
Carbonate (CO₃²⁻):	ND				Chromium (Cr³⁺):	ND		
Hydroxide (OH⁻):	ND				Cobalt (Co²⁺):	ND		
			ORGANIC ACIDS:	mg/L	mg/L	Copper (Cu²⁺):	0.2	0.0
aqueous CO₂ (ppm):		28.0 Formic Acid:	ND		Molybdenum (Mo²⁺):	ND		
aqueous H₂S (ppm):		0.0 Acetic Acid:	ND		Nickel (Ni²⁺):	ND		
aqueous O₂ (ppm):		ND Propionic Acid:	ND		Tin (Sn²⁺):	ND		
		Butyric Acid:	ND		Titanium (Ti²⁺):	ND		
Calculated TDS (mg/L):		354 Valeric Acid:	ND		Vanadium (V³⁺):	ND		
Density/Specific Gravity (g/cm³):	0.9974				Zirconium (Zr²⁺):	ND		
Measured Specific Gravity:	1.0006				Lithium (Li):	ND		
Conductivity (umhos):	ND							
Resistivity:	ND				Total Hardness:	227	N/A	
MOF/D:	No Data							
BOFD:	No Data							
BNFD:	No Data	Anion/Cation Ratio:		0.60			ND = Not Determined	

SCALE PREDICTIONS BASED ON FIELD PROVIDED DATA: FURTHER MODELING MAY BE REQUIRED FOR VALIDATION OF SCALE PREDICTION RESULTS.

Conditions		Siderite (FeCO ₃)		Calcite (CaCO ₃)		Cyanite (CaSiO ₃ ·2H ₂ O)		Anhydrite (CaSO ₄)	
Temp	Press.	Index	Amt (gth)	Index	Amt (gth)	Index	Amt (gth)	Index	Amt (gth)
80°F	15 psi	0.14	0.013	-0.08	0.000	-1.68	0.000	-1.93	0.000
86°F	213 psi	0.07	0.007	-0.21	0.000	-1.69	0.000	-1.91	0.000
92°F	412 psi	0.02	0.002	-0.17	0.000	-1.69	0.000	-1.90	0.000
98°F	610 psi	-0.04	0.000	-0.13	0.000	-1.70	0.000	-1.88	0.000
104°F	808 psi	-0.09	0.000	-0.09	0.000	-1.70	0.000	-1.86	0.000
111°F	1007 psi	-0.14	0.000	-0.05	0.000	-1.71	0.000	-1.84	0.000
117°F	1205 psi	-0.18	0.000	-0.01	0.000	-1.71	0.000	-1.81	0.000
123°F	1403 psi	-0.23	0.000	0.04	0.529	-1.71	0.000	-1.79	0.000
129°F	1602 psi	-0.27	0.000	0.08	1.151	-1.71	0.000	-1.76	0.000
135°F	1800 psi	-0.30	0.000	0.12	1.784	-1.71	0.000	-1.73	0.000

Conditions		Celestine (SrSO ₄)		Halite (NaCl)		Iron Sulfide (FeS)		Iron Carbonate (FeCO ₃)	
Temp	Press.	Index	Amt (gth)	Index	Amt (gth)	Index	Amt (gth)	Index	Amt (gth)
80°F	15 psi	-1.96	0.000	-7.20	0.000	-7.67	0.000	0.69	3.582
86°F	213 psi	-1.96	0.000	-7.21	0.000	-7.88	0.000	0.59	3.215
92°F	412 psi	-1.97	0.000	-7.22	0.000	-7.87	0.000	0.65	3.435
98°F	610 psi	-1.97	0.000	-7.23	0.000	-7.86	0.000	0.71	3.634
104°F	808 psi	-1.98	0.000	-7.24	0.000	-7.84	0.000	0.77	3.812
111°F	1007 psi	-1.98	0.000	-7.24	0.000	-7.82	0.000	0.83	3.973
117°F	1205 psi	-1.98	0.000	-7.25	0.000	-7.80	0.000	0.89	4.115
123°F	1403 psi	-1.98	0.000	-7.25	0.000	-7.78	0.000	0.95	4.242
129°F	1602 psi	-1.97	0.000	-7.26	0.000	-7.76	0.000	1.01	4.355
135°F	1800 psi	-1.97	0.000	-7.26	0.000	-7.73	0.000	1.06	4.454


Note 1: When assessing the severity of the scale problem, both the saturation index (SI) and amount of scale must be considered.

Note 2: Presentation of each scale is considered separately. Total scale will be less than the sum of the amounts of the eight (8) scales.


Note 3: Saturation Index predictions on this sheet use oil and alkalinity. SCD₁ is not included in the calculations.

Comments:


Barite (BaSO4)




Calcite (CaCO3)




Gypsum (CaSO4·2H2O)




Anhydrite (CaSO4)




Celestite (SrSO4)




Halite (NaCl)



Iron Sulfide (FeS)



Iron Carbonate (FeCO3)




Affidavit of Publication

STATE OF NEW MEXICO
COUNTY OF LEA

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

Beginning with the issue dated
May 24, 2017
and ending with the issue dated
May 24, 2017.



Publisher


Sworn and subscribed to before me this
24th day of May 2017.



Business Manager

~~My commission expires~~

January 29, 2019



This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

LEGAL NOTICE May 24, 2017

NOTICE OF APPLICATION FOR FLUID DISPOSAL

Occidental Permian Ltd., P.O. Box 4294, Houston, TX 77210-4294 is applying for a disposal permit of produced water into a zone that is non productive of oil and gas. The applicant proposes to drill the Hobbs Chugalong SWD Well No. 2 located in Section 26, Township 18 South, Range 37 East, 943' FNL and 2253' FEL in Lea County NM. Disposal will be in the Devonian formation from 10,100' - 11,500' with a maximum injection rate of 30,000 BWPD and maximum injection pressure of 2000 PSI.

Interested parties must file objections or requests of hearings with the NM Oil Conservation Division, 1220 South Saint Francis Dr., Santa Fe, NM 87505 within 15 days of this application. Additional information may be obtained by contacting Mr. Scott Hodges, Occidental Permian Ltd., at (575) 397-8211, 1017 W. Stanolind Rd. Hobbs, NM 88240 #31797

67111848

00193848

TALENT ACQUISITION
OCCIDENTAL PERMIAN
5 GREENWAY PLAZA, STE 110
HOUSTON, TX 77046



Occidental Permian LTD
A subsidiary of Occidental Petroleum Corporation

5 Greenway Plaza, Suite 110, Houston, Texas 77046-0521
P.O. Box 27570, Houston, Texas 77227-7570
Phone 713.215.7000

**Service List – C108 Application
Hobbs Chugalug SWD No. 2**

Surface Owner Clerk:

State Land Office
PO Box 1148
Santa Fe, NM 87504

District Office:

NMOCD District 1
1625 N. French Drive
Hobbs, NM 88240

Working Interest Owners and Lessees:

Chase Oil Corporation
PO Box 1767
Artesia, NM 88211-1767

Conoco Phillips Company
3401 E. 30th Street
Farmington, NM 87402

Stevens Enhanced Recovery Partners
PO Box 3087
Roswell, NM 88202

Chevron USA Inc.
PO Box 1635
Houston, TX 77251

I certify that the above listed parties were mailed copies of C-108, Application of Fluid Disposal.

April Hood
Regulatory Specialist

Date

- Provide delivery instructions, so your carrier knows where to leave packages

Sign Up

(https://reg.usps.com/entreg/RegistrationAction_input?

app=UspsTools&appURL=https%

(https://www.usps.com/)

3A%2F%2Ftools.usps.com%

HELPFUL LINKS

Contact Us

(https://www.usps.com/help/welcome.htm)

Site Index

(https://www.usps.com/globals/siteindex.htm)

index.htm)

FAQs (http://faq.usps.com/)

ON ABOUT.USPS.COM

About USPS Home

(http://about.usps.com/)

Newsroom

(http://about.usps.com/news/welcome.htm)

USPS Service Updates

(http://about.usps.com/news/services/alerts/welcome.htm)

Forms & Publications

(http://about.usps.com/publications/welcome.htm)

Government Contractors

(https://www.usps.com/gov-services/welcome.htm)

Careers

(http://about.usps.com/careers/welcome.htm)

OTHER USPS SITES

Business Customer Gateway

(https://gateway.usps.com/)

Postal Inspectors

(https://postalinspectors.uspis.gov/)

Inspector General

(http://www.uspsig.gov/)

Postal Explorer

(http://pe.usps.gov/)

Postage and Meter Museum

(http://www.postalmuseum.si.edu/)

Government Contractors

(https://www.usps.com/webtools/welcome.htm)

LEGAL INFORMATION

Privacy Policy

(http://about.usps.com/who-we-are/privacy-policy/privacy-policy-highlights.htm)

Terms of Use

(http://about.usps.com/termsfuse.htm)

FOIA

(http://about.usps.com/who-we-are/foia/welcome.htm)

No FEAR Act EEO Data

(http://about.usps.com/who-we-are/welcome.htm)

Copyright © 2017 USPS. All Rights Reserved.



(https://www.facebook.com/USPS?m=108301355848630)



(https://twitter.com/usps)



(http://www.pinterest.com/uspsstamps/)



(https://www.youtube.com/usps)

Tracking Number: 70170660000051975031



Delivered

Chevron

See More ✓

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.

FAQs (<http://faq.usps.com/?articleId=220900>)

There's an easier way to track your packages.

Why jump from page to page to track packages being sent to you? With My USPS™, you can easily track all your packages in one place. Sign up to:

- Set up automatic email and text alerts, so you'll never have to manually track a package again

U.S. Postal Service
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

Postage

\$ **Total Postage** NMOC District 1
\$ **Sent To** 1625 N. French Dr.
Street and Apt. Hobbs, NM 88240
City, State, ZIP

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

Postage

\$ **Total Postage** Conoco Phillips Company
\$ **Sent To** 3401 E. 30th Street
Street and Apt. Farmington, NM 87402
City, State, ZIP

Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

Postage

Total Postage and Fees

Sent To

Street and Apt. No., or PO Box No. Chase Oil Corp
City, State, ZIP PO Box 1167
Oetusa, NM 88211

Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

Postage

\$ **Total Postage** State Land Office
\$ **Sent To** PO Box 1148
Street and Apt. Santa Fe, NM 87504
City, State, ZIP

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

Postage

\$ **Total Postage** Stevens Enhanced Recovery Partners
\$ **Sent To** P.O. Box 3087
Street and Apt. Roswell, NM 88202
City, State, ZIP

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

Postage

\$ **Total Postage and Fees** Chevron USA Inc.
\$ **Sent To** P.O. Box 1635
Street and Apt. No. Houston, TX 77251-1635
City, State, ZIP

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

**Delivered**

Updated Delivery Day: Monday, August 7, 2017 ⓘ
See More ✓

Remove ✕

Tracking Number: 70170660000051975017

**Delivered**

See More ✓

Remove ✕

Tracking Number: 70170660000051975024

**Delivered**

Updated Delivery Day: Monday, August 7, 2017 ⓘ
See More ✓

Remove ✕

USPS Tracking® Results

[FAQs > \(http://faq.usps.com/?articleId=220900\)](http://faq.usps.com/?articleId=220900)**Track Another Package +**

Remove X

Tracking Number: 70170660000051970012**Delivered****Updated Delivery Day:** Tuesday, August 8, 2017 ⓘ
See More ✓

Remove X

Tracking Number: 70170660000051975048**Delivered****See More** ✓

Remove X

Tracking Number: 70170660000051970029



C-108 Review Checklist: Received 8/15/2017 Add Request _____ Reply Date _____ Suspended _____ [Ver 15]

ORDER TYPE: WFX / PMX / SWD Number: _____ Order Date: _____ Legacy Permits/Orders: _____

Well No. X Well Name(s): Hobbs Chas AL45 SWD

API: 30-0 25-43730 Spud Date: TBD New or Old: N (UIC Class II Primacy 03/07/1982)

Footages 2252 FEE Lot _____ or Unit B Sec 26 Tsp 18S Rge 37E County LEC

General Location: 2.5 miles W Hobbs Pool: Sho's Dev Union Pool No.: 96101

BLM 100K Map: Hobbs Operator: Occidental Petroleum, LTD OGRID: 157984 Contact: April Hood

COMPLIANCE RULE 5.9: Total Wells: 678 Inactive: 0 Fincl Assur: OK Compl. Order: MA IS 5.9 OK? Y Date: 8/15/2017

WELL FILE REVIEWED ☐ Current Status: Proposed

WELL DIAGRAMS: NEW: Proposed ☐ or RE-ENTER: Before Conv. ☐ After Conv. ☐ Logs in Imaging: N/A

Planned Rehab Work to Well: _____

Well Construction Details		Sizes (in) Borehole / Pipe	Setting Depths (ft)	Cement <u>Sx</u> or Cf	Cement Top and Determination Method
Planned ___ or Existing ___ Surface		<u>17 1/2 / 13 3/4</u>	<u>1680</u>	<u>1430</u>	<u>SURFACE / VISUAL</u>
Planned ___ or Existing ___ Interm/Prod		<u>12 1/4 / 9 5/8</u>	<u>5650</u>	<u>1510</u>	<u>SURFACE / VISUAL</u>
Planned ___ or Existing ___ Interm/Prod		<u>8 3/4 / 7</u>	<u>10620</u>	<u>750</u>	<u>SURFACE / VISUAL</u>
Planned ___ or Existing ___ Prod/Liner					
Planned ___ or Existing ___ Liner		<u>10 1/2 / 11 5/8</u>	<u>10620 / 11500</u>		
Planned ___ or Existing ___ OH / PERF		<u>10 1/2 / 11 5/8</u>	<u>11500</u>		

Injection Lithostratigraphic Units:	Depths (ft)	Injection or Confining Units	Tops
Adjacent Unit: Litho. Struc. Por.			
Confining Unit: Litho. Struc. Por.			
Proposed Inj Interval TOP:			
Proposed Inj Interval BOTTOM:			
Confining Unit: Litho. Struc. Por.			
Adjacent Unit: Litho. Struc. Por.			

Completion/Operation Details:	
Drilled TD <u>16600</u>	PBTD _____
NEW TD _____	NEW PBTD _____
NEW Open Hole ☒ or NEW Perfs ☐	
Tubing Size <u>4 1/2</u> in.	Inter Coated? _____
Proposed Packer Depth _____ ft	
Min. Packer Depth <u>10520</u> (100-ft limit)	
Proposed Max. Surface Press. <u>10500</u> psi	
Admin. Inj. Press. <u>3000</u> (0.2 psi per ft)	

AOR: Hydrologic and Geologic Information

POTASH: R-111-P MA Noticed? _____ BLM Sec Ord ☐ WIPP ☐ Noticed? _____ Salt/Salado T: 1750 B: 2713NW: Cliff House fm _____

FRESH WATER: Aquifer Quaternary Max Depth 70' HYDRO AFFIRM STATEMENT By Qualified Person ☒

NMOSE Basin: LEC CAPITAN REEF: thru adj. NA No. Wells within 1-Mile Radius? _____ FW Analysis _____

Disposal Fluid: Formation Source(s) Gnarby m/s.s.a. Analysis? _____ On Lease ☒ Operator Only ☐ or Commercial ☐

Disposal Int: Inject Rate (Avg/Max BWPD): 200/300 Protectable Waters? _____ Source: _____ System Closed or Open

HC Potential: Producing Interval? MA Formerly Producing? _____ Method: Logs/DST/P&A/Other Occidental 2-Mile Radius Pool Map ☐

AOR Wells: 1/2-M Radius Map? Y Well List? _____ Total No. Wells Penetrating Interval: 0 Horizontals? _____

Penetrating Wells: No. Active Wells 0 Num Repairs? _____ on which well(s)? _____ Diagrams? MA

Penetrating Wells: No. P&A Wells 0 Num Repairs? _____ on which well(s)? _____ Diagrams? MA

NOTICE: Newspaper Date MAY 3, 2017 Mineral Owner NMSLO Surface Owner NMSLO N. Date 8/15/2017

RULE 26.7(A): Identified Tracts? _____ Affected Persons: ConocoPhillips, Chevron N. Date 08-08-2017

Order Conditions: Issues: MA Operator set casing shoe for production casing no shallower than base well

dd Order Cond: