

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-39959
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator RKI EXPLORATION & PRODUCTION, LLC		6. State Oil & Gas Lease No. 36900
3. Address of Operator 3500 ONE WILLIAMS CENTER MD 35 TULSA, OK 74172		7. Lease Name or Unit Agreement Name RDX 16
4. Well Location Unit Letter D : 330 feet from the NORTH line and 330 feet from the WEST line Section 16 Township 26S Range 30E NMPM EDDY County		8. Well Number 015
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,084		9. OGRID Number 246289
		10. Pool name or Wildcat BRUSHY DRAW; DELAWARE, EAST

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐	Surface Commingle ☒		
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RKI EXPLORATION & PRODUCTION, LLC RESPECTFULLY REQUESTS TO P&A THE ABOVE MENTIONED WELL.

THE WBD AND PROCESS ARE ATTACHED.

Spud Date:

11/12/2012


Rig Release Date:

11/27/2012

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Caitlin O'Hair TITLE Regulatory Tech II DATE 02/25/2019
Type or print name Caitlin O'Hair E-mail address: caitlin.ohair@wpenergy.com PHONE: 539-573-3527
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____



WPXENERGY.

KB: 3096.0'

GL: 3084.0'

Datum: 12.0' above GL

Spud: 11/12/2012

Completed: 11/28/2012

Perf @ 150' & Sqz. 110 sxs. to surf.

13 3/8" (17 1/2" hole) 54.5# J-55 to 837'
cmt'd w- 700 sxs. to surface

Perf @ 887' Sqz. 70 sxs. WOC & Tag @ 737'

9 5/8" (12 1/4" Hole) 40# J-55 to 3,486'
cmt'd w- 1045 sxs. to surface

5 1/2" (8 3/4" Hole) 17# N-80 to 7,471'
cmt'd w- 1125 sxs. to 3,425' (per CBL)


**Perf & Attempt to Sqz. 35 sxs. from 3,536'
to 3,386' below & above shoe @ 3,486'**

Set CIBP @ 5,417' & Spot 25 sxs. to 5,195'

DVT: 5,508'

PBTD: 7,408'

RDX '16' #15
Proposed Plugged WB



Les Peeler 02/22/2019

API No: 30-015-39959

Sec. 16, 26 S, 30 E.
Eddy Co. New Mexico
Brushy Draw/Delaware Field
Grid # 246289 Property #36900
GPS: 32.048841 -103.893323

Base of Lime 3,586'

Delaware: 5,517' - 7,149'

TD @ 7,471'

les@peeleroilfield.com



RDX "16" #15
Plug and Abandon Procedure
Brushy Draw Delaware East Field

Section 16 T-26S, R-30E
Eddy Co., New Mexico
GPS: 32.048841 -103.893323

API # 30-015-39959
OGRIG # 246289 Property #36900

Spud Date: 11/12/2012
TD Date: 11/28/2012

Producing Formations:
Delaware: 5,517' - 7,149'

KB Elev: 3096'
GL Elev: 3084'
TD: 7,471'
PBTD: 7,408'

CASING SUMMARY:

Safety Factor = 80% of new applied to burst, collapse and tension parameters in table.

Size	Depth (ft)	Weight (#/ft)	Grade psi	Capacity (bbls/ft)	ID (in)	Drift (in)	Burst (psi)	Collapse (psi)	Tension (lbs)
13 3/8"	837'	54.5 #	J-55	.1571	12.615	12.459	2730#	1130#	853,000
9 5/8"	3,429'	40 #	J-55	.0609	8.835	8.679	2570#	3950#	630,000
5 1/2"	7,580'	17 #	N-80	.0238	4.892	4.767	6390#	7740#	348,000

Surface: **13 3/8": 0' - 837'** - TOC @ surface w-700 sxs
Production: **9 5/8" 0' - 3,486'** - TOC @ surface 1,045 sxs.
Production 5 1/2" : 0' - 7,471' - TOC @ 3,425' (per CBL) w- 1125 sxs,

COMPLETION HISTORY TO DATE:

OBJECTIVE: Plug and abandon.

WPX REQUIRES THAT HARD HATS, STEEL TOE BOOTS, FIRE RETARDANT CLOTHING, AND SAFETY GLASSES BE WORN ON LOCATION.

HOLD SAFETY MEETING PRIOR TO COMMENCING PERFORATING, WIRE LINE AND PUMPING OPERATIONS

NO IGNITION SOURCES WITHIN 100 FT OF THE WELLHEAD, FLOWBACK TANKS OR MANIFOLD.

WPX Contact List:

WPX	Title	Ofc.	Cell
Justin Warren	Production Superintendent	575-885-7525	701-421-7324
Steve Bernhardt	Permian Production Engineer	539-573-3548	918-671-0683
Tommy Mazal	Permian Production Engineer	539-573-3583	918-240-7082
Brad Ballinger	Permian Production Engineer	539-573-0135	303-928-0799
Bailey Nett	Permian Production Engineer	539-573-2547	505-386-8974
Brittani Vegher	Permian Production Engineer		918-600-8645
Josh Walker	Regulatory Specialist	539-573-0108	580-716-0330
Les Peeler	Plugging Consultant	405-659-5185	405-318-4726

Emergency Contacts – New Mexico:

Hospital: Carlsbad Medical Center (575) 887-4100
2430 W. Pierce St., Carlsbad, NM 88220

Sheriff's Office: Lea County Sheriff Dept (575) 396-3611
Eddy County Sheriff Dept (575) 887-7551

Emergency Contacts – Texas:

Hospital: Reeves County Hospital (432) 447-3551
2323 Texas St, Pecos TX 79772

Sheriff's Office: Reeves County Sheriff Dept (432) 445-4901
Loving County Sheriff Dept (432) 377-2411