

District I
 1625 N. French Dr., Hobbs, NM 87240
 District II
 811 South First, Artesia, NM 87210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 South Pacheco, Santa Fe, NM 87505

OIL CONSERVATION DIVISION
 1220 South St Francis
 Santa Fe, NM 87505

WELL API NO.
30-007-20693

5. Indicate Type of Lease
 STATE FEE

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
 OIL WELL GAS WELL DRY OTHER Coal Bed Methane

b. Type of Completion:
 NEW WELL WORK OVER DEEPEN PLUG BACK DIFF. RESVR. OTHER

7. Lease Name or Unit Agreement Name
VPR A

2. Name of Operator
EL PASO E & P COMPANY, L.P.

8. Well No.
247

3. Address of Operator
PO BOX 190, RATON, NEW MEXICO 87740

9. Pool name or Wildcat
Stubblefield Canyon Raton - Vermejo Gas

4. Well Location
 Unit Letter I : 2099 Feet From The South Line and 334 Feet From The East Line

Section 23 Township 31N Range 19E NMPM Coffax County

10. Date Spudded **04/18/2006** 11. Date T.D. Reached **04/19/2006** 12. Date Compl. (Ready to Prod.) **05/05/2006** 13. Elevations (DF& R(B. RT, GR, etc.) **8,280'** 14. Elev. Casinghead **8,280'**

15. Total Depth **2,620'** 16. Plug Back T.D. **2,453'** 17. If Multiple Compl. How Many Zones? **0 - TD** 18. Intervals Drilled By **0 - TD** Rotary Tools **0 - TD** Cable Tools **NONE**

19. Producing Interval(s), of this completion - Top, Bottom, Name
717' - 2,136' Vermejo - Raton Coals

20. Was Directional Survey Made
NO

21. Type Electric and Other Logs Run
Compensated Density and Cement Bond Log / Gamma Ray

22. Was Well Cored
No

23. **CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23	309'	11"	100 sks	None
5 1/2"	15.5	2,586'	7 7/8"	458 sks	

24. **LINER RECORD** 25. **TUBING RECORD**

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	2,219'	No

26. Perforation record (interval, size, and number)

2076'- 2079', 2131'-2136' 32 Holes
 1765'- 1768', 1814'- 1817', 1845'- 1848' 36 Holes
 1101'- 1105', 1147'- 1151', 1266'- 1273' 60 Holes
 910'- 916', 945'- 950', 1016'- 1019', 1022'- 1026' 72 Holes
 717'- 720', 741'- 744', 756'- 759', 825'- 829', 860'- 863' 64 Holes

27. **ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.**

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
717' - 2136'	329,300 lbs 16/30 sand

28. **PRODUCTION**

Date First Production **05/23/2006** Production Method (*Flowing, gas lift, pumping - Size and type pump*)
Pumping water up 2 7/8" tubing, pc pump.. Flowing gas up 5 1/2" Casing. Well Status (*Prod. or Shut-in*)
Production

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
05/23/2006	24 hrs.	Full 2"		N/A	41	85	N/A

Flow Tubing Press. **0** Casing Pressure **66** Calculated 24-Hour Rate **0** Oil - Bbl. **N/A** Gas - MCF **41** Water - Bbl. **85** Oil Gravity - API - (*Corr.*) **N/A**

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*)
Sold, used for fuel. Test Witnessed By:
Wil Demcheck

30. List Attachments

31. *I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief.*

Signature: Shirley Mitchell Printed **Shirley A. Mitchell** Title **Regulatory Analyst** Date: **06/20/2006**

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. Raton Top <u>0'</u>
T. Blinbry _____	T. Gr. Wash _____	T. Morrison _____	T. Vermejo <u>2,050'</u>
			Trinidad <u>2,313'</u>
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 3, from.....to.....
No. 2, from.....to.....	No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology