Submit To Appropria State Lease - 6 copies		, ,			State of New Mexico			Form C-105 Revised June 10, 2003			
District I			Energy, Minerals and Natural Resources				WELL API NO.				
	lobbs, NM 88240 ue, Artesia, NM 88210	)	Oil Conservation Division				30-007-20708 5. Indicate Type of Lease				
District III 1000 Rio Brazos Rd.,	Aztec, NM 87410			20 South St. Fr			STAT	E 🔲	FEE	$\boxtimes$	
District IV 1220 S. St. Francis D.	r Santa Fe. NM 8750	5		Santa Fe, NM 8	37505	1	State Oil & Gas Lease No.				
WELL C			MPL	ETION REPOR	RT AND LOG						
la. Type of Well: OIL WELL ☐ GAS WELL ☑ DRY ☐ OTHER <u>Coalbed Methane</u>							7. Lease Name or Unit Agreement Name				
b. Type of Completion: NEW ☑ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. WELL OVER BACK RESVR. ☐ OTHER							VPR B				
2. Name of Operator EL PASO E & P COMPANY, L.P.							8. Well No. <b>216</b>				
3. Address of Open	PO BOX	190 NEW MEXI	ഹ ദ	7740			9. Pool name or Wildcat  Van Bremmer Vermejo Gas				
4. Well Location	RATON,	INE W MEAN	CO 8	7740							
Unit Letter	<u>B</u> : 1067	Feet From "	The	North Line	and <u>1739</u>	Feet Fro	om The <u>Eas</u>	<u>t</u> Line			
Section	23 Towns					MPM			County	<u> </u>	
10. Date Spudded 06/15/2006	11. Date T.D. Re 06/16/0			mpl. (Ready to Prod.) 07/20/2006	13. Elevation		e RKB, RT, GR, 6 8 <b>,888'</b>	etc.)	14. Elev.	Casinghead 8,888'	
15. Total Depth	16. Plug B			Multiple Compl. How ones?	Many 18. Into Drilled		Rotary Tools	`	Cable T	`ools	
3,085'		,085' eletion - Top, Bo	ì		1 Dillied	Бу	20. Was Directional Survey Made				
_	1,5			ton – Vermejo Co	als	, <u>,</u>					
21. Type Electric a  Compensate		de Induction	Log a	and Cement Bone	d Log		22. Was Well C	Cored	No		
23.	d bensity bing	ic induction		SING RECOR		strir	ngs set in we	ell)			
CASING SIZE		HT LB./FT.		DEPTH SET	HOLE SIZE		CEMENTING	RÉCORD	Al	MOUNT PULLED	
8 5/8"		3 lbs			11"		100 sks 413 sks				
5 1/2"	13	5.5 lbs		7 7/8"		413 383					
SIZE	ТОР	воттом	LINER RECORD  SOTTOM SACKS CEMENT		25. SCREEN SIZ						
SILL		DOTTOM	· · · · · · · · · · · · · · · · · · ·	SACKS CEMENT	BEREEIV		2 7/8"	2.870		TACKERSET	
	tion record (interva 14'- 2716', 2796'- 1				27. ACID, SHO						
2516'- 2522' 2	4 Holes				1,558'- 2,799		AMOUNT AND KIND MATERIAL USED 42,900 lbs 16/30 sand				
1558'- 1560', 1644'- 1646', 1804'- 1806' 24 Holes							lbs 20/40 sand				
				······································							
PRODUCTION											
08/28/2006 Pumping w			tion Method (Flowing, gas lift, pumping - Size and type pump) ing water up 2 7/8" tubing, insert pump and 2' x 1 '4" x 10' ing unit. Flowing gas up 5 '4" casing.				Well Status (Prod. or Shut-in)  Production				
Date of Test 08/28/2006	Hours Tested 24 Hours	Choke Size Full 2"		Prod'n For Test Period	Oil - Bbl N/A	Gas	s - MCF 6	Water - B	bl. 7	Gas - Oil Ratio N/A	
Flow Tubing	Casing Pressure	Calculated	24-	Oil - Bbl.	Gas - MCF	<del></del> ,	Water - Bbl.			PI - (Corr.)	
Press.	25 psi	Hour Rate		N/A	6		67			N/A	
29. Disposition of Gas (Sold, used for fuel, vented, etc.)  Test Witnessed By Tim Mehr											
Sold, used for fuel.  30. List Attachments											
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief											
Chile mitabell Printed											
Signature   Signature   E-mail Address	shirley.mitc	heil@eipaso.	Name com	e Shirley A. N	<b>litchell</b> Titl	e F	Regulatory Ar	nalyst	Date	09/13/2006	

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northwe	Northwestern New Mexico					
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"					
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"					
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"					
T. Yates	T. Miss	T. Cliff House	T. Leadville					
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison					
T. Queen	T. Silurian	T. Point Lookout	T. Elbert					
T. Grayburg	T. Montoya	T. Mancos	T. McCracken					
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte					
T. Glorieta	T. McKee	Base Greenhorn_	T. Granite					
T. Paddock	T. Ellenburger	T. Dakota	T Raton 725'					
T. Blinebry	T. Gr. Wash	T. Morrison	T Vermejo 2,496'					
T.Tubb	T. Delaware Sand	T.Todilto	T Trinidad 2,809'					
T. Drinkard	T. Bone Springs	T. Entrada	T					
T. Abo	T	T. Wingate	T.					
T. Wolfcamp	Т.	T. Chinle	Т.					
T. Penn	T.	T. Permian	T					
T. Cisco (Bough C)	T.	T. Penn "A"	T.					

T. Cisco (Bough C)	T	T. Penn "A"	T	
<del></del>			O	IL OR GAS DS OR ZONES
No. 1, from	to	No. 3, from	to	
No. 2, from	to	No. 4, from	to	
	IMPORTANT '	WATER SANDS		
Include data on rate of wat	ter inflow and elevation to which water	er rose in hole.		
No. 1, from	to	feet		
No. 2, from	toto	feet		
No. 3, from	to	feet	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	Fre	om	То	Thickness In Feet	Lithology
		:						
						ĺ		
		1			:			
		;						